MOHAMAD REZQI BIN MUHARAM (B23CS0006)

SQL-DMLI PARTI

- · Part 1 : Runming a script to populate the tables.
- · Part 2: Inserting rows to the system
 - 1) INSERT INTO TEAMS (id, name, Number of players, discount)

VALUES ('+004', 'Jets', 10, 5);

2) INSERT INTO CUSTOMERS (ctr_number, email, first_name, lost_name, phone_number, current_balance, sre_id, tem_id, loyalty_card_number)

VALUES ('co2001', 'brian rog@hootech.com', 'Brian', 'Rogers', '01654564898',

-5, MULL, NULL, '104587'):

3) INSERT INTO CUSTOMERS (C+r_number, email, first_name, last_name, phone_number, eurrent_balance, loyalty_card_number)

VALUES ('co2001, 'brianing@ hootedn, com, 'Brian', 'Rogers', '01654564898', 50, '104587').

1

SQL - DMLI - PART 2

Part 1 : Updating rows to the system.

- 1) SELECT start_date, To_CHAR (start_time, 'HH24:M1:85'), price, end_date,
 To_CHAR Cend_time, 'HH24:M1')
 FROM price_history;
- 2) UPDATE PRICE_HISTORY

 SET end_date = SYSDATE, end_time = SYSTIMESTAMP

 WHERE itm_number = imOliolo48' AND end_date is NULL;
- 3) Rerun code No. 1.
- 4) INSERT INTO PRICE_HISTORY (Start_date, start_time, price, 7th_number)
 VALUES (SYSDATE, SYSTIMESTAMP, 99,99, 'imollolous');
- 5) Rerun code No. 1
- POH 2: Deleting rows from the system.

 1) DELETE FROM CUSTOMERS_ADDRESSES
 - WHERE address_nne_1 = '83 Barthill Drive';
 - 2) SELECT * FROM CUSTOMERS_ADDRESSES;