

Database Design Project

Oracle Baseball League Store Database

Project Scenario:

You are a small consulting company specializing in database development. You have just been awarded the contract to develop a data model for a database application system for a small retail store called Oracle Baseball League (OBL).

The Oracle Baseball League store serves the entire surrounding community selling baseball kit. The OBL has two types of customer, there are individuals who purchase items like balls, cleats, gloves, shirts, screen printed t-shirts, and shorts. Additionally customers can represent a team when they purchase uniforms and equipment on behalf of the team.

Teams and individual customers are free to purchase any item from the inventory list, but teams get a discount on the list price depending on the number of players. When a customer places an order we record the order items for that order in our database.

OBL has a team of three sales representatives that officially only call on teams but have been known to handle individual customer complaints.

Section 6 Lesson 7 Exercise 2: Restricting Data Using WHERE

Limit rows using WHERE (S6L7 Objective 1)

In this exercise you will refine the data that is returned in your query by adding a WHERE clause to your SELECT statement.

Part 1: Using the NULL Conditions

1. Write a query that will display information for teams that don't receive a discount in the following format:

The Rovers team has 25 players and does not receive a discount.

Use **Team Information** as the column alias.

2. Write a query that will display information for only teams that receive a discount in the following format:

The Rockets team has 25 players and receives a discount of 10 percent.

Use **Team Information** as the column alias.

Part 2: Logical Operators: AND

1. Write a query that will display the customer number, address line 1 and postal code for customers that live in the starford area of Liverpool. Use Customer Number, Street Address and Postal Code as the column aliases.

Part 3: Logical Operators: OR

1. Write a query that will display the customer number, address line 1 and postal code for customers that live in either starford or Liverpool in general. Use Customer Number, Street Address and Postal Code as the column aliases.

Part 4: Logical Operators: NOT Equal To

1. Write a query that will display the customer number, address line 1 and postal code for customers that do not live in Liverpool. Use Customer Number, Street Address and Postal Code as the column aliases.

```
Part 1
1. SELECT 'The | | name | | 'has' | number of players | 'players and does not receive a discount."
           AS " leam information"
     FROM teams
     WHERE discount is nucl.
          Team Information
          1 The Rovers team has 8 players and does not receive a discount.
2. SELECT The | name | has | number of players | players and receives a discount of | discount | percent
            AS "leam information"
     FROM teams
     WHERE discount is NOT NULL;
       Team Information
        1 The Rockets team has 25 players and receives a discount of 10 percent.
        2 The Celtics team has 42 players and receives a discount of 20 percent.
        3 The Jets team has 10 players and receives a discount of 5 percent.
Part 2
 1 SELECT cir. number "Customer Number" address_line_1 "Street Address", #ip_code "Postal Code"
     FROM customers addresses
     WHERE city = Liverpool AND address_line 2 = Starford
             1 Customer Number 1 Street Address
                                                Postal Code
                             17 Gartsquare Road LP89JHK
 Part 3
 [ SELECT ctr. number "Customer Number" address_line_1 "Street Address", 2ip_code "Postal Code"
     FROM customers, addresses
    where city = 'Liverpool' or address_line_2 = 'Starford'
          ⊕ Customer Number ⊕ Street Address ⊕ Postal Code
                         17 Gartsquare Road LP89JHK
         1 c00001
         2 c00001
                          63 Acacia Drive LP83JHR
 Part 4
 1 SELECT ctr. number "Customer Number" address_line_1 "Street Address", 21p_code "Postal Code"
     FROM customers_addresses
     WHERE city 4> Liverpool'

    ↑ Customer Number    ↑ Street Address
                                             Postal Code
          1 c00101
                       54 Ropehill Crescent ST45AGV
          2 c01986
                          36 Watercress Lane JP23YTH
```