SQL 4 5 JMG PI) PARTI 1. SELECT \* FROM sales\_ representatives INIES-Leb- aggle res? NATURAL JOIN id, name, last\_name, address\_line\_1, address\_line\_2, city, email 2. SELECT phone\_ number sales \_ K presentatives PROM NATURAL JOIN soles\_rep-addresses; PAPT 2 id, name, last\_name, address\_line\_1, address\_line\_2, city, email I. SELECT phone\_number PROM sales \_ H presentatives JOIN sales-rep-addresses USING (id); PART 3 1. SELECT "Cuttomer Number", c.first\_name "Customer first Name",
"Cuttomer Last Name", c. phore\_number "Cuttomer Place North", c. ctr -number rr.id "ID", or.first-name "Sales Rep First Name", sr. jost-name My Lad Namy, st. email " sales Reg Email" FLOM customers ( 501N sales representatives or c. sre\_id = sr.id ON PART Y 1. SELECT " Customer Number" , c.first\_name "Customer first Name c. ctr -number Conflorer Last Name", C. phone-number "Cuttoner Place North c. last\_name or first-name "Sales Per first Name", sr. last-name Rey Email", tiname Team New Lad Namy, scampil in sales customers & 501N sales\_representatives or FLOM c. sre id = sr.id ON JOIN teams t c.team-id = t.id ON

```
PART 5
```

```
1. SELECT c. ctr-number
          c. etr-number "Customer Number", c.first name "Customer first Name", c. phore-number "Customer Place North,
          rr.id 10", or.first-name "Sales Rep First Name", rr. last-name
          "Inter My Last Num", sc. email " Sales Reg Email", t. name Team Nam
FROM customers ( JOIN sales representatives or
JOIN teams t
ON c-team-id = tid
WHERE c. dr_number = \ c00001';
PART 6
1. SELECT 11' The cost of the "Il name Il' on this day was" Il price
   FROM items
   NATURAL JOIN price_history
   WHERE itm-number = imolio1045)
   AND start date <= DATE \Lol6-12-12'
   AND ( end-date IS NULL OR end-date >= DATE '2016-12-12'
P2)
PAPTI
1. SELECT rep. first - name 11 111 regilect_name
                                                 " Reprocentation 1
          sup first _name (1 11 sup. last_name
                                                "Supervisor"
 PROM salus-nomentative repleter TOIN sales-representatives sup
  ON
         Rp. superusor id = sup-ld;
PART 2
1. SELECT * FROM teams
   FULL OUTER JOIN customers
   ON id: item_ld;
PART 3
         * FROM customers
1. SELE CT
                 sales representatives;
        201N
 C4022
```

