Database   Section   06 - Lab Exercises   SQL   2

Name   : Mohamad   Azafri   bin   Abd   Majid

Matric Numbers : B23CS0044

※ EXERCISE 1

→ Part 2 : Inserting   rows   to   the   system

1. INSERT INTO TEAMS VALUES ('t004', 'Jets', 10, 5);

2. INSERT INTO CUSTOMERS (ctr_number, email, first_name + last_name,
                        phone_number, current_balance,
                        loyalty_card_number, tem_id, sre_id)

    VALUES ('c02001', 'brianrog@hootech.com', 'Brian', 'Rogers',
              '01654564898', -5, 'lc4587', null, null);

3. INSERT INTO CUSTOMERS (ctr_number, email, first_name, ~~fat~~ last_name,
                        phone_number, ~~cus~~ current_balance,
                        loyalty_card_number, tem_id, ~~sre_id~~ sre_id)

    VALUES ('c02001', 'brianrog@hootech.com', 'Brian', 'Rogers',
              '01654564898', 50, 'lc4587', null, null);

✗ EXERCISE 2

→ Part 1 : Updating rows to the system

1. SELECT start_date, TO_CHAR (start_time, `HH24 : MI:SS '), ~~pric~~
   price, end_date, TO_CHAR (end_time, `HH24 : MI')

   FROM price_history ;

2. UPDATE price_history SET end_date = SYSDATE, end_time = SYSDATE

   WHERE itm_number = `im01101048' ~~end~~ AND end_date IS NULL;

3. SELECT start_date, TO_CHAR (start_time, `HH24 : MI : SS '), price
   end_date , TO_CHAR (end_time, `HH24 : MI')

   FROM price_history ;

4. INSERT INTO ~~p~~ PRICE_HISTORY (start_date, start_time, price, ~~itm~~
   itm_number)

   VALUES (SYSDATE, SYSDATE, 99.99, `im01101048');

5. SELECT start_date, TO_CHAR (start_time, `HH24 : MI : SS '), price, end_dater
   TO_CHAR (end_time, `HH24 : MI');

→ PART 2 : ~~DEL~~ Deleting rows from system

1. ~~SELEC~~ DELETE FROM CUSTOMERS_ADDRESSES ~~WHER~~
   WHERE ctr_number = `c00001' and address_line_1 = `83 Barrhill Drive';

2. SELECT * FROM CUSTOMERS_ADDRESSES ;