SQL 2 (EXERCISE 1)

AHMAD SAIFUDIN BIN NARDI SUSANTO
A22ECOO35   SECTION 06

PART 1

1. List according order
   1. inventory_list
   2. items
   3. price_history
   4. sales_representative
   5. sales_rep_addresses
   6. teams
   7. customers
   8. customers_addresses
   9. orders
   10. ordered_items

2. Yes, its match with my list

3. Tables created succesfully

4. No errors occurred

PART 2

1. INSERT INTO teams (id, name, number_of_players, discount)
   VALUES (`t004`, `Jets`, 10, 5);

2. INSERT INTO customers (ctr_number, email, first_name, last_name, phone_number, current_balance, loyalty_card_number)
   VALUES (`c02001`, `brianrog@hootech.com`, `Brian`, `Rogers`, `01654564898`, -5, `lc4587`);

3. INSERT INTO customers (ctr_number, email, first_name, last_name, phone_number, current_balance, loyalty_card_number)
   VALUES (`c02001`, `brianrog@hootech.com`, `Brian`, `Rogers`, `01654564898`, 50, `lc4587`);

   * 1 row(s) inserted

SQL 2 (EXERCISE 2)

AHMAD SAIFUDIN BIN NARDI SUSANTO

A22EC0035   SECTION 06

PART 1

2. UPDATE price_history
   SET end_date = SYSDATE , end_time = SYSDATE
   WHERE itm_number = `im01101048' AND end_date IS NULL;

4. INSERT INTO price_history (start_date, start_time, price, itm_number)
   VALUES (SYSDATE, SYSDATE , 99.99 , `im01101048');

PART 2

1. DELETE FROM customers_addresses
   WHERE id = `ca0101';

2. SELECT * FROM customers_addresses ;