

DATABASE – SECD2523

SECTION: 06


LAB 1

NAME: LEOW YAN HONG

MATRIC.NO: A22EC0067

LECTURER: DR. IZYAN IZZATI BINTI KAMSANI

Parf 1 1) 10 table 2) 6 columns 3) statement "NOT NULL" 4) customer_address_customer_fk 5) commission_rate: lowest value = -99 highest value = 99 6) lowest value = -9999999.99 highest value = 9999999.99 7) itm_number, start_date, start_time Part 1 Modifying a column 1) id VARCHAR2(9) NOT NULL, odr_date DATE NOT NULL, odr_time DATE NOT NULL, ctn_number_of_units NUMBER(2) NOT NULL, constraint orders_pk PRIMARY KEY (id) 2) ALTER TABLE orders MODIFY odr_date DATE DEFAULT SYSDATE; 3) Id VARCHAR2(9) NOT NULL, odr_date DATE NOT NULL, odr_time DATE NOT NULL, ctr_number of_units NUMBER(2) NOT NULL, ctr_number VARCHAR2(6) NOT NULL, cONSTRAINT orders_pk PRIMARY KEY (id) TABLE orders odr_date DATE DEFAULT SYSDATE; SYSDATE



DROP COLUMN



1) - ALTER TABLE customers DROP (mobile_phone_number);

