



UTM
UNIVERSITI TEKNOLOGI MALAYSIA

DATABASE – SECD2523

SECTION: 06

LAB 2

NAME: KEW JIAN HENG

MATRIC NO: A22EC0058

INSTRUCTORS: DR.IZYN IZZATI BINTI KAMSANI

DFo_6_4_1_Project

Part 1: Running a script to populate the tables

1.

```
CREATE TABLE inventory_list (  
  id      VARCHAR2(11) NOT NULL,  
  cost    NUMBER(7,2) NOT NULL,  
  units   NUMBER(4) NOT NULL,  
  CONSTRAINT inventory_list_pk PRIMARY KEY ( id )  
);
```

TABLE created.

```
CREATE TABLE items (  
  itm_number  VARCHAR2(10) NOT NULL,  
  name        VARCHAR2(20) NOT NULL,  
  description  VARCHAR2(50) NOT NULL,  
  category    VARCHAR2(25) NOT NULL,  
  color       VARCHAR2(15),  
  "Size"      CHAR(1),  
  ilt_id      VARCHAR2(11) NOT NULL,  
  CONSTRAINT item_pk PRIMARY KEY ( itm_number )  
);
```

TABLE created.

```
CREATE TABLE price_history (  
  start_date  DATE NOT NULL,  
  start_time  DATE NOT NULL,  
  price       NUMBER(7,2) NOT NULL,  
  end_date    DATE,  
  end_time    DATE,  
  itm_number  VARCHAR2(10) NOT NULL,  
  CONSTRAINT price_history_pk PRIMARY KEY ( itm_number, start_date, start_time ),  
  CONSTRAINT price_history_items_fk FOREIGN KEY ( itm_number ) REFERENCES items ( itm_number )  
);
```

TABLE created.

```
CREATE TABLE sales_representatives (  
  id          VARCHAR2(4) NOT NULL,  
  email       VARCHAR2(50) NOT NULL,  
  first_name  VARCHAR2(20) NOT NULL,  
  last_name   VARCHAR2(30) NOT NULL,  
  phone_number VARCHAR2(11) NOT NULL,  
  commission_rate NUMBER(2) NOT NULL,  
  supervisor_id VARCHAR2(4) NOT NULL,  
  CONSTRAINT sales_representative_pk PRIMARY KEY ( id ),  
  CONSTRAINT sre_email_uk UNIQUE (email)  
);
```

TABLE created.

```
CREATE TABLE sales_rep_addresses (  
  id          VARCHAR2(4) NOT NULL,  
  address_line_1 VARCHAR2(30) NOT NULL,  
  address_line_2 VARCHAR2(30),  
  city        VARCHAR2(15) NOT NULL,  
  zip_code    VARCHAR2(7) NOT NULL,  
  CONSTRAINT sales_rep_address_pk PRIMARY KEY ( id )  
);
```

TABLE created.

```
CREATE TABLE teams (  
  id          VARCHAR2(4) NOT NULL,  
  name        VARCHAR2(20) NOT NULL,  
  number_of_players NUMBER(2) NOT NULL,  
  discount    NUMBER(2),  
  CONSTRAINT team_pk PRIMARY KEY ( id )  
);
```

TABLE created.

```
CREATE TABLE customers (
  ctr_number      VARCHAR2(6) NOT NULL,
  email           VARCHAR2(50) NOT NULL,
  first_name      VARCHAR2(20) NOT NULL,
  last_name       VARCHAR2(30) NOT NULL,
  phone_number    VARCHAR2(11) NOT NULL,
  current_balance NUMBER(6,2) NOT NULL,
  sre_id          VARCHAR2(4),
  tem_id          VARCHAR2(4),
  loyalty_card_number VARCHAR2(6),
  CONSTRAINT customer_pk PRIMARY KEY ( ctr_number ),
  CONSTRAINT ctr_email_uk UNIQUE (email),
  CONSTRAINT ctr_lcn_uk UNIQUE (loyalty_card_number)
);
```

TABLE created.

```
CREATE TABLE customers_addresses (
  id              VARCHAR2(8) NOT NULL,
  address_line_1  VARCHAR2(30) NOT NULL,
  address_line_2  VARCHAR2(30),
  city            VARCHAR2(15) NOT NULL,
  zip_code        VARCHAR2(7) NOT NULL,
  ctr_number      VARCHAR2(6) NOT NULL,
  CONSTRAINT customer_address_pk PRIMARY KEY ( id )
);
```

TABLE created.

```
CREATE TABLE orders (
  id              VARCHAR2(9) NOT NULL,
  odr_date        DATE NOT NULL,
  odr_time        DATE NOT NULL,
  number_of_units NUMBER(2) NOT NULL,
  ctr_number      VARCHAR2(6) NOT NULL,
  CONSTRAINT orders_pk PRIMARY KEY ( id )
);
```

TABLE created.

```
CREATE TABLE ordered_items (
  quantity_ordered  NUMBER(3) NOT NULL,
  quantity_shipped  NUMBER(3) NOT NULL,
  itm_number         VARCHAR2(10) NOT NULL,
  odr_id             VARCHAR2(9) NOT NULL,
  CONSTRAINT ordered_item_pk PRIMARY KEY ( itm_number,odr_id )
);
```

TABLE created.

```
ALTER TABLE customers_addresses ADD CONSTRAINT customer_address_customer_fk FOREIGN KEY ( ctr_number )
  REFERENCES customers ( ctr_number );
```

TABLE altered.

```
ALTER TABLE customers ADD CONSTRAINT customer_sales_rep_fk FOREIGN KEY ( sre_id )
  REFERENCES sales_representatives ( id );
```

TABLE altered.

```
ALTER TABLE customers ADD CONSTRAINT customer_team_fk FOREIGN KEY ( tem_id )
  REFERENCES teams ( id );
```

TABLE altered.

```
ALTER TABLE items ADD CONSTRAINT item_inventory_list_fk FOREIGN KEY ( ilt_id )
  REFERENCES inventory_list ( id );
```

TABLE altered.

```
ALTER TABLE orders ADD CONSTRAINT order_customer_fk FOREIGN KEY ( ctr_number )
  REFERENCES customers ( ctr_number );
```

TABLE altered.

```
ALTER TABLE ordered_items ADD CONSTRAINT ordered_item_item_fk FOREIGN KEY ( itm_number )
  REFERENCES items ( itm_number );
```

TABLE altered.

```
ALTER TABLE ordered_items ADD CONSTRAINT ordered_item_order_fk FOREIGN KEY ( odr_id )
  REFERENCES orders ( id );
```

TABLE altered.

```
ALTER TABLE sales_rep_addresses ADD CONSTRAINT sales_rep_add_sales_rep_fk FOREIGN KEY ( id )
  REFERENCES sales_representatives ( id );
```

TABLE altered.

```
ALTER TABLE sales_representatives ADD CONSTRAINT sales_rep_sales_rep_fk FOREIGN KEY ( supervisor_id ) REFERENCES sales_representatives ( id );
```

TABLE altered.

```
CREATE OR REPLACE TRIGGER fkntm_orders BEFORE
  UPDATE OF ctr_number ON orders
BEGIN
  raise_application_error(
    -20225,
    'Non Transferable FK constraint on table orders is violated'
  );
END;
/
```

TRIGGER created.

2.

Yes, it matched.

APEXApp BuilderSQL WorkshopTeam DevelopmentGallery

Search

KHKEW HENGkew0035

SQL ScriptsResults

Script: sports_data.sqlStatus: CompleteView: DetailSummaryRows: 15GoCreate AppEdit Script

Number	Elapsed	Statement	Feedback	Rows
46	0.00	INSERT INTO ordered_items (quantity_ordered, quantity_shippe	1 row(s) inserted.	1
47	0.00	INSERT INTO ordered_items (quantity_ordered, quantity_shippe	1 row(s) inserted.	1

Download

Previousrow(s) 46 - 47 of 47

47Statements Processed

47Successful

0With Errors

3.

No error was found.

4.

Part 2: Inserting rows to the system

1.

```
INSERT INTO teams (id,name,number_of_players,discount)
VALUES ('t004', 'JETS', 10,5);
```

Results	Explain	Describe	Saved SQL	History
ID	NAME	NUMBER_OF_PLAYERS	DISCOUNT	
t001	Rockets	25	10	
t002	Celtics	42	20	
t003	Rovers	8	-	
t004	Jets	10	5	

2.

```
INSERT INTO customers (ctr_number,email,first_name,last_name,phone_number,
current_balance,loyalty_card_number)
VALUES ('c02001', 'brianrogy@hoootech.com', 'Brian', 'Rogers', '01654564898', -5, 'lc4587');
```

Results	Explain	Describe	Saved SQL	History				
CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CARD_NUMBER
c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01	t001	-
c00012	Jjones@freemail.com	Jennifer	Jones	01505214598	0	-	-	lc1015
c00101	unknown@here.com	John	Doe	03216547808	987.5	sr01	t002	-
c00103	MurciaA@globaltech.com	Andrew	Murcia	07715246890	85	-	-	lc2341
c01986	margal87@delphiview.com	Maria	Galant	01442736589	125.65	sr03	t003	-
c02001	brianrogy@hoootech.com	Brian	Rogers	01654564898	-5	-	-	lc4587

3.

```
1 UPDATE customers SET current_balance = 50 WHERE ctr_number = 'c02001'
2
```

Results

Explain

Describe

Saved SQL

History

1 row(s) updated.

Results

Explain

Describe

Saved SQL

History

CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CARD_NUMBER
c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01	t001	-
c00012	Jjones@freemail.com	Jennifer	Jones	01505214598	0	-	-	lc1015
c00101	unknown@here.com	John	Doe	03216547808	987.5	sr01	t002	-
c00103	MurciaA@globaltech.com	Andrew	Murcia	07715246890	85	-	-	lc2341
c01986	margal87@delphiview.com	Maria	Galant	01442736589	125.65	sr03	t003	-
c02001	brianrogy@hoootech.com	Brian	Rogers	01654564898	50	-	-	lc4587

Dfo_6_4_2_Project

Part 1- Updating rows to the system

1.

START_DATE	TO_CHAR(START_TIME,'HH24:MI:SS')	PRICE	END_DATE	TO_CHAR(END_TIME,'HH24:MI')
06/17/2017	09:00:00	4.99	-	-
11/25/2016	09:00:00	14.99	01/25/2017	17:00
01/25/2017	17:01:00	8.99	01/25/2017	19:00
01/26/2017	09:00:00	15.99	-	-
02/12/2017	12:30:00	7.99	-	-
04/25/2017	10:10:10	24.99	-	-
05/31/2017	16:35:30	149	-	-

7 rows returned in 0.01 seconds [Download](#)

2.

```
UPDATE price_history
SET end_date = SYSDATE, end_time = SYSDATE
WHERE itm_number = 'im01101048' and end_date IS NULL;
```

3.

START_DATE	TO_CHAR(START_TIME,'HH24:MI:SS')	PRICE	END_DATE	TO_CHAR(END_TIME,'HH24:MI')
06/17/2017	09:00:00	4.99	-	-
11/25/2016	09:00:00	14.99	01/25/2017	17:00
01/25/2017	17:01:00	8.99	01/25/2017	19:00
01/26/2017	09:00:00	15.99	-	-
02/12/2017	12:30:00	7.99	-	-
04/25/2017	10:10:10	24.99	-	-
05/31/2017	16:35:30	149	11/09/2023	03:56

4.

```
INSERT INTO price_history (start_date, start_time, price, itm_number)
VALUES (SYSDATE, SYSDATE, 99.99, 'im01101048');
```

5.

START_DATE	START_TIME	PRICE	END_DATE	END_TIME	ITM_NUMBER
06/17/2017	06/17/2016	4.99	-	-	im01101044
11/25/2016	11/25/2016	14.99	01/25/2017	01/25/2017	im01101045
01/25/2017	01/25/2017	8.99	01/25/2017	01/25/2017	im01101045
01/26/2017	01/26/2017	15.99	-	-	im01101045
02/12/2017	02/12/2017	7.99	-	-	im01101046
04/25/2017	04/25/2017	24.99	-	-	im01101047
05/31/2017	05/31/2017	149	11/09/2023	11/09/2023	im01101048
11/09/2023	11/09/2023	99.99	-	-	im01101048

Part 2: Deleting rows from the system

1.

```
DELETE FROM customers_addresses
WHERE id = 'ca0101';
```

2.

ID	ADDRESS_LINE_1	ADDRESS_LINE_2	CITY	ZIP_CODE	CTR_NUMBER
ca0102	17 Gartsquare Road	Starford	Liverpool	LP89JHK	c00001
ca0103	54 Ropehill Crescent	Georgetown	Star	ST45AGV	c00101
ca0104	36 Watercress Lane	-	Jump	JP23YTH	c01986
ca0105	63 Acacia Drive	Skins	Liverpool	LP83JHR	c00001

4 rows returned in 0.01 seconds [Download](#)