# TUGAS JURNAL MODUL 5



#### **Disusun Oleh:**

Izzaty Zahara Br Barus – 23111040452

Kelas:

**SE-07-02** 

Dosen:

Yudha Islami Sulistya

PROGRAM STUDI SOFTWARE ENGINEERING DIREKTORAT KAMPUS PURWOKERTO TELKOM UNIVERSITY PURWOKERTO 2025

#### I. Link Github

• <a href="https://github.com/Izzaaaaaaaaaa/TJModul5\_2311104052.git">https://github.com/Izzaaaaaaaaaaa/TJModul5\_2311104052.git</a>

#### II. Hasil Running

## implementasi-generic-method

```
C:\Users\ASUS\source\repos\KPL_izzatyzahara_231104052_515E-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052>qit add .

C:\Users\ASUS\source\repos\KPL_izzatyzahara_23git commit -m "Initial commit"s\TJModul5_2311104052\TJModul5_2311104052>qit add .

C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104065_515E-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052>qit remote add origin https://github.com/Izzaaaaaaaaa/TJModul5_2311104065_git error: remote origin already exists.

C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104065_515E-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052>qit remote add origin https://github.com/Izzaaaaaaaaa/TJModul5_2311104052_git error: remote origin already exists.

C:\Users\ASUS\source\repos\KPL_izzatyzahara_23111040652_515E-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052>qit push -u origin master Enumerating objects: 21, done.

Counting objects: 100% (21/21), done.

Delta compression using up to 4 threads

Total 11 (delta 8), reused 0 (delta 0), pack-reused 0 (from 0)

remote: Resolving deltas: 100% (8/8), completed with 8 local objects.

Total 11 (delta 8), reused 0 (delta 0), pack-reused 0 (from 0)

remote: Resolving deltas: 100% (8/8), completed with 8 local objects.

9a/3a0c. 5319067 master > master

branch 'master' set up to track 'origin/master'.

C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_S15E-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052>qit checkout -b implementasi-generic-method

Switched to a new branch 'implementasi-generic-method'
```

```
Microsoft Visual Studio Debui × + 

Hasil Penjumlahan: 102

C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_SISE-07-02\05_Generics\TJMODUL5_2311104052\TJMODUL5_2311104052\bin\Debug\net8.0\TJMODUL5_2311104052.exe (process 20128) exited with code 0 (0x0).

To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops.

Press any key to close this window . . .
```

# Implementasi Generic Class

```
C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_S1SE-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052>git checkout master Switched to branch 'master'
Your branch is up to date with 'origin/master'.

C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_S1SE-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052>git checkout -b implementasi-g eneric-class
Switched to a new branch 'implementasi-generic-class'
```

```
Data 1 berisi: 10, yang disimpan pada waktu UTC: 20/03/2025 13:51:46
Data 2 berisi: 40, yang disimpan pada waktu UTC: 20/03/2025 13:51:46
Data 3 berisi: 52, yang disimpan pada waktu UTC: 20/03/2025 13:51:46
C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_SISE-07-02\05_Generics\TJMODUL5_2311104052\TJMODUL5_2311104052\bin\Debug\net8.0\TJMODUL5_2311104052.exe (process 18872) exited with code 0 (0x0).
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops.

Press any key to close this window . . .
```

```
C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_SISE-07-02\05_Generics\TJModul5_2311104052\rightary add .

C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_SISE-07-02\05_Generics\TJModul5_2311104052\rightary a
```

### menyelesaikan conflict

```
C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_S1SE-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052>git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_SISE-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052>git merge implementasi-generic
-method
Updating 53199b7..2cc337d
 ast-forward
 Program.cs
bin/Debug/net8.0/TJMODUL5_2311104052.deps.json
                                                                                                                               bin/Debug/net8.9/TJMODUL5_2311104052.deps.json
bin/Debug/net8.9/TJMODUL5_2311104052.dll
bin/Debug/net8.9/TJMODUL5_2311104052.dll
bin/Debug/net8.9/TJMODUL5_2311104052.exe
bin/Debug/net8.9/TJMODUL5_2311104052.pdb
.../net8.9/TJMODUL5_2311104052.runtimeconfig.json
..MODUL5_23111040652.csproj.BuildWithSkipAnalyzers
..DUL5_23111040652.csproj.GoreCompileInputs.cache
..TJMODUL5_2311104052.csproj.FileListAbsolute.txt
bbj/Debug/net8.9/TJMODUL5_2311104052.dll
.../TJMODUL5_2311104052.genruntimeconfig.cache
obj/Debug/net8.9/TJMODUL5_2311104052.pdb
../net8.9/TJMODUL5_2311104052.sourcelink.json
../net8.9/TJMODUL5_2311104052.AssemblyInfo.cs
.../TJModul5_2311104052.AssemblyInfoInputs.cache
obj/Debug/net8.9/apphost.exe
                                                                                                                            Bin 0 -> 6656 bytes
Bin 0 -> 139264 bytes
Bin 0 -> 11152 bytes
12 ++++++++
                                                                                                                             15 +++++++++
Bin 0 -> 6656 bytes
                                                                                                                                 in 0
1 +
in 0 -> 11152 bytes
                                                                                                                             Bin
 obj/Debug/net8.0/apphost.exe
obj/Debug/net8.0/ref/TJMODUL5_2311104052.dll
                                                                                                                         | Bin 0 -> 139264 bytes
| Bin 0 -> 6144 bytes
| Bin 0 -> 6144 bytes
 boj/Debug/net8.0/refint/TJMDDUL5_2311104052.dll | Bin 0 -> 6144
18 files changed, 83 insertions(+), 4 deletions(-)
create mode 100644 bin/Debug/net8.0/TJMDDUL5_2311104052.deps.json
 create mode 1006444 bin/Debug/net8.0/TJMODUL5_2311104052.dl.
create mode 1006444 bin/Debug/net8.0/TJMODUL5_2311104052.exe
create mode 1006444 bin/Debug/net8.0/TJMODUL5_2311104052.exe
 create mode 1006444 bin/Debug/net8.0/TJMODUL5_2311104052.runtimeconfig.json create mode 1006444 obj/Debug/net8.0/TJMODUL5_2311104052.csproj.BuildWithSkipAnalyzers
```

```
C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_SISE-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052>git merge implementasi-generic-class
Auto-merging Program.cs
CONFLICT (content): Merge conflict in Program.cs
marning: Cannot merge binary files: bin/Debug/net8.0/TJMODUL5_2311104052.dll (HEAD vs. implementasi-generic-class)
Auto-merging bin/Debug/net8.0/TJMODUL5_2311104052.dll
CONFLICT (add/add): Merge conflict in bin/Debug/net8.0/TJMODUL5_2311104052.pdb (HEAD vs. implementasi-generic-class)
Auto-merging bin/Debug/net8.0/TJMODUL5_2311104052.pdb
CONFLICT (add/add): Merge conflict in bin/Debug/net8.0/TJMODUL5_2311104052.pdb
CONFLICT (add/add): Merge conflict in bin/Debug/net8.0/TJMODUL5_2311104052.pdb
Auto-merging obj/Debug/net8.0/TJMODUL5_2311104052.clt
CONFLICT (add/add): Merge conflict in obj/Debug/net8.0/TJMODUL5_2311104052.clt (HEAD vs. implementasi-generic-class)
Auto-merging obj/Debug/net8.0/TJMODUL5_2311104052.dlt
Warning: Cannot merge binary files: obj/Debug/net8.0/TJMODUL5_2311104052.dlt
CONFLICT (add/add): Merge conflict in obj/Debug/net8.0/TJMODUL5_2311104052.pdb
CONFLICT (add/add): Merge conflict in obj/Debug/net8.0/TJMODUL5_2311104052.pdb
CONFLICT (add/add): Merge conflict in obj/Debug/net8.0/TJMODUL5_2311104052.pdb
CONFLICT (add/add): Merge conflict in obj/Debug/net8.0/TJMODUL5_231104052.pdb
CONFLICT (add/add): Merge conflict in obj/Debug/net8.0/TJMODUL5_2311104052.pdb
CONFLICT (add/add): Merge conflict in obj/Debug/net8.0/TJMODUL5_2311104052.dlt
CONFLICT (add/add): Merge conflict in obj/Debug/net8.0/Fef/TJMODUL5_2311104052.dlt
CONFLICT (add/add): Merge conflict in obj/Debug
```

```
Program.cs + X

The Module State of the stat
```

```
Program.cs + X
■ TJMODUL5_2311104052
                                                                                                                          🕶 🤲 Program
          36
                                 int angka3 = 52;
                                  // Buat objek SimpleDataBase
SimpleDataBase<int>();
                                 // Tambahkan data
database.AddNewData(angkal);
database.AddNewData(angka2);
database.AddNewData(angka3);
                                 database.PrintAllData();
                      using System;
                  → class Penjumlahan
                            1 reference
public static T JumlahTigaAngka<T>(T a, T b, T c)
          54
55
56
57
58
59
60
61
                                 dynamic x = a;
dynamic y = b;
dynamic z = c;

    ↓ reference
    ↓ class Program

                            O references
static void Main()
                                 // Ganti dengan dua digit dari NIM
int angka1 = 10;
int angka2 = 40;
int angka3 = 52;
                                  // Tentukan tipe data berdasarkan digit terakhir NIM var hasil = Penjumlahan.JumlahTigaAngka(angka1, angka2, angka3);
                            ⊗3 ∧3 ↑ ↓ | ∛ ▼
67 %
```

```
C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_S1SE-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052>git add .

C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_S1SE-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052>git commit -m "menyelesaikan c onflict"

[master b814e84] menyelesaikan conflict

C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_S1SE-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052>git push -u origin master Enumerating objects: 10% (10% (10% 10%)), done.

Counting objects: 10% (10% (10% 10%)), done.

Delta compression using up to 4 threads

Compression objects: 10% (6/6), done.

Witting objects: 10% (7/7), 960 bytes | 960.00 KiB/s, done.

Total 7 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)

remote: Resolving deltas: 100% (4/4), completed with 4 local objects.

To https://github.com/Izzaaaaaaaaaa/TJModul5_2311104052.git

2cc337d. b814e84 master -> master

branch 'master' set up to track 'origin/master'.

C:\Users\ASUS\source\repos\KPL_izzatyzahara_2311104052_S1SE-07-02\05_Generics\TJModul5_2311104052\TJModul5_2311104052\TJModul5_2311104052
```

#### III. Syntax & Penjelasan Syntax Secara Singkat

```
using System;

class Penjumlahan

{
    public static T JumlahTigaAngka<T>(T a, T b, T c)
    {
        dynamic x = a;
        dynamic y = b;
        dynamic z = c;
        return x + y + z;
    }
}
class Program

{
    static void Main()
    {
        // Ganti dengan dua digit dari NIM
        int angka1 = 10;
        int angka2 = 40;
        int angka3 = 52;

        // Tentukan tipe data berdasarkan digit terakhir NIM
        var hasil = Penjumlahan.JumlahTigaAngka(angka1, angka2, angka3);
```

```
Console.WriteLine($"Hasil Penjumlahan: {hasil}");
Console.ReadLine();
}
}
```

Penjelasan: Program ini menggunakan generic method untuk melakukan penjumlahan tiga angka dengan tipe data yang fleksibel. Kelas Penjumlahan memiliki method JumlahTigaAngka<T>(T a, T b, T c), yang menerima tiga parameter dengan tipe data generik T. Di dalam method ini, ketiga parameter dikonversi ke dynamic agar bisa dijumlahkan tanpa mempermasalahkan tipe datanya. Pada fungsi Main(), program mendeklarasikan tiga angka (10, 40, 52) yang kemudian diproses menggunakan method JumlahTigaAngka. Hasilnya ditampilkan di console dengan format "Hasil Penjumlahan: <nilai>". Program ini memungkinkan pemrosesan angka dengan tipe data berbeda tanpa harus menuliskan kode tambahan untuk setiap jenis angka.

```
using System;
using System.Collections.Generic;

class SimpleDataBase<T>
{
    private List<T> storedData;
    private List<DateTime> inputDates;

    public SimpleDataBase()
    {
        storedData = new List<T>();
        inputDates = new List<DateTime>();
    }

    public void AddNewData(T data)
    {
        storedData.Add(data);
        inputDates.Add(DateTime.UtcNow);
    }

    public void PrintAllData()
    {
```

```
for (int i = 0; i < storedData.Count; i++)
       Console.WriteLine($"Data {i + 1} berisi: {storedData[i]}, yang
disimpan pada waktu UTC: {inputDates[i]}");
class Program
  static void Main()
    // Ganti dengan dua digit dari NIM
    int angka1 = 10;
    int angka2 = 40;
    int angka3 = 52;
    // Buat objek SimpleDataBase
    SimpleDataBase<int> database = new SimpleDataBase<int>();
    // Tambahkan data
    database.AddNewData(angka1);
    database.AddNewData(angka2);
    database.AddNewData(angka3);
    // Cetak hasil
    database.PrintAllData();
```

Penjelasan:Program ini menggunakan generic class bernama SimpleDataBase<T> untuk menyimpan data dengan tipe yang fleksibel. Kelas ini memiliki dua properti: storedData, yang menyimpan data bertipe List<T>, dan inputDates, yang mencatat waktu penyimpanan menggunakan List<DateTime>. Metode AddNewData(T data) digunakan menambahkan data ke dalam daftar, sekaligus mencatat waktu input secara otomatis. Sedangkan PrintAllData() mencetak semua data beserta waktu penyimpanannya. Di dalam fungsi Main(), program membuat objek SimpleDataBase<int> dan menambahkan tiga angka (10, 40, 52). Setelah itu, program mencetak hasil penyimpanan ke console, menampilkan setiap data dan waktu saat data tersebut dimasukkan.