

Hydrogen Isotope Separation via Quantum Sieving for Nuclear Fusion

By Iizalaarab Elhaimeur

Womanium Quantum+AI for Climate

Nuclear Fusion: Clean Energy's Future

- Promises abundant, low-carbon energy
- Key challenge: Hydrogen isotope separation
- Current methods: Energy-intensive and inefficient
- Our focus: Novel separation techniques
- Potential impact: Global energy revolution

Problem: Hydrogen Isotope Separation Challenge

- Traditional methods inefficient for fusion needs
 - High energy use, low selectivity
- ITER facility demands not met by current tech
 - High purity, large-scale, continuous separation required
- Key challenges:
 - Selectivity
 - Efficiency
 - Scale
 - Safety
- Innovation needed:
 - Novel materials and methods
 - Highly selective, energy-efficient, scalable, safe solution

Quantum Sieving: A Promising Approach

- Concept: Selective filtering based on quantum properties
- Key principle: De Broglie wavelength differences
- Advantages:
 - Low energy consumption
 - High selectivity
 - Near-ambient operation
- Potential impact:
 - Revolutionize fusion fuel recovery
 - Address key separation challenges
- Research opportunity: Limited existing literature

Past Approaches to Selectivity Approximation

- Monte Carlo Variations
 - Can simulate quantum effects
 - $O(N^2)$ complexity
- Classical Molecular Dynamics
 - Large-scale simulations
 - No quantum effects
- Density Functional Theory (DFT)
 - Models electronic structure
 - Intensive for large systems
- Quantum Chemistry Methods
 - High accuracy for small molecules
 - Poor scaling



Proposed Solution: Hybrid Quantum-Classical Simulation

- Pre-screening with Classical Methods
 - Reduce search space before expensive quantum simulations
 - Classical Algorithms:
 - Monte Carlo variations
 - Machine Learning techniques (e.g., Neural Networks, SVMs)
 - Advantages: Efficient, handles large datasets
- Quantum Simulation
 - Algorithm: Variational Quantum Eigensolver (VQE)
 - Finds ground state of system Hamiltonian
 - Required Resources:
 - 100-10,000 qubits (for electronic states, orientation, ancillary)
- Quantum Simulation Process
 - Encode particles, positions, and momenta into qubits
 - Construct Hamiltonian (including interactions and energies)
 - Simulate time evolution using VQE
 - Measure system for relevant data (adsorption energies, diffusion coefficients, isotope ratios)

Proposed Solution (cont)

- Advantages of Quantum Simulation
 - Accurately simulates quantum effects
 - Provides exact solutions (within error bounds)
 - Scales as $O(N)$ - significantly better than classical methods
- Hybrid Approach Benefits
 - Combines efficiency of classical pre-screening
 - Leverages quantum accuracy for final simulations
 - Potential for breakthrough in material discovery for quantum sieving

Computational Challenges

- Main bottleneck: Hamiltonian construction
 - Scales poorly with system size
- Example: Carbon lattice scaling
 - 'C': 3 sec
 - 'C-C-C': 10 min 45 sec
 - Trend: Exponential growth 
- Large systems: Prohibitive costs
 - Imagine constructing a Hamiltonian for a 100-atom system 
 - Computational cost becomes prohibitive
- Imperative: Cut costs, optimize process
 - Efficient algorithms
 - Pre-screening methods

Future Research Directions

- Exploration of new quantum sieving materials
 - Metal-organic frameworks (MOFs)
 - 2D materials (e.g., graphene derivatives)
- Integration with other separation technologies
- Scaling up for industrial applications
- Extending to separation of other isotopes beyond hydrogen

Background Research: Isotope Separation for Fusion

- Approaches and State of the Art
 - Traditional Methods
 - High energy use, low efficiency for hydrogen
 - Quantum Sieving (Beenakker, 1995)
 - Exploits quantum effects
 - Current Simulations: PIGCMC
 - Can model quantum effects
 - $O(N^2)$ complexity
 - Machine Learning
 - Aims to narrow material search space
- Advantages and Disadvantages
 - Traditional: Well-established, but inefficient
 - Quantum sieving: Promising, hard to simulate
 - PIGCMC: State-of-the-art, computationally expensive
 - ML: Potential to accelerate discovery, needs validation
- Research Gap
 - Lack of quantum/hybrid approaches for quantum sieving simulation

Conclusion: Advancing Isotope Separation

- Key Takeaways
 - Challenge: Efficient hydrogen isotope separation for fusion
 - Solution: Quantum sieving - leveraging quantum effects
 - Approach: Hybrid classical-quantum simulations
 - Impact: Applications beyond fusion, potential spin-offs

Q&A

- Open for questions and discussion

References

- H. Oh and M. Hirscher, "Quantum sieving for separation of hydrogen isotopes using MOFs," *European Journal of Inorganic Chemistry*, vol. 2016, no. 27, pp. 4278–4289, Jun. 2016, doi: 10.1002/ejic.201600253.
- N. S. Bobbitt et al., "MOFX-DB: An online database of computational adsorption data for nanoporous materials," *Journal of Chemical & Engineering Data*, vol. 68, no. 2, pp. 483–498, Jan. 2023, doi: 10.1021/acs.jced.2c00583.
- Q. Wang, S. Challa, D. Sholl, and J. Johnson, "Quantum sieving in carbon nanotubes and zeolites," *Physical Review Letters*, vol. 82, no. 5, pp. 956–959, Feb. 1999, doi: 10.1103/physrevlett.82.956.
- J. Cai, Y. Xing, and X. Zhao, "Quantum sieving: feasibility and challenges for the separation of hydrogen isotopes in nanoporous materials," *RSC Advances*, vol. 2, no. 23, p. 8579, Jan. 2012, doi: 10.1039/c2ra01284g.
- J. Vega et al., "Disruption prediction with artificial intelligence techniques in tokamak plasmas," *Nature Physics*, vol. 18, no. 7, pp. 741–750, Jun. 2022, doi: 10.1038/s41567-022-01602-2.
- H. Tanaka, D. Noguchi, A. Yuzawa, T. Kodaira, H. Kanoh, and K. Kaneko, "Quantum effects on hydrogen isotopes adsorption in nanopores," *Journal of Low Temperature Physics*, vol. 157, no. 3–4, pp. 352–373, Jul. 2009, doi: 10.1007/s10909-009-9917-8.
- Beenakker, J. J. M., et al. (1995). "Selective Adsorption and Quantum Sieving of Hydrogen Isotopes in Carbon Nanotubes." *Chemical Physics Letters*, 232(5-6), 379-382.
- ITER Organization. (2023). "ITER Tokamak Resources." <https://www.iter.org/>