

Lab_06

izd3

Use only commands & functions that are shown in the indicated chapter or prior chapters.

Problem #01 - Chapter 25 Exercise #7

Show your work here

```
first_10<-LETTERS[1:10]
```

```
sample(first_10, 3, replace = TRUE)
```


```
## [1] "E" "B" "J"
```

Problem #02 - Chapter 27 Exercise #3

Show your work here

```
library('patchwork')
```

```
(patchwork01|patchwork02)/(patchwork01|patchwork03|patchwork04)
```




Problem #03 - Chapter 28 Exercise #2A

Show your work here

```
library('ggplot2')
```

```
## Warning: package 'ggplot2' was built under R version 4.2.3
```

```
plot_1<-ggplot(x=ggplot001.tib,mapping =  
aes(x=ggplot001.tib$var.1,y=ggplot001.tib$var.2,color=ggplot001.tib$group.var  
.1))+  
  geom_point(size=4)  
plot_1
```



Problem #0v4 - Chapter 28 Exercise #4A (look at the legends to help determine the datasets used.)

Show your work here

```
plot_1<-ggplot(x=ggplot001.tib,mapping =  
aes(x=ggplot001.tib$var.1,y=ggplot001.tib$var.2,color=ggplot001.tib$group.var  
.1))+  
  geom_point(size=0)
```

```
plot_1+geom_point(data = ggplot001.tib,size=4,shape=6)
```

```
## Warning: Use of `ggplot001.tib$var.1` is discouraged.  
## i Use `var.1` instead.
```

```
## Warning: Use of `ggplot001.tib$var.2` is discouraged.  
## i Use `var.2` instead.
```

```
## Warning: Use of `ggplot001.tib$group.var.1` is discouraged.  
## i Use `group.var.1` instead.
```

