Lab_02
stringr allowed

izd3

Use only commands & functions that are shown in the indicated chapter or prior chapters.

Problem #01 - Chapter 6 Exercise #02 (Use the stringr package)

```r
# Show your work here
library('stringr')
```

```
## Warning: package 'stringr' was built under R version 4.2.3
```

```r
str_flatten(CharacterData001,collapse = ' ')
```

```
## [1] "We welcome change and openness; for we believe that freedom and security go together, that the a
```

```r
str_flatten(CharacterData002,collapse = '_')
```

```
## [1] "I_am_closing_my_52_years_of_military_service._When_I_joined_the_Army,_even_before_the_turn_of_th
```

Problem #02 - Chapter 7 Exercise #02

```r
# Show your work here
log_1<-c(FALSE,TRUE)
log_2<-c(TRUE,TRUE,TRUE,FALSE)
log_1 | log_2
```

```
## [1] TRUE TRUE TRUE TRUE
```

Problem #03 - Chapter 8 Exercise #03c

```r
# Show your work here
c(TRUE, FALSE)==c('1', '0')
```

```
## [1] FALSE FALSE
```

Problem #04 - Chapter 9 Exercise #4a

```r
# Show your work here
vec_1<-seq(from=1,to=50,by=0.5)
vec_1
```

```
##  [1]  1.0  1.5  2.0  2.5  3.0  3.5  4.0  4.5  5.0  5.5  6.0  6.5  7.0  7.5  8.0
## [16]  8.5  9.0  9.5 10.0 10.5 11.0 11.5 12.0 12.5 13.0 13.5 14.0 14.5 15.0 15.5
## [31] 16.0 16.5 17.0 17.5 18.0 18.5 19.0 19.5 20.0 20.5 21.0 21.5 22.0 22.5 23.0
## [46] 23.5 24.0 24.5 25.0 25.5 26.0 26.5 27.0 27.5 28.0 28.5 29.0 29.5 30.0 30.5
## [61] 31.0 31.5 32.0 32.5 33.0 33.5 34.0 34.5 35.0 35.5 36.0 36.5 37.0 37.5 38.0
## [76] 38.5 39.0 39.5 40.0 40.5 41.0 41.5 42.0 42.5 43.0 43.5 44.0 44.5 45.0 45.5
## [91] 46.0 46.5 47.0 47.5 48.0 48.5 49.0 49.5 50.0
```