Todo list

Expand Context Chapter
Expand Objectives Chapter
Write Structure of Work Chapter
Expand DCSS Chapter
references
Research Governmental Regulations Chapter
Write CSS Providers Chapter
Research DCSS Scenarios Chapter
Write Enterprise Architectures Chapter
Research Relevant Systems and Data Chapter
Write Integration Chapter
Research Business Connector Chapter
Integration Architecture Chapter

University of Heidelberg Institute for Computer Science Working group database systems

Bachelor thesis Messaging Architecture for Integration of Customer Self-Services

Name: Jonas Gann Matriculation number: 3367576

Supervisor: Prof. Dr. Michael Gertz

Date of submission: October 25, 2020

I assure that I have written this bachelor thesis on my own and only used the specified sources and resources and that I followed the principles and recommendations "Responsibility in Science" of the University of Heidelberg.

Date of Submission: October 25, 2020

Zusammenfassung

Abstract

Contents

1	Con	Context					
2	Context Objective Structure of Work Digital Customer Self-Service (DCSS) Governmental Regulations 5.1 DSGVO 5.2 OZG 5.3 DVG DCSS Providers 6.1 Description 6.2 CSS Solutions 6.3 Business Connector DCSS Scenarios 7.1 OZG 7.1.1 Unemployment Benefit (AG2) 7.1.2 Training Promotion (BAföG) 7.1.3 Drivers License 7.1.4 Company Registration and Approval 7.1.5 Visa Issuance 7.2 DSGVO 7.2.1 Transparent Accessability 7.2.2 Deletion of Personal Data		2				
3	Structure of Work						
4	Digi	ital Cu	stomer Self-Service (DCSS)	4			
5	Governmental Regulations						
	5.1	DSGV	О	6			
	5.2	OZG		6			
	5.3	DVG		6			
6	DCSS Providers						
	6.1	Descri	ption	7			
	6.2	CSS S	olutions	7			
	6.3	Busine	ess Connector	7			
7	DCSS Scenarios						
	7.1	7.1 OZG					
		7.1.1	Unemployment Benefit (AG2)	8			
		7.1.2	Training Promotion (BAföG)	9			
		7.1.3	Drivers License	9			
		7.1.4	Company Registration and Approval	9			
		7.1.5	Visa Issuance	9			
	7.2	DSGV	О	10			
		7.2.1	Transparent Accessability	10			
		7.2.2	Deletion of Personal Data	10			
		7.2.3	Correction of Personal Data	10			
		7.2.4	Information about collected Personal Data	10			
		7.2.5	Restriction of Processing	10			
		7.2.6	Availability of Transferral of Personal Data	10			

Contents

	7.3	DVG	11		
		7.3.1 e-Prescription	11		
	7.4	PSD2	12		
	7.5	Requirements	12		
8 Enterprise Architectures					
	8.1	Modeling of the real world	13		
	8.2	Modeling Challenges	13		
	8.3	Enterprise Architecture Patterns (EAP)	13		
9	Rele	evant Systems and Data	14		
	9.1	EAPs	14		
	9.2	Architecture Bricks	14		
	9.3	Data Bricks	14		
	9.4	Integration Requirements	14		
		9.4.1 Regarding Integration Architecture	14		
		9.4.2 Regarding Business Connector	14		
10	Inte	gration	15		
	10.1	Definition	16		
	10.2	Requirements	16		
		10.2.1 Loose Coupling	16		
		10.2.2 Homogeneous Landscapes	16		
	10.3	Enterprise Integration Patterns (EIP)	16		
		10.3.1 Pattern 1	16		
		10.3.2 Pattern 2	16		
11	Busi	iness Connector	17		
	11.1	Functionalities and Interfaces	17		
	11.2	Integration Requirements	17		
		11.2.1 Regarding Enterprise Architecture	17		
		11.2.2 Regarding Integration Architecture	17		
	11.3	Documentation	17		
		11.3.1 Connector as Architecture Brick	17		
12	Inte	gration Architecture	18		
	12.1	Scenario 1	18		
		12.1.1 Integration Documentation	18		

Contents

	12.1.2	Required System and Data Bricks	18			
	12.1.3	System Integration	18			
	12.1.4	Data Integration	18			
12.2	Scenar	io 2	18			
	12.2.1	Integration Documentation	18			
	12.2.2	Required System and Data Bricks	18			
	12.2.3	System Integration	18			
	12.2.4	Data Integration	18			
13 Integration Architecture Evaluation						
13.1	Techno	plogy	19			
13.2	Custor	ner Example	19			
13.3	Operat	ting Manual	19			

1 Context

Expand Context Chapter: Add more content to this chapter

Digital customer self-service (DCSS) is a great tool for improving customer experience and reducing cost. Many enterprises therefore heavily rely on it for main business services. Especially recent governmental regulations like "Onlinezugangsgesetz" (OZG), "Datenschutzgrundverordnung" (DSGVO) and "Digitale Versorgung Gesetz" (DVG) have increased requirements for DCSS capabilities.

DCSS is made available through DCSS providers. They can consist of websites and applications developed in self-work or be services provided by separate companies.

Adding DCSS to a system architecture is a common task. It usually involves integration of new DCSS components into an existing system architecture. Due to the complicated nature of system architectures, integration proves to be a difficult task.

2 Objective

Expand Objectives Chapter: Add more content to this chapter

The objective of this bachelor thesis is to improve the capability of enterprises and organizations to integrate DCSS providers. The thesis explains the basis of what DCSS and its providers are, which relevant scenarios exist and how DCSS providers can help in the digital transformation.

The technological challenge of integrating DCSS providers into existing system architectures is focus of this bachelor thesis.

Based on scenarios resulting from governmental regulations (due to their current relevance), an integration architecture is presented, which describes their integration. It provides information on which type of systems and data objects an existing architecture requires. It models how CSS providers and system architectures can communicate - deliver data and instructions. And it shows how, with fast development and deployment speed, integration can be applied to heterogeneous system architectures, be non-invasive and reliable.

The integration architecture is evaluated in respect to technological feasibility and real-life applicability. The results are incorporated into an operating manual, providing guidance in developing and deploying the presented integration architecture.

3 Structure of Work

Write Structure of Work Chapter: Briefly explain each chapter and their relationships

4 Digital Customer Self-Service (DCSS)

Expand DCSS Chapter: Add more content to this chapter

This chapter introduces the concept of digital customer self-service. It defines DCSS, describes what it is by usage of examples and mentions benefits such as challenges.

Definition: Digital self-service is the consumption of services provided by an enterprise over the internet without human to human interaction.

It is important to distinguish between "service" and "self-service". The difference is shown through two examples:

Example 1: A service is the availability to purchase items whereas digital self-service is the order placement over a website.

Example 2: A service is the availability of video on demand whereas digital self-service is the access of video files over a website.

Digital self-service is one of many possible ways to access a service: An order placement could also be done through email or phone call and access to videos could be granted through same-day-delivery of DVDs.

Customers are able to do self-service because companies provide them with self-service tools. Creating them is not trivial and is the main business model of many companies. Video on demand websites for example do not only flourish as a result of providing access to videos (this business model existed long before them) but as a result of the digital self-service tools they provide.

Reasons for the widespread usage of digital self-service are significant benefits in ease of service usability for customers and cost reduction for enterprises. Customers can self-service from almost every place, easily manage customer data like phone number and address, configure services like subscription plans and access lots of information on available products or trouble shooting steps in an immediate way. Digital customer self-service improves usability, saves time, increases availability, saves money and therefore increases customer experience [Dave Oliver, 2009, cf. 243]. Enterprises, especially in progressive countries, aim to keep employment at a minimum, as it is a big cost factor. Digital self-service turns customers into unpaid employees [Oliver D, 2005].

4 Digital Customer Self-Service (DCSS)

Decreasing employment cost while increasing customer experience sounds like a winwin situation. Sadly, digital self-service does have its downsides. One downside is most immediate to the elderly. In order to use DCSS, computers have to be available and one has to be experienced in their usage. Technological complexity, however, is not only a problem for customers but also for enterprises providing DCSS. Based on existing system architectures, adding DCSS functionalities can turn out to be a difficult task. Some form of integration is often necessary. With increased system complexity and business dependability come additional maintenance cost.

As tody most large enterprises provide DCSS, it can be assumed, that at a given size of an enterprise (measured in number of customers), the benefits of DCSS surpass its disadvantages.

Governments see digitalization as a chance for improvements in many important social and economical areas. The process of digitalization can in some cases be described as reinventing existing solutions for usability with computers. One of the goals is to make solutions more easily accessible for users and as a method, provide digital self-service. Governmental regulations relating to digitalization therefore often encourage or demand enterprises and organizations to provide DCSS.

references

5 Governmental Regulations

Research Governmental Regulations Chapter: Explain the three regulations in general, what their purpose is what their challenges are

- 5.1 DSGVO
- 5.2 OZG
- 5.3 DVG

6 DCSS Providers

Write CSS Providers Chapter: Explain what CSS Providers are (what services they can provide -> what IDAS does) and how they can help creating DCSS. Also explain the concept of a business connector as technological communication point of the CSS provider

- 6.1 Description
- 6.2 CSS Solutions
- 6.3 Business Connector

7 DCSS Scenarios

Research DCSS Scenarios Chapter

1. Should governmental regulations be the focus of scenarios? => good resources for OZG

Usage of DCSS OZG scenarios (**process diagrams and data schemas available** [BMI, 2020]), DSGVO scenarios (textual description available [intersoft consulting, 2020]) and DVG scenarios (textual description available [gematik, 2020])

The scenarios include more than just CSS and are partly non-digital. Therefore processes relevant for DCSS have to be selected and it has to be defined which processes are part of a CSS provider, the business systems or the integration architecture:

- 1. What part of a scenario is digital?
- 2. What part of a scenario can be done through a DCSS provider / is relevant for DCSS?
- 3. What part of a scenario is done through **existing** business systems?
 - a) new necessary business logic part of (configurable) integration? => non invasive
- 4. What part of a scenario should be done by the integration architecture?
- 5. What are commonalities of scenarios?
 - a) OZG scenarios often describe digital handling of applications
 - b) In OZG scenarios, often multiple governmental institutions are involved. This could be modeled as one system architecture with the problem of distributed data and functionality which the integration architecture would solve.

7.1 OZG

7.1.1 Unemployment Benefit (AG2)

Available Resources

- Data Schema
- Process Diagram
- Process Diagram of Application
- Click-Dummy

7.1.2 Training Promotion (BAföG)

Available Resources

- Data Schema
- Process Diagram
- Click-Dummy

7.1.3 Drivers License

Available Resources

- Data Schema
- Process Diagram
- Process Diagram of Application
- Click-Dummy

7.1.4 Company Registration and Approval

Available Resources

- Data Schema
- Process Diagram
- Click-Dummy

7.1.5 Visa Issuance

Available Resources

- Data Schema
- Process Diagram

7.2 DSGVO

The DSGVO influences DCSS by regulating how digitally collected personal information (which is common in DCSS) has to be managed. This means, DCSS providers have to keep this regulation in mind when designing their solutions. It has implications on integration in that DSGVO compliance requires special management of data, which an integration system has to make possible (DCSS providers use it).

It has to be analyzed in regard to:

- 1. Which parts of the regulation describe requirements for features of DCSS providers
- 2. Which parts of the regulation describe requirements for integrations

7.2.1 Transparent Accessability

The enterprise or organization can have the duty to make information about personal data accessible in transparent and understandable ways

7.2.2 Deletion of Personal Data

The user can have the right of removal of personal data

7.2.3 Correction of Personal Data

The user can have the right of modification of personal data.

7.2.4 Information about collected Personal Data

The user can have the right to be informed about various information of collected and stored personal data such as usage, duration of storage, ...

7.2.5 Restriction of Processing

The user can have the right to restrict the way in which personal data is processed

7.2.6 Availability of Transferral of Personal Data

The user can have the right to transfer personal data to himself or separate entities (company, organization).

7.3 DVG

7.3.1 e-Prescription

Reference can be found in the "rzteblatt" [Ärzteblatt, 2020].

The user can have the right to manage his prescriptions via an App. Doctors give digital prescriptions to users app, which can digitally be used in pharmacies also without physically being there.

Regulation: "Gesetz fi¿½r mehr Sicherheit in der Arzneimittelversorgung (GSAV)"

e-Prescription processes [gematik, 2020]

- 1. Doctor creates digital prescription if he has access to "Telematikinfrastruktur" and "Heilberufausweis"
- 2. Prescription is saved on "Telematikinfrastruktur"
- 3. Doctor displays a QR-Code (prescription-token)
- 4. Patient can receive QR-Code in App (or get a printout)
- 5. Patient can check availability of drug in pharmacies via the app
- 6. Patient can "apply" the prescription to a pharmacy via the app
- 7. prescription is now irrevocably bound to the pharmacy and gets reserved
- 8. pharmacy can use prescription-token (in QR-Code) to access prescription in "Telematik-infrastruktur"
- 9. pharmacy notifies patient if or when the drug is available
- 10. drug can be picked up by patient or be delivered
- 11. If user picks drug up, he can show QR-Code in app or on printout (he got from doctor)
- 12. pharmacy can access "Telematikinfrastruktur" to validate prescription
- 13. pharmacy gives drug if validated

Enterprises are "allowed" to provide the IT-Structure behind the App, meaning the communication with a pharmacy and the receiving of prescription-tokens.

What are services and what are self-services in this scenario:

- Service: Access to prescription. Self-service: Digital management of prescriptions (prescription-tokens) inside app
- Service: Receiving drug for valid prescription. Self-service: Digital delivery of prescription (prescription-token) to pharmacy and digital instruction of delivery of drug

7.4 PSD2

The regulation is about how digital payment self-service providers have to function. This includes their communication / integration [EUR-Lex, 2020].

Full law at [BMF, 2017]

Regulation: "Payment Services Directive 2" (PSD2) (European law)

What are services and what are self-services in this scenario:

• Service: Payments and transfers. Self-service: Payment services are DCSS providers and offer digital execution of payments and transfers

The regulation has to be analyzed regarding:

- 1. Which parts of the regulation describe required features of the self-service provider
- 2. Which parts of the regulation describe requirements for integration

7.5 Requirements

8 Enterprise Architectures

Write Enterprise Architectures Chapter: Introduce Enterprise Architectures and challenges such as heterogeneous systems when trying to model them

- 1. Heterogeneous Enterprise Architecture Systems
 - a) Different Applications
 - b) Different Application Vendors
 - c) Different / No Application Interfaces
 - d) Legacy Systems
- 2. Different (proprietary) data models within and between Enterprises and Organizations
 - a) Different (property)name for same data objects (syntactic integration)
 - b) Different meanings for same (property)name (semantic integration)
- 8.1 Modeling of the real world
- 8.2 Modeling Challenges
- 8.3 Enterprise Architecture Patterns (EAP)

9 Relevant Systems and Data

Research Relevant Systems and Data Chapter: Explain the approach of modeling enterprise architectures by EAPs and explain the used EAPs. Analyze which system and data bricks of the system architecture could be necessarry for DCSS

- 9.1 EAPs
- 9.2 Architecture Bricks
- 9.3 Data Bricks
- 9.4 Integration Requirements
- 9.4.1 Regarding Integration Architecture
- 9.4.2 Regarding Business Connector

10 Integration

Write Integration Chapter: Introduce the concept of integration. What are challenges in general and what would be an ideal integration. Also explain the approach towards integration used (messaging, patterns)

1. Scarce Resources

- a) Integration Development Speed
 - i. Necessary Development <=> Reuse of existing Technology
 - ii. Complexity / Size of Integration
- b) Maintenance of finished Integration
- c) Hardware / Software Costs of Integration
 - i. Licenses for Software
 - ii. Scalability of Integration => Necessary Computing Power
- d) Messaging Integration
 - i. Loose Coupling
 - A. Loose Coupling simplifies adaption to changing EA => simpler Maintenance
 - B. Loose Coupling simplifies integration of new EA systems => integration of heterogeneous EA
 - C. Loose Coupling allows Reuse of "Modules" => faster development
 - ii. Messaging enables communication with many systems through Adapters
 - iii. Stability of Integration
 - A. Future Changes of EA
 - B. Scalability
 - C. Failure of EA or Integration Components
 - iv. Messaging provides mechanisms for Stability
 - A. Store-and-Forward

10 Integration

- B. Load Balancing
- e) Integration Patterns
 - i. Patterns speed up construction of Integration Architecture
 - ii. Patterns are proven solutions
 - iii. Patterns abstract from concrete technologies
 - A. Simplifies understanding of integration concept
 - B. Allows implementation with different technologies
- 10.1 Definition
- 10.2 Requirements
- 10.2.1 Loose Coupling
- 10.2.2 Homogeneous Landscapes
- 10.3 Enterprise Integration Patterns (EIP)
- 10.3.1 Pattern 1
- 10.3.2 Pattern 2

11 Business Connector

Research Business Connector Chapter: Construct the model of the business connector

- 11.1 Functionalities and Interfaces
- 11.2 Integration Requirements
- 11.2.1 Regarding Enterprise Architecture
- 11.2.2 Regarding Integration Architecture
- 11.3 Documentation
- 11.3.1 Connector as Architecture Brick

12 Integration Architecture

Integration Architecture Chapter: Create the integration architecture

- 12.1 Scenario 1
- 12.1.1 Integration Documentation
- 12.1.2 Required System and Data Bricks
- 12.1.3 System Integration
- 12.1.4 Data Integration
- 12.2 Scenario 2
- 12.2.1 Integration Documentation
- 12.2.2 Required System and Data Bricks
- 12.2.3 System Integration
- 12.2.4 Data Integration

13 Integration Architecture Evaluation

- 13.1 Technology
- 13.2 Customer Example
- 13.3 Operating Manual

Bibliography

[BMF, 2017] BMF (2017). Gesetz zur umsetzung der zweiten zahlungsdiensterichtlinie.

[BMI, 2020] BMI (2020). Ozg-informationsplattform.

[Dave Oliver, 2009] Dave Oliver, Celia Romm Livermore, F. S. (2009). Self-Service in the Internet Age. Springer.

[EUR-Lex, 2020] EUR-Lex (2020). Revised rules for payment services in the eu.

[gematik, 2020] gematik (2020). Wie funktioniert das e-rezept?

[intersoft consulting, 2020] intersoft consulting (2020). Datenschutz-grundverordnung.

[Oliver D, 2005] Oliver D, Romm Livermore C, F. N. (2005). Are you being served? - exploring the role of customer as employees in the digital world. *CollECT Europe*.

[Ärzteblatt, 2020] Ärzteblatt (2020). Elektronischer heilberufsausweis: Die krankschreibung wird digital.