Software Test Plan & Evidence Log

Requirements-linked manual tests | Advanced Programming Assessment 2

Status: the following manual tests are planned and require actual execution on a PyQt6-equipped Windows computer. No Pass results have been invented. The 30 automated tests passed separately; see evidence/automated_tests.txt.

Test cases

MT01 — Folder selection

Test condition: Select valid folder

Expected result: Folder path is displayed

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

MT02 — Recursive/nonrecursive

Test condition: Known folder with nested content

Expected result: Correct files in each mode

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

MT03 — Sort numeric size

Test condition: Click Size heading

Expected result: Numeric order correct

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

MT04 — Search/filter

Test condition: Search mixed-case word; select Images

Expected result: Matching image records only

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

MT05 — Preview

Test condition: Select PNG, TXT, ZIP

Expected result: Supported preview; ZIP fallback message

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

MT06 — QtMultimedia

Test condition: Play/Pause/Stop valid WAV

Expected result: Playback works or codec error explained

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

MT07 — Cancel

Test condition: Cancel large scan

Expected result: GUI responsive and scan ends

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

MT08 — Restart

Test condition: Start new scan after cancellation

Expected result: No thread-lifecycle error

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

MT09 — CSV export

Test condition: Filter data, export to CSV

Expected result: Only visible records exported

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

MT10 — Error handling

Test condition: Invalid folder or unwritable output

Expected result: Clear warning and no crash

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

MT11 — Empty input

Test condition: Scan empty folder

Expected result: 0 files, no crash

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

MT12 — File removed mid-scan

Test condition: Delete file during scan

Expected result: Error counted, scan continues

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

MT13 — Close during scan

Test condition: Close window mid-scan

Expected result: Cancellation completes before close

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

MT14 — Large-folder usability

Test condition: Scan >1000 sample files

Expected result: Progress and responsive GUI

Actual result: NOT RUN | Result: Pending | Evidence: add screenshot after testing

Defect and correction log

Record real defects, probable causes, code changes and Git commit identifiers. Rerun relevant tests and record outcomes. These fields are intentionally blank until problems are observed.

Date	Defect / cause	Fix + commit	Retest result
—	—	—	Pending
—	—	—	Pending
—	—	—	Pending
—	—	—	Pending

Tester: _____ Date: _____ OS/Python/PyQt6: _____