

CO1 – AT2 – LEVEL 1

J KARTHIK

192472136

CSA0911

JAVA

Code – 1:

Write a program to reverse a number using loop?(Get the input from user)
Sample Input:
Number: 14567
Sample Output:
Reverse Number: 76541
1. -45721
2. 000
3. AD1947
4. !@#\$\$
5. 145*999=144855

Your Code

```
1 import java.util.Scanner;  
2 public class Main {  
3     public static void main(String[] args) {  
4         Scanner sc = new Scanner(System.in);  
5         int n = sc.nextInt();  
6         int rev = 0;  
7         while(n > 0) {  
8             rev = rev * 10 + n % 10;  
9             n = n/10;  
10        }  
11        System.out.println(rev);  
12    }  
13 }
```

Output

2021

Code – 2:

Find the factorial of n?
Sample Input:
N = 4
Sample Output:
4 Factorial = 24

1. N = 0
2. N = -5
3. N = 1
4. N = Q
5. N = 3A

Your Code

```
1 import java.util.Scanner;  
2 public class Main {  
3     public static void main(String[] args) {  
4         Scanner sc = new Scanner(System.in);  
5         int num = sc.nextInt();  
6         int fact = 1;  
7         for(int i=1;i<=num;i++) {  
8             fact = fact * i;  
9         }  
10        System.out.println("Factorial " + fact);  
11    }  
12 }
```

Output

Factorial 479001600

Code – 3:

Level 1 — Easy (E) Sort Strings — Strings

✓ Submitted

Write a program that would sort a list of names in alphabetical order Ascending or Descending, choice get from the user?

Sample Input:

Banana

Carrot

Radish

Apple

Jack

Order(A/D) : A

Sample Output:

Apple

Banana

Carrot

Jack

Radish

Your Code

```
1 import java.util.Scanner;
2 public class main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         int n = sc.nextInt();
6     }
7 }
```

Output

```
Exception in thread "main"
java.util.NoSuchElementException
    at
java.base/java.util.Scanner.throwFor(Scanner.java:937)
```

Code – 4:

Level 1 — Easy (E) 3M's — Array

✓ Submitted

Find the Mean, Median, Mode of the array of numbers?

Sample Input::

Array of elements = {16, 18, 27, 16, 23, 21, 19}

Sample Output:

Mean = 20

Median = 19

Mode = 16

1. Array of elements = {26, 28, 37, 26, 33, 31, 29}
2. Array of elements = {1.6, 1.8, 2.7, 1.6, 2.3, 2.1, .19}
3. Array of elements = {0, 160, 180, 270, 160, 230, 210, 190, 0}
4. Array of elements = {200, 180, 180, 270, 160, 270, 270, 190, 200}
5. Array of elements = {100, 100, 100, 100, 100, 100, 100, 100, 100}

Your Code

```
1 import java.util.Scanner;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         int n = sc.nextInt();
6     }
7 }
8 }
```

Output

```
Compilation Error:
C:\Windows\TEMP\sandbox_192472136RB_6a63
287446f320.71641170\Main.java:5: error:
cannot find symbol
    int n = sc.nextInt;
```

Code – 5:

Write a program using function to calculate the simple interest. Suppose the customer is a senior citizen. He is being offered 12 percent rate of interest; for all other customers, the ROI is 10 percent.

Sample Input:

Enter the principal amount: 200000

Enter the no of years: 3

Is customer senior citizen (y/n): n

Sample Output:

Interest: 60000

1. Principal: 2000 , Years: 0
2. Principal: 20000 , Years: -2
3. Principal: -2000 , Years: 2
4. Principal: 2 , Years: 2000
5. Principal: 0 , Years: 5

Your Code

```
1 rt java.util.Scanner;  
2 ic class main {  
3 public static void main(String[] args) {  
4     Scanner sc = new Scanner(System.in);  
5     int principal = sc.nextInt();  
6     int years = sc.nextInt();  
7     int citizen = sc.nextInt();  
8     int principal_amount = 0;  
9     if(citizen == 1) {  
10         principal_amount = (principal * years * 12) / 100;  
11     }  
12     else  
13     {  
14         principal_amount = (principal * years * 10) / 100;  
15     }  
16     System.out.println(principal_amount);  
17 }  
18
```

Output

60000