

SU update:  
We have two-point measurements with two streamwise spacings

JMO Massey<sup>†</sup>, F Cabrera-Booman, JC Klewicki, T Jaroslawski, BJ McKeon

Center for Turbulence Research  
Stanford University

October 26, 2025


Thanks to DARPA for funding this work.

<sup>†</sup>[masseyj@stanford.edu](mailto:masseyj@stanford.edu)

- $\delta \approx 0.035[\text{m}]$ ,  $U_e \approx 14[\text{m/s}]$ ,  $T^+ \equiv Tu_\tau^2/\nu = 10$


Pressure (psi)	0	50	100
$u_\tau [\text{m/s}]$	0.58	0.47	0.52
$\nu/u_\tau [\text{m}]$	$27 \times 10^{-6}$	$7.5 \times 10^{-6}$	$3.7 \times 10^{-6}$
$\nu [\text{m}^2/\text{s}]$	$15.7 \times 10^{-6}$	$3.52 \times 10^{-6}$	$1.92 \times 10^{-6}$
$Re_\tau$	1,300	4,700	9,500
$f(T^+ = 10) [\text{Hz}]$	2,100	4,700	14,100

## Pinhole diameters



- ▶ Testing pinhole diameters of  $d = 2300, 700, 400 \mu\text{m}$ 
  - ▶ Corresponds to  $d^+ \approx 85, 93, 108$
- ▶ Under the frozen turbulence assumption, these sit around  $T^+ \sim 10$

## Pinhole spacings




- ▶ We have two-point measurements at two streamwise spacings:  $3.2\delta$  and  $2.8\delta$
- ▶ Herein, we refer to these as 'far' and 'close' spacings
- ▶ The spectra are plotted in voltage and haven't yet been converted to pressure


# Raw Data

Raw Data [Pa]:  $Re_\tau \approx 1,300$  ( $d = 700 \mu\text{m}$ )

$Re_\tau \approx 9,500$  (700μm) - Far-spaced




$Re_\tau \approx 9,500$  (700μm) - Close-spaced




Raw Data [Pa]:  $Re_\tau \approx 4,700$  ( $d = 700 \mu\text{m}$ )

$Re_\tau \approx 9,500$  (700μm) - Far-spaced




$Re_\tau \approx 9,500$  (700μm) - Close-spaced




# Raw Data [Pa]: $Re_\tau \approx 9,500$ ( $d = 700 \mu\text{m}$ )

$Re_\tau \approx 9,500$  (700 $\mu\text{m}$ ) - Far-spaced




$Re_\tau \approx 9,500$  (700 $\mu\text{m}$ ) - Close-spaced



# Refit microphones

# Measurements are very sensitive to their fitting



## **Temporary page!**

`LATEX` was unable to guess the total number of pages correctly. As there was some unprocessed data have been added to the final page this extra page has been added to receive it.  
If you rerun the document (without altering it) this surplus page will go away, because `LATEX` now knows how many pages to expect for this document.