

EVENTFORCE MANAGEMENT SYSTEM USING SALESFORCE

College Name: KSK College Of Engineering And Technology

College Code: 8210

Team ID: SWUID-2026-379743

S.No	Student Name	Register Number	NM ID
1	Srinivasan J	821023243305	6A69C98ACAB81EA80C84B517C469A482
2	Harish V	821023243010	C69433C01C051D4AB0047213E3369A2C
3	Subikshan C	821023243306	FB9A09B511FD0538E7E4F31AACE9E4F3

TABLE OF CONTENTS

1 Introduction	5
1.1 Project Overview	5
1.2 Purpose	5
1.3 Environment and boundaries	5
1.4 Project objectives	5
2 Ideation Phase	5
2.0 Ideation: Project Ecosystem	5
2.1 Problem Statement	6
2.2 Original Empathy Map	7
2.2 Empathy Map Canvas and User Persona	7
2.3 Original Ideation Matrix	8
2.3 Brainstorming and Idea Prioritization	9
3 Requirement Analysis Phase	9
3.1 Original Customer Journey	9
3.1 Customer journey	9
3.2 Original Requirements Model	10
3.2 Solution Requirements	11
3.3 Data Flow Diagram	11
3.4 Technology Stack	12
4 Project Design Phase	12
4.1 Problem and solution fit	12
4.2 Solution Requirements and Data Model	12
4.3 Original Architecture Model	13
4.3 Solution Architecture	14
4.4 Implementation Mapping	14
5 Project Planning and Scheduling	14
5.1 Original Development Roadmap	14
5.1 Product Backlog and Sprint Plan	15
5.2 Sprint Schedule and Estimation	16
5.3 Acceptance criteria	16
6 Development Phase	16
Phase 1: Requirement Analysis & Planning	16
Phase 2: Backend Development & Configurations	16
6.2 Original Booking Decision Model	16
6.2 Objects, Fields and Relationships	17

6.2 Data Dictionary: Event	18
6.2 Data Dictionary: Client	19
6.2 Data Dictionary: Vendor	19
6.2 Data Dictionary: Venue	20
6.2 Data Dictionary: Feedback	21
6.2 Data Dictionary: EventVendor	21
6.3 Booking Logic and Venue Availability	22
6.4 Cancellation Approval	23
6.5 Original Notification Timeline	24
6.5 Notification Flows	25
6.6 Scheduled Apex	26
Phase 3: UI/UX Development & Customization	26
6.7 Lightning App, Reports and Dashboard	26
6.7.1 Live App Record Walkthrough	27
Phase 4: Data Migration, Testing & Security	31
6.8 Data Migration	31
6.9 Original Access Model	32
6.9 Security Configuration	33
Phase 5: Deployment, Documentation & Maintenance	34
6.10 Delivery and Maintenance	34
6.R1 Playground and Object Setup	35
6.R2 Custom Tabs and Navigation	37
6.R3 Event Fields and Formula Budget	39
6.R4 Client, Vendor and Venue Fields	40
6.R5 Relationships and Feedback Filter	42
6.R6 Client Email Validation	44
6.R7 Cancellation Email Templates	45
6.R8 Approval Entry and Submitter	46
6.R9 Approval and Rejection Actions	48
6.R10 Scheduled Reminder Flow	49

6.R11 Venue Automation and Booking Validation	50
6.R12 Batch and Scheduled Completion	51
6.R13 Lightning Application	52
6.R14 Reports and Dashboard	54
6.R15 Profiles and User Policies	56
6.R16 Roles, Users and Feedback Permissions	58
6.R17 Private Events and Vendor Sharing	59
7 Functional and Performance Testing	61
7.1 Original Test Coverage Model	61
7.1 Test strategy	62
7.2 Functional test cases	63
7.3 Regression and execution evidence	64
8 Advantages & Disadvantages	65
8.1 Original Future Enhancement Map	65
8.1 Advantages	65
8.2 Disadvantages and Limitations	65
9 Conclusion	66
10 Future Scope	66
11 APPENDIX	66

1 Introduction

User Story

As an event coordinator, I want one Salesforce application to manage clients, events, venues, vendor assignments and feedback, so that our team can plan events, control cancellations and monitor upcoming work using connected records.

1.1 Project Overview

EventForce centralizes the event lifecycle in Salesforce. Event records connect a client and venue; an Event Vendor junction records multiple vendor assignments. Feedback links the client to the relevant event. A Lightning app provides navigation, while reports and a dashboard summarize upcoming work.

1.2 Purpose

The project replaces scattered booking details with related records, automates reminders and cancellation processing, prevents conflicting venue bookings and controls access by responsibility. It demonstrates Salesforce configuration and Apex development within a dedicated educational playground.

1.3 Environment and boundaries

The implementation uses `playful-unicorn-d2io9f-dev-ed.trailblaze.lightning.force.com`. The earlier org is outside this project environment. Sample records are labelled demonstrations or samples. No production migration has been performed; the guide treats deployment as preparation in a standalone Developer Edition environment.

1.4 Project objectives

Objective	Acceptance evidence
Centralize event operations	Six related custom objects and EventForce app navigation
Prevent booking conflicts	Venue validation and passing service tests
Make cancellations traceable	Separate approval and rejection records with history
Automate routine follow-up	Active reminder flow, queued path and daily batch schedule
Control access	Profiles, roles, permission set and saved sharing configuration

2 Ideation Phase

2.0 Ideation: Project Ecosystem

This ecosystem identifies the people and records that participate in event planning. It separates operational responsibilities from Salesforce configuration.

EventForce project ecosystem

Client

Provides requirements, contact details and feedback.

Coordinator

Plans the event, selects resources and tracks cancellation.

Vendor Manager

Maintains services and reviews shared event assignments.

Venue Manager

Supplies venue capacity and availability information.

Event Admin

Maintains configuration, security and operational oversight.

Salesforce Platform

Connects data, automation, approvals and reporting.

The Venue Manager is a business stakeholder in the guide; a separate Venue Manager login profile is not claimed. The four configured project access personas are described in the security section.


Original project diagram. It models the EventForce design; it is not a screenshot or a claim of a completed user study.

2.1 Problem Statement

ID	I am / I want	But / Because	Impact
PS-1	Coordinator: plan events centrally	Details are spread across separate records and messages.	Repeated work and missed updates
PS-2	Venue manager: avoid conflicting bookings	The same venue can be selected for overlapping commitments.	Uncertain availability
PS-3	Vendor manager: coordinate services	Assignments need a clear link to each event.	Difficult service tracking
PS-4	Client: receive timely updates	Manual reminders and cancellation messages can be missed.	Uncertainty about event plans
PS-5	Administrator: control cancellations	Decisions need a review trail and consistent status changes.	Unclear accountability
PS-6	Coordinator: evaluate completed work	Feedback must be linked to the correct client and event.	Limited follow-up visibility

2.2 Original Empathy Map

This design persona represents a coordinator managing several events. It is based on the project problem statement, not on a claimed interview study.



The response to these needs is concrete: connected records reduce repeated entry; venue/date validation handles conflicts; scheduled reminders support communication; Approval History preserves cancellation decisions.

Original project diagram. It models the EventForce design; it is not a screenshot or a claim of a completed user study.

2.2 Empathy Map Canvas and User Persona


Event Admin maintains application configuration and oversight. Event Coordinator plans events and manages cancellations. Vendor Manager maintains vendor information and views shared events. Client users provide feedback within their permitted record access. These personas describe intended responsibilities rather than measured interview findings.

The coordinator thinks about avoiding missed commitments, hears changing client requirements, sees venue and vendor constraints, and spends time updating schedules. The principal pains are duplicate information and booking conflicts. The desired gains are clear ownership, timely reminders and visible approval outcomes. This persona is a design assumption, not a claim of a conducted customer interview.

Perspective	Event coordinator needs
Think and feel	Avoid booking conflicts and missed commitments.
See and hear	Changing client requests, venue constraints and vendor availability.
Say and do	Plan events, confirm resources and track cancellation decisions.
Pains and gains	Repeated updates are costly; linked records and visible approvals improve coordination.

2.3 Original Ideation Matrix

We compared possible approaches against coordination, automation and maintenance needs. The comparison is qualitative; no numeric user-study scores are invented.



Salesforce was selected because the assigned project is intended to demonstrate CRM configuration and development. A client self-service portal remains future work; it is not part of the demonstrated implementation.

Original project diagram. It models the EventForce design; it is not a screenshot or a claim of a completed user study.


2.3 Brainstorming and Idea Prioritization

Manual registers and spreadsheets are simple to start but require repeated coordination. A separate custom portal adds development and maintenance work. Salesforce was selected because its related data model, declarative automation, Apex, access controls and reporting support the project requirements within one platform.

3 Requirement Analysis Phase

3.1 Original Customer Journey

The journey links client expectations to the records and automation that support them. Cancellation is a branch of the lifecycle rather than a step that every event must take.



Each touchpoint has a record connection. A feedback record references both the event and the client; the required lookup filter helps maintain consistency. Reminder delivery must be checked separately from the existence of a scheduled path.

Original project diagram. It models the EventForce design; it is not a screenshot or a claim of a completed user study.


3.1 Customer journey

Client enquiry and registration, event planning, venue selection, vendor assignment, confirmation and reminder scheduling, event execution, feedback and operational reporting. A cancellation request branches into approval or rejection with a recorded final status.

Stage	System support
Enquiry and planning	Create client and event records; select a venue.
Coordination	Link vendors and validate venue/date conflicts.
Confirmation	Reserve the venue and schedule the three-day reminder.
Cancellation branch	Submit approval; record Canceled or Rejected outcome.
Closure	Collect feedback and complete past events on the daily schedule.

3.2 Original Requirements Model

This model connects the main business requirements to the Salesforce component responsible for them.



The mapping supports acceptance testing. For each requirement, the team can identify an object, automation component or access rule and then choose an observable test. Configuration presence and runtime behavior are tracked as separate forms of evidence.

Original project diagram. It models the EventForce design; it is not a screenshot or a claim of a completed user study.

3.2 Solution Requirements

Functional Requirements

Requirement	Implementation
Manage core information	Event, Client, Vendor, Venue and Feedback custom objects.
Assign multiple vendors	EventVendor junction with two master detail relationships.
Prevent conflicting bookings	Apex validates venue and date before saving.
Manage cancellation	Approval process with Canceled and Rejected final status updates.
Notify clients	Cancellation notification flow and three-day reminder flow.
Complete past events	Scheduled BatchCompleteEvents at 8 PM daily.
Control access	Four role/profile combinations, Feedback Manager and sharing rules.
Monitor operations	Upcoming Events by Month report and Operations Dashboard.

Nonfunctional Requirements

The solution must maintain related-record integrity, restrict record visibility, process bulk records, present understandable validation messages and remain maintainable through documented metadata and tests. No measured load benchmark or production availability guarantee is claimed.

3.3 Data Flow Diagram

Main operational flow
Client registration > Event planning > Venue selection
Vendor assignment > Event confirmation > Scheduled reminder
Event execution > Feedback > Reports and dashboard

The coordinator enters client, venue and event details. Saving the event invokes booking validation and updates venue availability. Vendor assignments connect suppliers to the event through the junction object. A confirmed event schedules the reminder; a cancellation request enters approval and its decision updates status. The daily batch completes eligible past events. Feedback, reports and the dashboard use the related records for review.

3.4 Technology Stack

Layer	EventForce components
Platform and interface	Salesforce Trailhead Playground, Lightning app and custom tabs
Data	Six custom objects, lookups, master-detail relationships and formula fields
Automation	Record-triggered flows, cancellation approval, Apex service and scheduled batch
Access and analytics	Profiles, roles, permission set, sharing rules, report and dashboard

4 Project Design Phase


4.1 Problem and solution fit

Problem	Implemented response
Scattered client and resource details	Linked Salesforce records and a dedicated Lightning app
Conflicting venue bookings	Apex checks event date and venue before saving
Informal cancellation decisions	Approval process and recorded final status
Repeated reminder work	Scheduled flow path three days before the event
Limited operational visibility	Monthly report and operations dashboard

4.2 Solution Requirements and Data Model

Object	Purpose	Relationships
Event__c	Name, type, date, status and formula budget	Lookup to Client and Venue
Client__c	Contact and location information	Referenced by Event and Feedback
Vendor__c	Services, contact and availability	Master of EventVendor
Venue__c	Address, capacity, location and availability	Referenced by Event
Feedback__c	Autonumber, rating and comments	Lookup to Client and Event
EventVendor__c	Event to vendor assignment	Master detail to Event and Vendor


Data Relationships



Event references Client and Venue through lookups. Feedback references Client and Event through lookups. Event Vendor joins Event and Vendor through two master-detail relationships. Lines indicate related objects; see the table for relationship direction and type.

4.3 Original Architecture Model

The application is organized into an interface, data, business-rule and oversight layer. The diagram shows responsibility boundaries rather than a network deployment topology.



A save can invoke validation and trigger logic before related updates are visible. Scheduled work executes later. This distinction explains why a record save, a queued reminder and an

email receipt are different checkpoints.

Original project diagram. It models the EventForce design; it is not a screenshot or a claim of a completed user study.

4.3 Solution Architecture

Salesforce Lightning provides the user interface. Custom objects store data. Formula fields and validation rules handle declarative calculations and checks. Record-triggered flows send notifications; the approval process controls cancellation decisions. Apex handles booking conflicts, venue synchronization and scheduled completion. Reports and dashboards summarize stored data.

4.4 Implementation Mapping

The app is named EventForce for the requested distinct presentation. The guide demonstrates separate helper and trigger examples; this implementation consolidates venue synchronization and booking validation in EventForceService and EventForceTrigger. The report uses the deployed names so that the source code and demonstration remain traceable.

5 Project Planning and Scheduling

The project follows the reference guide's five development phases. The work breakdown below maps each phase to implementation evidence. Sprint estimates are retrospective planning estimates; individual assignments and actual sprint dates were not recorded.

Phase	Work package	Completion evidence
Requirements and planning	Identify objects, users, relationships and workflows	Requirements and data model in this report
Backend configuration	Fields, formula, validation, Apex, approval and flows	Setup screenshots and Apex tests
UI customization	Tabs, app, monthly report and dashboard	Application and analytics screenshots
Data testing and security	Sample imports, profiles, roles, permissions and sharing	Import results, saved settings and test results
Deployment and maintenance	Keep source, evidence, report and demo narration	Local project files and this report

5.1 Original Development Roadmap

The roadmap follows the guide while ordering dependent work before its consumers. It is a work sequence, not a claim of measured sprint dates or individual contributions.

Five-phase development roadmap

1. Requirements

Define objects, stakeholders, relationships and acceptance scenarios.

2. Backend

Build fields, formulas, validation, Apex, approvals and flows.

3. User experience

Create tabs, Lightning app, layouts, report and dashboard.

4. Data and security

Import sample data; configure and test controlled access.

5. Documentation

Preserve evidence, source snapshot, report and narration.

Review loop

Resolve discrepancies and rerun affected checks after changes.

The project backlog uses estimated story points only. Actual sprint velocity cannot be calculated from unrecorded dates or unrecorded accepted points. The deliverables are supported by files and screenshots rather than invented planning history.

Original project diagram. It models the EventForce design; it is not a screenshot or a claim of a completed user study.

5.1 Product Backlog and Sprint Plan

Story points express relative effort, not hours. This planning model groups the work into three iterations; it does not represent a measured delivery history. Team ownership is shared because individual task allocations were not supplied.

Sprint / ID	Epic and user story	Points	Priority
1 / US-01	Event data: create and manage typed, dated events.	3	High
1 / US-02	Relationships: connect clients, venues and vendors.	5	High
1 / US-03	Booking integrity: prevent conflicting venue/date bookings.	5	High
2 / US-04	Cancellation: submit, approve or reject requests.	5	High
2 / US-05	Reminders: schedule client communication.	3	High
2 / US-06	Completion: process past events daily.	3	Medium
3 / US-07	Experience: navigate the app and inspect analytics.	3	Medium

Sprint / ID	Epic and user story	Points	Priority
3 / US-08	Security and migration: import data and verify access.	5	High
3 / US-09	Submission: document evidence and prepare the demo.	3	High

5.2 Sprint Schedule and Estimation

Iteration	Points	Completion evidence	Actual dates
Sprint 1	13	Objects, fields, relationships and booking tests	Not recorded
Sprint 2	11	Approval history, reminder queue and batch tests	Not recorded
Sprint 3	11	App, imports, security configuration, report and video files	Not recorded

The estimated backlog totals 35 points. Actual velocity is not reported because accepted points per completed sprint were not recorded. Future iterations can calculate velocity as accepted story points divided by completed sprints.

5.3 Acceptance criteria

Booking correctness and related data come first; notification and cancellation behavior follow. Security is checked before user demonstrations. Documentation records the implemented behavior and any remaining acceptance checks. A final submission should include the report and a screen recording narrated by the student.

6 Development Phase

Phase 1: Requirement Analysis & Planning

The new playground separates this implementation from the earlier org. The project maps Client, Coordinator, Vendor Manager and Event Admin responsibilities to related data and controlled workflows.

Phase 2: Backend Development & Configurations

6.2 Original Booking Decision Model

This model follows the consolidated EventForceService source and distinguishes a blocking event from a venue reservation.

Venue and date validation decisions

Collect inputs

Gather venue IDs, event IDs and event dates for all incoming records.

Required details

Confirmed or Pending Cancellation requires client, venue and date.

Check stored events

Query relevant venue/date pairs while excluding records being updated.

Check current operation

Detect duplicate venue/date pairs within the same transaction.

Reject conflict

Add an error so the conflicting event cannot be saved.

Synchronize venue


Reserve for Confirmed/Pending Cancellation; preserve Not Available.

Canceled, Rejected and Completed records do not block a new booking. Planned records can block duplicate dates without reserving a venue. These rules are specific to the implemented code and should not be confused with the shorter reference examples.

Original project diagram. It models the EventForce design; it is not a screenshot or a claim of a completed user study.

6.2 Objects, Fields and Relationships

Six custom objects implement the data model. Event Type drives a Currency formula budget. Event Status tracks progression, cancellation and rejection. Client email validation and the Feedback event lookup filter protect data quality. Feedback uses an autonumber record name.



FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Client	Client_c	Lookup(Client)		✓
Created By	CreatedById	Lookup(User)		
Event Budget	Event_Budget_c	Formula (Currency)		
Event Date	Event_Date_c	Date		
Event Name	Name	Text(80)		✓
Event Status	Event_Status_c	Picklist		
Event Type	Event_Type_c	Picklist		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User.Group)		✓
Venue	Venue_c	Lookup(Venue)		✓

Figure 1. Event fields and relationships captured from the project playground.




Figure 2. Event Vendor junction relationships.

6.2 Data Dictionary: Event

The event is the central operational record. It links client requirements to a date, venue and current lifecycle status. The formula budget is derived from the event type rather than entered independently.

API field	Data type	Values / related object	Label
Client__c	Lookup	Client__c	Client
Event_Budget__c	Currency	18	Event Budget
Event_Date__c	Date	See field configuration	Event Date
Event_Status__c	Picklist	Planned, Confirmed, Completed, Pending Cancellation, Canceled, Rejected	Event Status
Event_Type__c	Picklist	Wedding, Corporate, Birthday, Anniversary, Festival, Concert, Other	Event Type
Venue__c	Lookup	Venue__c	Venue

Configuration and Verification

Open Object Manager, select the object, and inspect Fields & Relationships. Confirm labels, API names, data types, available values and relationships before importing data. Add the required fields to the page layout and verify field-level visibility for the intended profile. A visible object tab alone does not establish field access.

Use a labelled sample record to check save behavior and related-record navigation. For lookup fields, select an existing parent rather than entering an unrelated text value. Check that the record can be retrieved from its list view and that any formula or automated status is displayed as intended.

The field dictionary is generated from the project source snapshot. The saved Feedback lookup filter and other manually configured metadata still require retrieval for a complete clean-org deployment package. EventVendor relationship details are supported by the saved setup

evidence.

6.2 Data Dictionary: Client

Client information is maintained separately so that several events and feedback records can reference one client without repeating contact details. A Client record is distinct from a Salesforce login user.

API field	Data type	Values / related object	Label
Address__c	TextArea	See field configuration	Address
City__c	Picklist	Hyderabad, Mumbai, Delhi, Bangalore, Chennai, Alaminos, Angeles City, Palayan, Quezon City, San Juan, Riyadh, Jeddah, Tayma, Dammam, Medina, New York, Los Angeles, Chicago, Houston, Columbus, Geneva, Basel, Lausanne, Bern, Lucerne	City
Country__c	Picklist	India, Philippines, Saudi Arabia, USA, Switzerland, Thailand, Maldives, Dubai, Sri Lanka, Bangkok, Singapore, Myanmar, France, Nepal	Country
Email__c	Email	See field configuration	Email
Phone__c	Phone	See field configuration	Phone

Configuration and Verification

Open Object Manager, select the object, and inspect Fields & Relationships. Confirm labels, API names, data types, available values and relationships before importing data. Add the required fields to the page layout and verify field-level visibility for the intended profile. A visible object tab alone does not establish field access.

Use a labelled sample record to check save behavior and related-record navigation. For lookup fields, select an existing parent rather than entering an unrelated text value. Check that the record can be retrieved from its list view and that any formula or automated status is displayed as intended.

The field dictionary is generated from the project source snapshot. The saved Feedback lookup filter and other manually configured metadata still require retrieval for a complete clean-org deployment package. EventVendor relationship details are supported by the saved setup evidence.

6.2 Data Dictionary: Vendor

Vendors provide event services such as catering or photography. Service Type permits multiple selections. Event Vendor assignments connect the vendor to specific events, while its contact data remains in this record.

API field	Data type	Values / related object	Label
Email__c	Email	See field configuration	Email
Phone__c	Phone	See field configuration	Phone
Service_Type__c	MultiselectPicklist	Catering, Decor, Photography, Videography, Lighting, Stage Setup, Makeup Artist, DJ/Music, Transportation, Hosting/Anchor	Service Type
Status__c	Picklist	Available, Booked, Cancelled	Status

Configuration and Verification

Open Object Manager, select the object, and inspect Fields & Relationships. Confirm labels, API names, data types, available values and relationships before importing data. Add the required fields to the page layout and verify field-level visibility for the intended profile. A visible object tab alone does not establish field access.

Use a labelled sample record to check save behavior and related-record navigation. For lookup fields, select an existing parent rather than entering an unrelated text value. Check that the record can be retrieved from its list view and that any formula or automated status is displayed as intended.

The field dictionary is generated from the project source snapshot. The saved Feedback lookup filter and other manually configured metadata still require retrieval for a complete clean-org deployment package. EventVendor relationship details are supported by the saved setup evidence.

6.2 Data Dictionary: Venue

The venue record describes the place, capacity and availability. The date-specific conflict rule is enforced through Event records; the overall availability picklist is not itself a complete booking calendar.

API field	Data type	Values / related object	Label
Address__c	TextArea	See field configuration	Address
Availability_Status__c	Picklist	Available, Reserved, Not Available	Availability Status
Capacity__c	Number	8	Capacity
Location__c	Url	See field configuration	Location

Configuration and Verification

Open Object Manager, select the object, and inspect Fields & Relationships. Confirm labels, API names, data types, available values and relationships before importing data. Add the required fields to the page layout and verify field-level visibility for the intended profile. A visible object tab alone does not establish field access.

Use a labelled sample record to check save behavior and related-record navigation. For lookup fields, select an existing parent rather than entering an unrelated text value. Check that the record can be retrieved from its list view and that any formula or automated status is displayed as intended.

The field dictionary is generated from the project source snapshot. The saved Feedback lookup filter and other manually configured metadata still require retrieval for a complete clean-org deployment package. EventVendor relationship details are supported by the saved setup evidence.

6.2 Data Dictionary: Feedback

Feedback connects a rating and comment to both the event and client. The lookup filter is important because independently valid IDs could otherwise associate feedback with the wrong client.

API field	Data type	Values / related object	Label
Client__c	Lookup	Client__c	Client
Comments__c	LongTextArea	32768	Comments
Event__c	Lookup	Event__c	Event
Rating__c	Picklist	1, 2, 3, 4, 5	Rating

Configuration and Verification

Open Object Manager, select the object, and inspect Fields & Relationships. Confirm labels, API names, data types, available values and relationships before importing data. Add the required fields to the page layout and verify field-level visibility for the intended profile. A visible object tab alone does not establish field access.

Use a labelled sample record to check save behavior and related-record navigation. For lookup fields, select an existing parent rather than entering an unrelated text value. Check that the record can be retrieved from its list view and that any formula or automated status is displayed as intended.

The field dictionary is generated from the project source snapshot. The saved Feedback lookup filter and other manually configured metadata still require retrieval for a complete clean-org deployment package. EventVendor relationship details are supported by the saved setup evidence.

6.2 Data Dictionary: EventVendor

The junction object represents one event-vendor assignment. Separate Event and Vendor master-detail relationships implement the many-to-many model and make assignments available through related lists.

API field	Data type	Values / related object	Label
Event__c	MasterDetail	Event__c	Parent event
Vendor__c	MasterDetail	Vendor__c	Parent vendor

Configuration and Verification

Open Object Manager, select the object, and inspect Fields & Relationships. Confirm labels, API names, data types, available values and relationships before importing data. Add the required fields to the page layout and verify field-level visibility for the intended profile. A visible object tab alone does not establish field access.

Use a labelled sample record to check save behavior and related-record navigation. For lookup fields, select an existing parent rather than entering an unrelated text value. Check that the record can be retrieved from its list view and that any formula or automated status is displayed as intended.

The field dictionary is generated from the project source snapshot. The saved Feedback lookup filter and other manually configured metadata still require retrieval for a complete clean-org deployment package. EventVendor relationship details are supported by the saved setup evidence.

6.3 Booking Logic and Venue Availability

EventForceTrigger delegates to EventForceService. The service checks venue/date conflicts across stored records and records in the same operation. Venue rows are locked during validation to serialize competing bookings. Confirmed and Pending Cancellation events require client, venue and event date.

Venue synchronization reserves venues referenced by Confirmed or Pending Cancellation events and releases them when no such event remains. Venues marked Not Available retain that state. Canceled, Rejected and Completed records do not block a new booking in this implementation.

These rules are more explicit than the guide's short example code. Planned events participate in conflict prevention, while reservation status is driven by Confirmed and Pending Cancellation events. This distinction should be explained during the demonstration.




Figure 3. A venue is Available after the cancellation demonstration releases its reservation.

6.4 Cancellation Approval

The active Event Cancellation Process accepts events with Pending Cancellation status. The event owner submits the request and the configured current user acts as the demonstration approver. Submission sends an alert. Approval updates the status to Canceled; rejection updates it to Rejected, as required by the guide's field-update step.

Approval and rejection were exercised through separate demonstration records. Approval History provides the decision trail. The client cancellation flow is separate from the approval process and runs when a record changes to Canceled with a related client email.




Figure 4. Completed approval history from the cancellation demonstration.





Figure 5. Completed rejection history from the rejection demonstration.

6.5 Original Notification Timeline

The two communication paths have different triggers. A reminder waits for a date-based scheduled path; cancellation communication responds to a status transition.



The saved example schedules 17 October for a 20 October event. It demonstrates the offset, not that a message has already arrived. Flow debugging, queue presence and inbox receipt must remain distinct in the test report.

Original project diagram. It models the EventForce design; it is not a screenshot or a claim of a completed user study.

6.5 Notification Flows

Client Reminder - 3 Days Before is active. Confirmed events with date, client and email qualify. Its scheduled path uses Event Date with a three-day offset. The email goes to the client and copies the event owner. Debugging validated recipient resolution and merged event, client and venue information.

A separate cancellation notification flow sends the client an update when Event Status changes to Canceled. Entry checks avoid blank recipients and repeated notifications from unrelated edits.

The reminder demonstration for 20 October 2026 produced a scheduled path dated 17 October 2026. This verifies scheduling, not inbox delivery. The team confirmed a separate 8 October event reminder arrived on 5 October 2026.




Figure 6. Active reminder flow.

Record Name	Object	Workflow Rule, Flow, or Process Name	Scheduled Date	Created By	Created Date	Automation Type
☐ DEMO - Confirmed Reminder Test	Event	Client Reminder 3 Days Before	17/10/2026, 12:00 am	J. Srinivasan	02/10/2026, 10:11 pm	Flow Scheduled Path

Figure 7. Scheduled path evidence showing the three-day offset.

6.6 Scheduled Apex

BatchCompleteEvents implements Database.Batchable and Schedulable. To follow the guide literally, it selects events where Event Date is earlier than today and status is not Completed, then sets status to Completed. The daily job uses cron 0 0 20 * * ?, corresponding to 8 PM in the scheduling user's configured time zone.

This rule includes past Planned, Canceled and Rejected events. Consequently, a canceled event's current status can later become Completed even though its approval history remains. This is the guide's specified batch behavior and should be considered before any real production adoption.

The schedule was replaced after Salesforce required removal of the pending job before editing its class. The replacement retained the original daily time. Earlier execution on 3 October completed with zero failures and no eligible batches; automated tests separately exercise eligible records.




Figure 8. Restored daily schedule following the guide-aligned batch change.

Phase 3: UI/UX Development & Customization

6.7 Lightning App, Reports and Dashboard

The EventForce Lightning app includes Events, Clients, Vendors, Venues, Feedbacks, Reports and Dashboards. Five custom tabs use distinct icons. The monthly report selects all events in the next 30 days except Canceled records, groups Event Date by calendar month and summarizes record count and budget.

The EventForce Operations Dashboard uses the monthly report with a donut chart, six maximum displayed values, the subtitle Upcoming Events Overview and a light widget theme. Report results depend on the current date, so demonstration counts can change.




Figure 9. Events list and navigation captured from the live EventForce app on 5 October 2026.




Figure 10. Operations dashboard captured from the live EventForce app on 5 October 2026.

6.7.1 Live App Record Walkthrough

The following screenshots were captured directly from our EventForce Lightning app in the dedicated playful-unicorn playground on 5 October 2026. They show saved sample records rather than interface mockups. SAMPLE-labelled data supports the demonstration; displayed counts and dates reflect the capture checkpoint.

Event details

The Autumn Leadership Summit record shows its event type, date, status, formula budget and links to its client and venue. These saved values connect the data model to the coordinator interface.




Figure 11. Live EventForce app - event details, captured 5 October 2026.

Client details

The Aurora Studios record displays client contact and address fields. This record is the parent selected on related events and feedback.




Figure 12. Live EventForce app - client details, captured 5 October 2026.

Client related records

The Related tab brings events and feedback together under the client. This view demonstrates navigation across stored relationships.




Figure 13. Live EventForce app - client related records, captured 5 October 2026.

Vendor details

The Cedar Catering record displays service type and availability alongside contact fields. Vendor records support event supplier assignments.




Figure 14. Live EventForce app - vendor details, captured 5 October 2026.

Venue details

Cedar Convention Centre displays capacity and availability. These fields help the coordinator assess a venue before booking it.




Figure 15. Live EventForce app - venue details, captured 5 October 2026.

Feedback details

The feedback record shows a rating, comments, client and event. It connects the feedback data model to the end-user record page.




Figure 16. Live EventForce app - feedback details, captured 5 October 2026.

Monthly report

The Upcoming Events by Month report displays grouped results and a chart. At this capture checkpoint it shows nine records and a total budget of 285,000; this total is the formula-based demonstration budget.




Figure 17. Live EventForce app - monthly report, captured 5 October 2026.

Phase 4: Data Migration, Testing & Security

6.8 Data Migration

Sample CSV files were prepared for all six objects. Parent records were imported before related records; relationships were matched by names. The Data Import Wizard results reported zero failed rows for all six imports. Fictional sample email addresses and labelled records distinguish demonstrations from real operational data.

Object	Records represented after import
Client	10 including the existing demo client
Venue	10 including the existing demo venue
Vendor	10
Event	13 including three demonstration events
Feedback	10
EventVendor	10

These counts describe the verified import checkpoint. Later intentional test activity may change totals. Feedback inserts should not be repeated casually because they do not have a matching duplicate key in the prepared import.




Figure 18. Data import evidence.

6.9 Original Access Model

Security combines object permissions, field visibility and access to individual records. A role label alone does not grant all actions.

Profiles, roles and sharing	
Event Admin Administrator-derived profile provides project oversight.	Coordinator Event CRUD; limited related-object access; Feedback Manager extension.
Vendor Manager Vendor CRUD and read access to relevant operational objects.	Client Event read and Feedback create/read within actual record access.
Baseline Event internal and external organization-wide defaults are Private.	Sharing extension Coordinator-owned Events shared Read Only to Vendor Manager.

The coordinator session has selected positive and negative tests. The team confirmed four defined role-access tests on 5 October 2026; these do not cover every permission. A Client lookup is not automatically a Salesforce user-sharing rule.

Original project diagram. It models the EventForce design; it is not a screenshot or a claim of a completed user study.

6.9 Security Configuration

Profile	Object permissions
Event Admin	Administrator profile clone
Event Coordinator	Event CRED; Client Read/Edit; Vendor and Venue Read; Feedback Create/Read
Vendor Manager	Vendor CRED; Event, Venue, Client and Feedback Read
Client Profile	Event Read; Feedback Create/Read; no Vendor or Venue access

CRED means Create, Read, Edit and Delete. Feedback Manager additionally grants these four Feedback permissions to the coordinator. The three operational profiles use the guide's eight-character minimum, two-hour inactivity setting and non-expiring password policy; the coordinator session was subsequently tested for selected allowed and denied actions, and the team later confirmed the four defined role-access tests.

Event internal and external defaults are Private. Event_Sharing_For_Vendors gives the Vendor Manager role Read Only access to events owned by users in the Event Coordinator role. The report folder gives View access to those two roles. Event Admin reports to CEO; Coordinator, Vendor Manager and Client are below Event Admin.




Figure 19. Saved report folder shares for the two required roles.

Phase 5: Deployment, Documentation & Maintenance

6.10 Delivery and Maintenance

The guide does not require deployment into a production org. The educational delivery remains in the new playground. Local metadata and sample CSVs accompany implementation evidence. They support review and future packaging, but are not represented as a fresh complete metadata export of every manually configured component.

Maintenance consists of monitoring Apex Jobs and scheduled paths, checking failed flow interviews and email delivery, reviewing access after user changes, and running regression tests after schema or Apex edits. Any future production release would require a separate environment, complete metadata retrieval and a deployment-specific test and security review.




Figure 20. Saved Event Admin parent role is CEO.




Figure 21. Vendor Manager password policy saved as specified by the guide.

6.R1 Playground and Object Setup

Implementation procedure adapted from the EventForce project guide, pages 22-30. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

Use the dedicated playful-unicorn playground. The five core objects are supplemented by EventVendor, making six custom objects in this project.

Detailed Configuration Procedure

The phase also included implementing Profiles, Roles, Permission Sets, and Sharing Rules to define user-level access, maintaining data integrity and security across all modules. Altogether, this phase transformed the EventForce application from a static structure into a dynamic, automated, and secure CRM system capable of handling real-world event management workflows.

Milestone 1 : Salesforce Account What Is Salesforce ? Salesforce is your customer success platform, designed to help you sell, service, market, analyze, and connect with your customers. Salesforce has everything you need to run your business from anywhere. Using standard products and features, you can manage relationships with prospects and customers, collaborate and engage with employees and partners, and store your data securely in the cloud.

Activity 1 : Creating Developer Account Creating a developer org in salesforce. 1. Go to <https://developer.salesforce.com/signup> 2. On the sign up form, enter the following details : ; First name & Last name ; Email ; Role : Developer ; Company : College Name ; County : India ; Postal Code : pin code ; Username : should be a combination of your name and company This need not be an actual email id, you can give anything in the format : username@organization.com Click on sign me up after filling these.

Activity 2: Account Activation 1. Go to the inbox of the email that you used while signing up. Click on the verify account to activate your account. The email may take 5-10mins. 2. Click on Verify Account 3. Give a password and answer a security question and click on change password. 4. Then you will redirect to your salesforce setup page. **Data Architecture : Created Custom objects:** 1. Event__c (Fields: Event Name, Event Date, Event Type, Event Status, Event Budget) 2. Client__c (Fields: Client Name, Email, Phone, Address, Country, City) 3. Vendor__c (Fields: Vendor Name, Email, Phone, Service Type, Status) 4. Venue__c (Fields: Venue Name, Address, Location (URL), Capacity, Availability Status) 5. Feedback__c (Fields: Feedback ID (Auto Number), Rating, Comments) 6. EventVendor__c (Junction Object) (Links Event ↔

Vendor for Many-to-Many relationship) Relationships: Relationship Type Event > Client Lookup Event > Venue Lookup Feedback > Event Lookup Feedback > Client Lookup EventVendor > Event Master-Detail EventVendor > Vendor Master-Detail Steps to Implement :

Milestone 2- Object: What is an object? Salesforce objects are database tables that permit you to store data that is specific to an organization. It consists of fields (columns) and records (rows). In This Application We Use 5 Custom Objects: 1. Event 2. Client 3. Vendor 4. Venue 5. Feedback

Activity 1: Create Event Object To create a custom object, follow these steps: 1. From setup click on object manager. 2. Click create, select custom object. 3. Fill in the label as " Event ". 4. Fill in the plural label as " Events ". 5. Record name: "Event Name" 6. Select the data type as "Text". 7. In the Optional Features section, select Allow Reports, Allow Activities and Track Field History. 8. In the Deployment Status section, ensure Deployed is selected. 9. In the Search

Status section, select Allow Search. 10. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout. 11. Leave everything else as is, and click Save.

Activity 2: Create Client Object 1. Click on the gear icon and then select Setup. 2. Click on the object manager tab just beside the home tab. 3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object. a. On the Custom Object Definition page, create the object as follows: b. Label: Client c. Plural Label: Clients d. Record Name: Client Name e. Select the data type as "Text". f. Check the Allow Reports checkbox g. Check the Allow Search checkbox h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout i. Click Save.

Activity 3: Create Vendor Object 1. Click on the gear icon and then select Setup. 2. Click on the object manager tab just beside the home tab. 3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object. a. On the Custom Object Definition page, create the object as follows: b. Label: Vendor c. Plural Label: Vendors d. Record Name: Vendor Name e. Select the data type as "Text". f. Check the Allow Reports checkbox g. Check the Allow Search checkbox h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout i. Click Save.

Activity 4: Create Venue Object 1. Click on the gear icon and then select Setup. 2. Click on the object manager tab just beside the home tab. 3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object. a. On the Custom Object Definition page, create the object as follows: b. Label: Venue c. Plural Label: Venues d. Record Name: Venue Name e. Select the data type as "Text". f. Check the Allow Reports checkbox g. Check the Allow Search checkbox h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout i. Click Save.

Activity 5: Create Feedback Object 1. Click on the gear icon and then select Setup. 2. Click on the object manager tab just beside the home tab. 3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object. a. On the Custom Object Definition page, create the object as follows: b. Label: Feedback c. Plural Label: Feedbacks d. Record Name: Feedback e. Select the data type as "Auto Number". f. Under display format enter "F-{0000}" g. Enter starting number as 0 h. Check the Allow Reports checkbox. i. Check the Allow Search checkbox. j. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout. k.

Click Save.

Milestone 3 - Tabs Tab: Tabs in Salesforce help users view the information at a glance. It displays the data of objects and other web content in the application. Standard Object Tabs: Standard object tabs display data related to standard objects. Custom Object Tabs:

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 22. Playground and Object Setup - project configuration evidence.

6.R2 Custom Tabs and Navigation

Implementation procedure adapted from the EventForce project guide, pages 31-34. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

Five custom object tabs are available. EventVendor assignments are also accessible through related lists.

Detailed Configuration Procedure

Custom object tabs display data related to custom objects. These tabs look and function just like standard tabs.

Activity 1: Creating a Custom Tab(Event) Now create a custom tab. 1. Click on the Home tab, enter Tabs in Quick Find and select Tabs. 2. Under custom object tabs, click New. 3. For Object, select Event 4. For Tab Style, select any icon. 5. Leave all defaults as is. Click Next, Next, and Save.

Activity 2: Creating a Custom Tab(Client) Creation of Client tab: Now create a custom tab. 1. Click on the Home tab, enter Tabs in Quick Find and select Tabs. 2. Under custom object tabs, click New. 3. For Object, select Client. 4. For Tab Style, select any icon. 5. Leave all defaults as

is. Click Next, Next, and Save.

Activity 3: Creating a Custom Tab(Vendor) Creation of Vendor tab: Now create a custom tab. 1. Click on the Home tab, enter Tabs in Quick Find and select Tabs. 2. Under custom object tabs, click New. 3. For Object, select Vendor. 4. For Tab Style, select any icon. 5. Leave all defaults as is. Click Next, Next, and Save.

Activity 4: Creating a Custom Tab(Venue) Creation of Venue tab: Now create a custom tab. 1. Click on the Home tab, enter Tabs in Quick Find and select Tabs. 2. Under custom object tabs, click New. 3. For Object, select Venue. 4. For Tab Style, select any icon. 5. Leave all defaults as is. Click Next, Next, and Save.

Activity 5: Creating a Custom Tab(Feedback) Creation of Feedback tab: Now create a custom tab. 1. Click on the Home tab, enter Tabs in Quick Find and select Tabs. 2. Under custom object tabs, click New. 3. For Object, select Feedback. 4. For Tab Style, select any icon. 5. Leave all defaults as is. Click Next, Next, and Save.

Milestone 4 – Fields and Relationship: What are fields ? Fields in Salesforce represent what the columns represent in relational databases. It can store data values which are required for a particular object in a record. There are 2 types of fields in salesforce: ; Standard fields: There are four standard fields in every custom object that are Created By, Last Modified By, Owner, and the field created at the time of the creation of an object. These fields cannot be deleted or edited and they are always required. For standard objects, the fields which are present by default in them and cannot be deleted from standard objects are standard fields. ; Custom fields: The Custom fields which are added by the administrator/developer to meet

the business requirements of any organization. They may or may not be required.

Activity 1: Creation of fields for the Event object:

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 23. Custom Tabs and Navigation - project configuration evidence.

6.R3 Event Fields and Formula Budget

Implementation procedure adapted from the EventForce project guide, pages 35-38. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

The budget CASE formula maps event types to fixed demonstration amounts. This is not an actual invoice or payment calculation.

Detailed Configuration Procedure

1. Click the gear icon and select Setup. This launches Setup in a new tab. 2. Click the Object Manager tab next to Home. 3. Select Event 4. Select Fields & Relationships from the left navigation, and click New 5. From the sidebar, click Fields & Relationships. Notice that there are already some fields there. Those are the standard fields. Click New to create a custom field. Tip: Before creating a new field, do a quick search to make sure a similar one doesn't already exist. 6. Choose the data type as Picklist, click next 7. For Field Label, "Event Type" 8. Select Enter values, with each value separated by a new line and Enter The following Values: ; Wedding ; Corporate ; Birthday ;

Anniversary ; Festival ; Concert ; Other 9. Click next, next and save. Now let's create the other fields following the above Activity1 steps, we must choose the data types of the fields carefully. 1. Select the Date as the Data Type, then click Next. For Field Label, "Event Date", Click Next, Next, then Save & New. 2. Select the Picklist as the Data Type, then click Next. For Field Label "Event Status", Select The Enter values, with each value separated by a new line and Enter The Values: ; Planned ; Confirmed ; Completed ; Pending Cancellation ; Canceled ; Rejected Create Formula Field For Event Budget in a Event object : 1. Select Data type as "Formula" and click Next. 2. Enter field

label Event Budget. 3. Select formula return type Currency, Click Next. 4. Create and insert formula: CASE(TEXT(Event_Type__c), "Wedding", 50000, "Corporate", 30000, "Birthday", 10000, "Anniversary", 20000, "Festival", 60000, "Concert", 40000, "Other", 15000, 0) 5. Check the syntax.

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 24. Event Fields and Formula Budget - project configuration evidence.

6.R4 Client, Vendor and Venue Fields

Implementation procedure adapted from the EventForce project guide, pages 39-43. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

Use the accompanying data dictionaries for the local API names and values. The final part of the guide range introduces Feedback fields.

Detailed Configuration Procedure

6. Click Next, Next, then Save.

Activity 2: Creation of fields for the Client object: 1.Select the Email as the Data Type, then click Next. For Field Label, “ Email” ,Click Next, Next, then Save & New. 2.Select the Phone as the Data Type, then click Next. For Field Label, “ Phone” ,Click Next, Next, then Save. 3.Select the Text area as the Data Type, then click Next. For Field Label, “ Address” ,Click Next, Next, then Save. 4.Select the Picklist as the Data Type, then click Next. For Field Label “ Country” ,Select The Enter values, with each value separated by a new line and Enter The Values: ; India ; Philippines ; Saudi Arabia ; USA ; Switzerland ; Thailand ; Maldives ; Dubai ; Sri Lanka ; Bangkok

; Singapore ; Myanmar ; France ; Nepal 5.Click Save. 6.Select the Picklist as the Data Type, then click Next. For Field Label “ City ”,Select TheEnter values, with each value separated by a new line and Enter The Values: ; Hyderabad ; Mumbai ; Delhi ; Bangalore ; Chennai ; Alaminos ; Angeles City ; Palayan ; Quezon City ; San Juan ; Riyadh ; Jeddah ; Tayma ; Dammam ; Medina ; New York ; Los Angeles ; Chicago ; Houston ; Columbus ; Geneva ; Basel ; Lausanne ; Bern ; Lucerne 7.Click Save.

Activity 3: Creation of fields for the Vendor object: 1. Select the Multi Select Picklist as the Data Type, then click Next. For Field Label “ Service Type ”,Select Enter values, with each value separated by a new line and Enter The Values: ; Catering ; Decor ; Photography ; Videography ; Lighting ; Stage Setup ; Makeup Artist ; DJ/Music ; Transportation ; Hosting/Anchor 2.Select the Email as the Data Type, then click Next. For Field Label, “ Email” ,Click Next, Next, then Save & New. 3.Select the Phone as the Data Type, then click Next. For Field Label, “ Phone” ,Click Next, Next, then Save. 4.Select the Picklist as the Data Type, then click Next. For Field Label “ Status ”,Select Enter values,

with each value separated by a new line and Enter The Values: ; Available ; Booked ; Cancelled

Activity 4: Creation of fields for the Venue object: 1.Select the Text area as the Data Type, then click Next. For Field Label, “ Address” ,Click Next, Next, then Save. 2.Select the URL as the Data Type, then click Next. For Field Label, “ Location” ,Click Next, Next, then Save. 3. Select the Number as the Data Type, then click Next. For Field Label, “ Capacity” Click Next, Next, then Save. 4..Select the Picklist as the Data Type, then click Next. For Field Label “ Availability Status ”,Select Enter values, with each value separated by a new line and Enter The Values: ; Available ; Reserved ; Not Available

Activity 5: Creation of fields for the Feedback object: 1.Select the Picklist as the Data Type, then click Next. For Field Label “ Rating ”, SelectEnter values, with each value separated by a new line and Enter The Values: ; 1 ; 2 ; 3 ; 4 ; 5 2.Select the Long Text as the Data Type, then click Next. For Field Label, “ Comments” ,Click Next, Next, then Save. Relationships:

Activity 1: Creation lookup relationship f or the Event objects: Let’s create lookup relationship on Event object First lookup relationship ; From Setup, go to Object Manager , Select Event Object ; On the sidebar, click Fields & Relationships. ; Select Lookup relationship & click next

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.

Developer Edition

Setup

Home

Object Manager

Quick Find

Setup

Bulk Data Load Jobs

Bulk Data Load Job

750g800000KgPGD

View the details of a bulk data load job.

Back to List

Bulk Data Load Jobs

Bulk Data Load Job Detail

Reload

Job ID	750g800000KgPGD	Job Type	Bulk V1	Status	Closed
Submitted By	Srinivasan J	Operation	Upsert	Total Processing Time (ms)	205
Start Time	02/10/2026, 10:51 pm IST	Queued Batches	0	API Active Processing Time (ms)	122
End Time	02/10/2026, 10:51 pm IST	In Progress Batches	0	Apex Processing Time (ms)	0
Time to Complete (hh:mm:ss)	00:00	Completed Batches	1		
Object	Vendor	Failed Batches	0		
External ID Field	Name	Progress	100%		
Content Type	CSV	Records Processed	10		
Concurrency Mode	Parallel	Records Failed	0		
API Version	67.0	Retries	0		

Reload

Batches

View Request	View Result	Batch ID	Start Time	End Time	Total Processing Time (ms)	API Active Processing Time (ms)	Apex Processing Time (ms)	Records Processed	Records Failed	Retry Count	State Message	Status

Figure 25. Client, Vendor and Venue Fields - project configuration evidence.

6.R5 Relationships and Feedback Filter

Implementation procedure adapted from the EventForce project guide, pages 43-48. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

EventVendor has two master-detail fields. Feedback has separate Event and Client lookups with a required matching-client lookup filter.

Detailed Configuration Procedure

; 3 ; 4 ; 5 2.Select the Long Text as the Data Type, then click Next. For Field Label, “Comments” ,Click Next, Next, then Save. Relationships:

Activity 1: Creation lookup relationship for the Event objects: Let’s create lookup relationship on Event object First lookup relationship ; From Setup, go to Object Manager , Select Event Object ; On the sidebar, click Fields & Relationships. ; Select Lookup relationship & click next ; Choose the related object as Venue & click next ; Give the field label(Venue) & click next, next, next and Save. Create Many-to-Many Relationship (Event ↔ Vendor) Salesforce doesn’t allow direct many-to-many, so we create a junction object (EventVendor__c) : Go to Object Manager > Create New Custom Object ; Label: Event Vendor ; Object Name: EventVendor__c From Setup, go to Object Manager , Select Event Vendor Object ; On the sidebar, click Fields & Relationships. ; Select

Master Detail relationship & click next ; Choose the related object as Event & click next ; Give the field label(Event) & click next, next, next and Save&New. ; Select Master Detail relationship & click next ; Choose the related object as Vendor & click next ; Give the field label(Vendor) & click next, next, next and Save. Add Lookup Relationship (Event > Client) : ; From Setup, go to Object Manager , Select Event Object ; On the sidebar, click Fields & Relationships. ; Select Lookup relationship & click next. ; Choose the related object as Client & click next ; Give the field label(Client) & click next, next, next and Save.

Activity 2: Creation lookup relationship for the Feedback object: ; From Setup, go to Object Manager , Select Feedback Object ; On the sidebar, click Fields & Relationships. ; Select Lookup relationship & click next. ; Choose the related object as Event & click next ; Give the field label(Event) & click next, next, next and Save. Add Lookup Relationship (Feedback > Client) : ; From Setup, go to Object Manager , Select Feedback Object ; On the sidebar, click Fields & Relationships. ; Select Lookup relationship & click next. ; Choose the related object as Client & click next ; Give the field label(Client) & click next, next, next and Save.

Activity 3: Lookup Filters Scenario: In an Event Management app, each Event belongs to a Client. When creating Feedback, after selecting a Client, the Event lookup should only show Events of that Client. For example, if Ramesh is chosen, only Ramesh's events appear, not other clients' events. 1. Click the gear > Setup. 2. In Setup Quick Find type Object Manager > open Object Manager. 3. Find and open the Feedback object (Feedback__c). 4. In the left menu click Fields & Relationships. 5. Find the Event lookup field (Event__c) and click it. 6. Click On Edit. 7. Scroll to the Lookup Filter section and click Show filter Settings 8. Build the filter criteria like this: 9. Field (left side): choose the Event object's client field

— Event: Client__c. 10. Operator: equals. 11. Value (right side): choose the Field radio button and then select the Client field on the Feedback record — Feedback: Client__c. 12. Make sure to Check Enable this Filter box 13. Click on Save.

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 26. Relationships and Feedback Filter - project configuration evidence.

6.R6 Client Email Validation

Implementation procedure adapted from the EventForce project guide, pages 49-49. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

The Client email rule was saved and exercised by the Apex test. Passing a format check does not verify mailbox ownership or delivery.

Detailed Configuration Procedure

Milestone 5 -Validation Rules : Validation rules are applied when a user tries to save a record and are used to check if the data meets specified criteria. If the criteria are not met, the validation rule triggers an error message and prevents the user from saving the record until the issues are resolved.

Activity 1: Create Validation Rules on Client__c : 1.Go to the setup page > click on object manager > type object name(Client) in quick find box, click on the Client object 2. Click on the validation rule > click New. 3. Enter the Rule name as “ Email_Valid_Address”. 4.Select Active 5. Insert the Error Condition Formula as : - NOT(REGEX(Email__c, "[a-zA-Z0-9._]+@[a-zA-Z0-9.]+\.[a-zA-Z]{2,}\$")) 6. Enter the Error Message as “Please Enter Valid Email Address”, select the Error location as Field and select the field as “Email”, and click Save.

Milestone 6 : APPROVAL PROCESS

Activity 1: Create an Approval Process for Event Cancellation Approval Note: Before Implementing Approval Process first Complete Profiles, Roles and Users Milestones.

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 27. Client Email Validation - project configuration evidence.

6.R7 Cancellation Email Templates

Implementation procedure adapted from the EventForce project guide, pages 50-52. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

Use the project templates with Event merge fields. Do not replace real recipient information with example names from the reference.

Detailed Configuration Procedure

1. Create Classic Email Template 1. Go to Setup (gear icon on top-right) 2. In the Quick Find box, type: Email Templates 3. Click on Classic Email Templates 4. Click "New Template" 5. You'll now choose the type of email template you want to create. Choose the type: ; Text – Plain text (no formatting) ; Click Next 6. Email Template Information: Folder Public or private folder (use "Unfiled Public Email Templates" for now) Email Template Name Event Cancellation Request Notification Template Unique Name Auto-filled, or change it (no spaces) Encoding Leave default (UTF-8) Subject Approval Request: Cancel Event {!Event__c.Name} Email Body Hello! An approval request has been submitted to cancel the event: - Event Name: {!Event__c.Name} - Event Date: {!Event__c.Event_Date__c} Thank you, EventForce Management System 2. Create Another

Email Template to Send Customer Email. If Cancellation Approved. 1. Template Name : Email to Client After Cancellation 2. Subject : Event Cancellation Notice – {!Event__c.Name} 3. Body : Hello! We would like to inform you that the event has been canceled. Event Name: {!Event__c.Name} Date: {!Event__c.Event_Date__c} If you have any questions or need assistance, please contact us. Thank you for your understanding, Event Management Team 3. Create Another Email Template to Send Owner Email. If Cancellation Approved. 1. Template Name : Approval Notification to Event Owner 2. Subject : Event Cancellation Approved: {!Event__c.Name} 3. Body : Hello {!Event__c.OwnerFullName} Your cancellation request for the event {!Event__c.Name} has been approved. Event Date: {!Event__c.Event_Date__c} The event status has been updated to Canceled. Thank you, EventForce Management System 4.

Create Another Email

Template to Send Owner Email. If Cancellation Rejected. 1.Template Name : Rejection Notification to Event Owner 2. Subject : Event Cancellation Rejected: {!Event__c.Name} 3.Body : Hello {!Event__c.OwnerFullName}, Your cancellation request for the event {!Event__c.Name} has been rejected. Event Date: {!Event__c.Event_Date__c} The event status has been reverted to Confirmed. Thank you, EventForce Management System

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 28. Cancellation Email Templates - project configuration evidence.

6.R8 Approval Entry and Submitter

Implementation procedure adapted from the EventForce project guide, pages 53-56. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

Pending Cancellation is the entry condition. The Event owner submits and the configured current user is the authorized demo approver.

Detailed Configuration Procedure

5. Create the Approval Process ; In the Quick Find box, type: Approval Processes ; Click on "Approval Processes" under Process Automation ; Click on the object name: Event ; Click Create New Approval Process > Use Standard Setup Wizard

Step 1: Basic Settings ; Name:Event_Cancellation_Process ; Unique Name: Auto-fills (you can keep it as is) ; Click Next Specify Entry Criteria: 1.This defines when the process will be triggered. ; Choose "Criteria are met" Set: ; Field: Event > Event Status ; Operator: Equals ; Value: Pending Cancellation ; Click Next.

Step 2: Select Approver Option 1: Use a specific user ; Select: Automatically assign using user or queue ; Choose: A specific user (Manager) Option 2: Use Manager of the user ; Select: Automatically assign to the manager of the user who submitted the record ; (Make sure users have a manager assigned in their User record) ; Click Next

Step 3: Email Template Approval Assignment Email Template: ; Select Email Template : Event Cancellation Request Notification

Step 4: Select Fields to Display on Approval Page Layout You'll see a dual list: ; Available Fields on the left ; Selected Fields on the right Choose the fields you want approvers to see (typically key business info). Example for Event: Suggested Fields: ; Event Name ; Owner ; Client ; Last Modified By ; Created By ; Event Budget ; Event Date ; Event Status ; Event Type ; Venue ; Use the Add button to move fields from left to right. ; Use the Up/Down arrows to reorder how they appear. ; Click Next to proceed.

Step 5: Specify Initial Submitters ; Select Event Owner As Initial Submitters. ; Click Save.

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.

The screenshot displays the Salesforce Setup interface for configuring an approval process. The left sidebar shows the navigation menu with categories like Setup, Administration, and Platform Tools. The main content area is titled 'Approval Processes' and shows the configuration for the 'Event: Event Cancellation Process'.

Process Definition Detail:

- Process Name:** Event Cancellation Process
- Unique Name:** Event_Cancellation_Process
- Description:** Event: Event Status EQUALS Pending Cancellation
- Entry Criteria:** Administrator ONLY
- Approval Assignment Email Template:** Event Cancellation Request Notification
- Initial Submitters:** Event Owner
- Created By:** Srinivasan J. 02/10/2026, 7:39 pm
- Modified By:** Srinivasan J. 02/10/2026, 9:35 pm

Initial Submission Actions:

Action	Type	Description
Record Lock	Record Lock	Lock the record from being edited
Email Alert	Email Alert	Alert - Event Cancellation Request

Approval Steps:

Action	Step Number	Name	Description	Criteria	Assigned Approver	Reject Behavior
Review Event Cancellation	1	Review Event Cancellation	Review the event cancellation request. The current project user is the designated demo approver.		User: Srinivasan J.	Final Rejection

Final Approval Actions:

Action	Type	Description
Record Lock	Record Lock	Lock the record from being edited

Figure 29. Approval Entry and Submitter - project configuration evidence.

6.R9 Approval and Rejection Actions

Implementation procedure adapted from the EventForce project guide, pages 57-62. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

Approval sets Canceled; rejection sets Rejected. Saved demonstrations provide separate approval and rejection histories.

Detailed Configuration Procedure

Step 6: Initial Submission Actions What should happen when a record is submitted? ; Click Add New > Email Alert Fill in the details: 1. Description > Alert - Event Cancellation Request 2. Unique Name > Auto-filled. 3. Object > Choose the object (Event__c). 4. Email Template > Select the email template you want to send.(Event Cancellation Request Notification) 5. Recipients > Add Role - Event Coordinator. 6. Additional Email > If you want to enter additional emails, then enter in the box. 7. From Email Address > Select Current User's Email Address 8. Click Save.

Step 7: Final Approval Actions ; Click Add New > Field Update ; Select Field To Update as Event status. ; Name: Event Status Update ; Field: Event Status ; New Value: Canceled ; Save. ; Click Add New > Email Alert ; Description: Alert - Cancellation Approved ; Email Template : Approval Notification to Event Owner ; Recipient Type : Select Event Owner ; From Email Address: Select Current User's Email. ; Save.

Step 8: Final Rejection Actions ; Click Add New > Email Alert ; Description: Alert - Cancellation Rejected ; Email Template : Rejection Notification to Event Owner ; Recipient Type : Select Event Owner ; From Email Address: Select Current User's Email. ; Save. ; Click Add New > Field Update ; Select Field To Update as Event status. ; Name: Event Status To Rejected ; Field: Event Status ; New Value: Rejected ; Save.

Step 9: Approval Steps ; Click Add New Step ; Enter: Step Name ("Manager Review") ; Unique Name (auto-filled) ; Step Number (optional – controls order) ; Click Next 1.Specify Step Criteria ; Choose All records should enter this step ; Click Next. 2 .Select Assigned Approver ; Now choose who will approve the record at this step: ; Manually chosen from a user field on the record ; Select Automatically assign to approver(s). ; Select A specific user ; A related user (the designated demo approver) ; Click Save.

Step 10: Activate the Approval Process ; Click View Approval Process Detail Page ; Click the "Activate" button at the top

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 30. Approval and Rejection Actions - project configuration evidence.

6.R10 Scheduled Reminder Flow

Implementation procedure adapted from the EventForce project guide, pages 63-71. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

The active flow uses a scheduled path three days before Event Date. The queue verifies timing; the team confirmed a reminder received on 5 October for an 8 October 2026 event.

Detailed Configuration Procedure

Milestone 7 - Flows In Salesforce, a flow is a powerful tool that allows you to automate business processes, collect and update data, and guide users through a series of screens or steps. Flows are built using a visual interface and can be created without any coding knowledge.

Activity 1 : Create Flow to Send 3-Day Reminder Email to Client Scenario: When an Event is created/updated with Status = Confirmed and a valid Client with an email address, the system should automatically send a reminder email to the Client 3 days before the Event Date. 1. Go to setup > type Flow in quick find box > Click on the Flow and Select the New Flow. 2.Select the Record Triggered flow. Click on create. 3.Under Object select “Event.” 4.Select A record is Created or Updated. 5. Enter Condition as Field : Event Status Operator: Equals Value: Confirmed 6. Select the Optimize the flow for: “Actions and Related Records” and Click on Done. 7. Click On Start Button, and Click on Add Schedule Path

8. Enter Path name as “3_Days_Before” , API name Automatically Populates. 9.Select Time Source as “ Event__c: Event Date” 10. Enter Offset Number : 3 11. Select Offset Options : Days Before, Click on ‘x’ icon. 12.Select Toolbox from Top left corner,Click on New Resource 13. Select Text Template 14. Enter API Name : Subject ; In the Body Enter: “Reminder: Your Event {!\$Record.Name} is in 3 days” ; Select View as Plain Text. ; Click Done. ; Create another Resources 1. Select Text Template 2. Enter API Name : Body 3. In the Body Enter: Hello {!\$Record.Client__r.Name}, This is a reminder that your event "{!\$Record.Name}" will take place on {!\$Record.Event_Date__c}. Venue: {!\$Record.Venue__r.Name} Type: {!\$Record.Event_Type__c} We look forward to seeing you! - EventForce Team 4.

Select View as Plain Text. 5. Click Done. 1. Under the 3 Days Before Click on “+” Symbol and In the Drop down List select the “Action “. 2. After Click on Action Select Email Action. 3. Search For Send Email, and Click On Send Email 4. Email Action Enter The Label Name as “Alert_Client_3Day_Reminder” 5. Select the Recipient Address List as Client Email. 6. Select the CC Recipient Address List : Event Owner 7. In Configure Email Content Select Compose Email Content 8. Select Subject: Subject Resource 9. Body: Body Resource 10.Click Save. 11.Enter Flow Label: Client Reminder - 3 Days Before, Click Save & Activate.

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 31. Scheduled Reminder Flow - project configuration evidence.

6.R11 Venue Automation and Booking Validation

Implementation procedure adapted from the EventForce project guide, pages 72-78. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

The reference uses separate helper/trigger examples. Our source consolidates them into EventForceService and EventForceTrigger, including bulk-aware processing.

Detailed Configuration Procedure

The guide introduces VenueStatusHelper, an after-save trigger, and PreventDoubleBooking. The helper reserves a venue when an event is Confirmed and releases it after cancellation. The booking trigger collects venue IDs, queries existing events, and compares venue/date pairs before a save. Our consolidated source listing later in this report is the authoritative project implementation. It also considers multiple records in one transaction, old and new venues when moving an event, and manually unavailable venues.

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 32. Venue Automation and Booking Validation - project configuration evidence.

6.R12 Batch and Scheduled Completion

Implementation procedure adapted from the EventForce project guide, pages 79-82. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

Our BatchCompleteEvents implements both Batchable and Schedulable. The current guide-aligned query completes every past event whose status is not Completed.

Detailed Configuration Procedure

The guide defines a batch query for events with Event_Date__c earlier than TODAY and Event_Status__c not equal to Completed. The execute method updates selected events to Completed. A schedulable entry point dispatches the batch. In Setup, open Apex Classes, select Schedule Apex, name the daily job, select the scheduling class, choose all days, and set 08:00 PM. Our combined class provides the batch and scheduled entry points in one source file. The query includes past Canceled and Rejected events; this side effect is retained to match the guide and is discussed in the limitations.

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 33. Batch and Scheduled Completion - project configuration evidence.

6.R13 Lightning Application

Implementation procedure adapted from the EventForce project guide, pages 83-85. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

The implemented app is EventForce. The guide sometimes calls the app Event Planner; those labels refer to the same instructional role, not an additional deployed app.

Detailed Configuration Procedure

Reports such as Upcoming Events by Month were used for analytical tracking, while the EventForce Operations Dashboard provides a clear visual summary of key business metrics. This phase ensures a responsive and data-driven user experience, allowing users to manage and monitor event operations efficiently through Salesforce's Lightning interface.

Milestone 11 - The Lightning App: What is an App ? Apps in Salesforce are a group of tabs that help the application function by working together as a unit. It has a name, a logo, and a particular set of tabs. The simplest app usually has just two tabs.

Activity 1: Create a Lightning App Create the Event Planner Management System app
1.From Setup, enter App Manager in the Quick Find and select App Manager.
2.Click New Lightning App. Event Planner as the App Name,
3. Upload Image ,then click next.
4.Under App Options, leave the default selections and click Next.
5.Under Utility Items, leave as it is and click Next.
6.From Available Items, select Event,Client,Vendor,Venue,Feedback
7.Reports,and Dashboards and move them to Selected Items. Click Next.
8.From Available Profiles, select System Administrator and move it to
9.Selected Profiles.Click Save & Finish. To verify your changes, click the App Launcher, type Event Planner and select the Event Planner app.
Note :
1. App Launcher-Displays available apps.
2. App Name-Displays the current selected app.
3.

Navigation

menu-Displays the tabs available inside the app.

Milestone 12 : Reports

Activity 1 : Create a Report folder
1. Click on the app launcher and search for reports.
2. Click on the report tab, click on the new folder.
3. Enter the Folder label as "EventForce Report"
Folder unique name will be auto populated.

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 34. Lightning Application - project configuration evidence.

6.R14 Reports and Dashboard

Implementation procedure adapted from the EventForce project guide, pages 85-89. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

The monthly report filters the next 30 days and excludes Canceled events. Its totals change with dates, data and the running user access.

Detailed Configuration Procedure

9.Selected Profiles.Click Save & Finish. To verify your changes, click the App Launcher, type Event Planner and select the Event Planner app. Note : 1. App Launcher-Displays available apps. 2. App Name-Displays the current selected app. 3. Navigation menu-Displays the tabs available inside the app.

Milestone 12 : Reports

Activity 1 : Create a Report folder 1. Click on the app launcher and search for reports. 2. Click on the report tab, click on the new folder. 3. Enter the Folder label as “EventForce Report” Folder unique name will be auto populated. 4. Click save.

Activity 2 : Sharing a Report folder 1. Go to the app > click on the reports tab. 2. Click on the All folder , click on the Drop down arrow for EventForce Report Folder, and Click on share. 3. Select the share with “roles”, in the name field search and select “Event Coordinator”, “ Vendor Manager” give “view” as access for that role. 4. Then click share, and click on Done.

Activity 3 : Create Report Note : Before creating a report, create at least “10” records in every object. Try to fill every field in each record for better experience. Report 1 : Upcoming Events — Summary by Month Use: See upcoming events and counts by month. 1. Go to the App Launcher > click on the Reports tab. 2. Click New Report. 3. Select the Category as All, search for Events or Events with Client & Venue, select it, and click Start Report. 4. In the outline pane, select the fields mentioned below in the Columns section: ■ Event Name ■ Event Date ■ Event Type ■ Client__r.Name ■ Venue__r.Name ■ Event_Budget__c 5. Remove any

unnecessary fields. 6. Toggle Update Preview Automatically. 7. Go

to Filters and apply the filters as follows: ■ Show Me = All Events ■ Event Date ≥ TODAY (or Next 30 Days) ■ Event Status ≠ Canceled 8. In the GROUP ROWS section, select the fields: ■ Event Date > click the drop-down > Group by Calendar Month 9. Click on Add Summary, summarize the following: ■ Row Count (auto) ■ Event_Budget__c > SUM (to see total budget per month) 10. Click on Add Chart, select: ■ Chart Type: Column or Line ■ X-axis = Event Date (Calendar Month) ■ Y-axis = Row Count or SUM(Event_Budget__c) 11. Click Save, give the report name: Upcoming Events by Month. 12. The Report Unique Name is auto-populated. 13. Select the folder EventForce Reports > click Save >

Run

Milestone 13 - Dashboards

Activity 1: - Create Dashboard Create EventForce Dashboard 1. Click on the Dashboards tab from the EventForce Management System application. 2. Click on New Dashboard. 3. Give name – EventForce Operations Dashboard. 4. Click Create. 5. Click on +Widget. 6. Select the Upcoming Events by Month Report. ■ Chart: Donut Chart ■ Max Values Displayed: 6 ■ Subtitle: Upcoming Events Overview ■ Widget Theme: Light ■ Click save.

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 35. Reports and Dashboard - project configuration evidence.

6.R15 Profiles and User Policies

Implementation procedure adapted from the EventForce project guide, pages 90-96. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

Configured profiles correspond to Event Admin, Event Coordinator, Vendor Manager and Client. Policy settings are educational guide requirements, not a production security recommendation.

Detailed Configuration Procedure

Phase 4 : Data Migration, Testing & Security Data Migration, Testing & Security focuses on preparing and securing the system before deployment. This phase involved loading validated data into Salesforce, creating users, and implementing role-based access controls to ensure proper data visibility and protection. During this phase, records for Events, Clients, Vendors, Venues, and Feedback were imported using the Data Import Wizard after pre-validation checks to avoid duplicates and maintain consistency. User accounts were created for Event Admin, Event Coordinator, Vendor Manager, and Client, each assigned specific Profiles and Roles aligned with their access levels. Security configurations included Profiles, Role Hierarchy, Permission Sets, and Sharing Rules to manage visibility and ensure compliance with business workflows. The Organization-Wide Defaults (OWD) were set to Private, allowing controlled record access through sharing rules like Event_Sharing_For_Vendors. Testing activities validated data accuracy, automation performance, and user permissions. This phase ensured that the EventForce Management System was secure, reliable, and fully functional for real-time business operations.

Milestone 14- Profile: What is a profile? A profile is a group/collection of settings and permissions that define what a user can do in salesforce. A profile controls “Object permissions, Field permissions, User permissions, Tab settings, App settings, Apex class access, Visualforce page access, Page layouts, Record Types, Login hours & Login IP ranges. A profile can be assigned to many users, but users can be assigned a single profile at a time.

Activity 1: Create a custom profile: 1. From setup , enter profiles in Quick Find box 2. Click On New Profile. 3.Select Existing Profile as ;System Administration’. 4. Enter Profile Name as ‘ Event Admin ’. 5. Click On save. Why use System Administrator as Base? It already has Modify All Data, Customize Application, and full CRUD access on all objects. By cloning it, your Event Admin profile automatically inherits full access. You can then restrict/remove any permissions if needed (but usually Event Admin = full access).

Activity 2: Create a Custom profile: 1. From setup , enter profiles in Quick Find box 2. Click On New Profile. 3.Select Existing Profile as ;Standard Platform User’. 4. Enter Profile Name as ‘ Event Coordinator ’. 5. Click On save. 6. Click On Edit 7. Select the Custom App settings as default for the Event Planner. 8.Scroll down to Custom Object Permissions Give Access: Event: CRED (Create, Read, Edit, Delete) Client: Read / Edit Vendor: Read Venue: Read Feedback: Create / Read 9.Changing the session times out after should be “ 2 hours of inactivity”. 10.Change the password policies as mentioned : 11.User passwords expire in should be “ never expires ”. 12.Minimum password length should be “ 8 ”, and click save.

Activity 3: Create a Custom profile: 1. From setup, enter profiles in Quick Find box 2. Click On New Profile. 3.Select Existing Profile as ;Standard Platform User’. 4. Enter Profile Name as ‘

Vendor Manager'. 5. Click On save. 6. Click On Edit 7. Select the Custom App settings as default for the Event Planner. 8.Scroll down to Custom Object Permissions Give Access: Vendor: CRED Event: Read Only Venue: Read Only Client: Read Only Feedback: Read Only 9.Changing the session times out after should be “ 2 hours of inactivity”. 10.Change the password policies as mentioned : 11.User passwords expire in should be “ never expires ”. 12.Minimum password length should be “ 8 ”, and click save.

Activity 4: Create a Custom profile: 1. From setup, enter profiles in Quick Find box 2. Click On New Profile. 3.Select Existing Profile as ;Standard Platform User'. 4. Enter Profile Name as ‘ Client Profile ’. 5. Click On save. 6. Click On Edit 7. Select the Custom App settings as default for the Event Planner. 8.Scroll down to Custom Object Permissions Give Access: Event: Read Only (for their own events) Feedback: Create / Read (give feedback) Vendor/Venue: No Access 9.Changing the session times out after should be “ 2 hours of inactivity”. 10.Change the password policies as mentioned : 11.User passwords expire in should be “ never expires ”. 12.Minimum password length should be “ 8 ”, and click save.

Milestone 15 - Role: In Salesforce, roles are used to determine which users have access to certain data and functions within the system. They are also used to define the reporting hierarchy within an organization. Users with higher roles have greater access to data and more control over the system.

Activity 1: Creation of Event Admin Role Creation of role : 1. From the Quick find box search for the role and click on the roles option 2. Select the set up roles option 3.Click on Expand All and click on add role under CEO.

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 36. Profiles and User Policies - project configuration evidence.

6.R16 Roles, Users and Feedback Permissions

Implementation procedure adapted from the EventForce project guide, pages 96-102. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

Event Admin reports to CEO. Coordinator, Vendor Manager and Client report to Event Admin. Never copy the guide example person or email into our team records.

Detailed Configuration Procedure

10.Change the password policies as mentioned : 11.User passwords expire in should be “ never expires ”. 12.Minimum password length should be “ 8 ”, and click save.

Milestone 15 - Role: In Salesforce, roles are used to determine which users have access to certain data and functions within the system. They are also used to define the reporting hierarchy within an organization. Users with higher roles have greater access to data and more control over the system.

Activity 1: Creation of Event Admin Role Creation of role : 1. From the Quick find box search for the role and click on the roles option 2. Select the set up roles option 3.Click on Expand All and click on add role under CEO. 4.Give Label as “Event Admin” and the Role name gets auto populated. Then click on Save.

Activity 2: Creating other Role Under Event Admin Role 1.Create Another Role. 2.Create a Role with the Name “ Event Coordinator ”. 3. Below the Event Admin click on add role and enter the label name as a ” Event Coordinator ” and role name, will be Automatically populated and click on save. 4.Follow the steps from above Activity.

Activity 3: Creating other Role Under Event Admin Role 1.Create Another Role. 2.Create a Role with the Name “ Vendor Manager ”. 3.Below the Event Admin click on add role and enter the label name as a ” Vendor Manager ” and role name, will be Automatically populated and click on save. 4.Follow the steps from above Activity.

Activity 4: Creating other Role Under Event Admin Role 1.Create Another Role. 2.Create a Role with the Name “ Client ”. 3.Below the Event Admin click on add role and enter the label name as a ” Client ” and role name, will be Automatically populated and click on save. 4.Follow the steps from above Activity.

Milestone 16 -User: What is a user? A user is anyone who logs in to Salesforce. Users are employees at your company, such as sales, reps, managers, and IT specialists, who need access to the company's records. Every user in Salesforce has a user account. The user account identifies the user, and the user account settings determine what features and records the user can access. NOTE- As Salesforce license can only be used by 2 Users at a time in Dev Org, So If you don't find a salesforce license then deactivate a user who has a salesforce license Or change the license type from Salesforce to any other.

Activity 1: To Create a User : 1. From Setup, enter Users in the Quick Find box, then select Users. 2. Click New User. 3.Fill in the fields : First Name : Example Last Name : User Alias : Give an Alias Name Email id : Give your Personal Email id Username : Username should be in this form: text@text.text and it must be Unique. Nick Name : Give a Nickname Role : Event Admin User licence : Salesforce Profiles : Event Admin 4.Click On Save.

Activity 2 : Creating Other Users 1. Repeat the steps and create other users using a. Role : Event Coordinator, Vendor Manager, Client b. User licence : Salesforce Platform c. Profile : Event Coordinator, Vendor Manager, Client

Milestone 17 : Permission Set A Permission Set in Salesforce is a collection of settings and permissions that grant access to various tools, features, and objects without changing the user's profile.

Activity 1 : Creating New Permission Set 1. Go to setup >> type Permission Set in quick find box >> Select Permission Set >> click New. 2. Give the Label as “Feedback Manager”. 3. Click Save. 4. Select Extra Permission For Feedback Manager Permission Set. 5. Go To the Object Settings. 6. Search Feedback Object, 7. Click On Edit, Go to the Object Permission. 8. Enable The R/E/C/D Permissions. 9. Click Save. 10. Click On the Manage Assign 11. Click On the Add Assignment. 12. Select Event Coordinator Role User. 13. Click Next & Assign.

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 37. Roles, Users and Feedback Permissions - project configuration evidence.

6.R17 Private Events and Vendor Sharing

Implementation procedure adapted from the EventForce project guide, pages 103-106. The following is configuration guidance; observed results are recorded separately in this report.

Our Implementation

Event is Private internally and externally. Coordinator-owned events are shared Read Only with Vendor Manager through Event_Sharing_For_Vendors.

Detailed Configuration Procedure

Milestone 18 : Sharing Settings Salesforce allows you to configure sharing settings to control how records are accessed and shared within your organization. These settings are crucial for maintaining data security and privacy. Salesforce provides a variety of tools and mechanisms to define and enforce sharing rules, such as: Organization-Wide Default (OWD) Settings: In Salesforce, OWD (Organization-Wide Default) is the baseline level of access to records that determines what all users can see and do with records in an organization. It is used to control visibility and access for all records in Salesforce, and you can customize it based on different objects (such as Accounts, Contacts, Opportunities, etc.). The OWD settings define the default access level to records, which can then be overridden by other

sharing mechanisms such as Role Hierarchy, Sharing Rules, Manual Sharing, and Apex Sharing. Here are the OWD options available for each object in Salesforce: 1. Private: ■ Only the record owner and users above them in the role hierarchy can see or edit the record. ■ Users cannot see each other's records by default. 2. Public Read Only: ■ All users can view the records, but only the record owner and those above them in the role hierarchy can edit the record. ■ Other users can only read, not modify, the records. 3. Public Read/Write: ■ All users can view and edit records, regardless of ownership. ■ This is useful when you want users to freely collaborate and modify each other's records. 4. Controlled by

Parent: ■ This option applies to child objects (like Tasks or Cases) that are related to a parent object (like Accounts). The access level to the child record is controlled by the parent record's sharing settings. By setting up OWD correctly, administrators can ensure that the right people have access to the right data while maintaining the necessary security for sensitive information.

Activity 1: Configure OWD 1. Go to Setup > Sharing Settings > Click On Edit. 2. Open The Sharing Setting, In Organization Wide Defaults Select the Event Object. 3. Click On Edit Button, Change the Default Internal Access as Private, and Default External Access also as Private in Event Object. 4. Click Save. Sharing Rules: What are Sharing Rules? Sharing rules help users to share records based on conditions. It is basically created for objects whose organization-wide defaults (OWD) are set to public read-only or private because sharing rules can only extend the access and not restrict it. Types of sharing rules: ; Owner-based Sharing Rules ; Criteria-based Sharing Rules

Activity 1: Create a sharing rule: 1. Go to Sharing Settings, which can be found under the Quick Find section. 2. Scroll down and find the Event object where a sharing rule needs to be added, and then click on New to create a new sharing rule. 3. Give the Label name as “Event_Sharing_For_Vendors” 4. Rule name is auto populated. 5. In step 3 : Select which records to be shared, members of “ Roles ” >> “ Event Coordinator” 6. In step 4: share with, select “ Roles ” >> “ Vendor Manager ” 7. In step 5 : Change the access level to “ Read Only ”. 8. Click on Save.

Review Checklist

Review point	Acceptance approach
Configuration	Compare object, field and action names with the project rather than copying reference example identities.
Behavior	Exercise an appropriate sample scenario and record the actual outcome before marking it passed.
Evidence	Retain a readable setup or record screenshot and note any unresolved acceptance item.




Figure 38. Private Events and Vendor Sharing - project configuration evidence.

7 Functional and Performance Testing

7.1 Original Test Coverage Model

The model separates automated checks, observed UI results and acceptance items that still need evidence.

Evidence-based test coverage

Apex regression

Four service methods and two batch methods passed in recorded runs.

Approval workflow

Separate saved approval and rejection examples show final statuses.

Migration

Six import jobs reported zero failed rows at the checkpoint.

Reminder timing

Scheduled path shows the required three-day offset.

Coordinator access

Selected CRUD actions and denied creates were observed.

Remaining coverage

Reminder receipt is team-confirmed; load measurements remain unverified.

A green automated test result is not a substitute for user-session access or email delivery. The following test tables retain explicit observed outcomes so that the report does not turn expected behavior into a fabricated pass.

Original project diagram. It models the EventForce design; it is not a screenshot or a claim of a completed user study.

7.1 Test strategy

We used Apex tests for booking and batch behavior, separate records for approval and rejection, import-job outcomes for migration, and the scheduled-path queue for reminder timing. Configuration checks covered saved access settings. Cancellation-request receipt was verified in Gmail Spam on 5 October 2026. Four defined role-access tests were team-confirmed on 5 October. The team confirmed reminder receipt on 5 October for an 8 October event. Load benchmarking remains unverified.

7.2 Functional test cases

ID	Scenario	Expected result	Observed result
TC01	Cancellation approved	Event becomes Canceled; decision is recorded	Canceled status and Approved history verified
TC02	Cancellation rejected	Event becomes Rejected	Rejected status and history verified
TC03	Reminder for 20 October	Scheduled for 17 October	Queue showed the three-day offset
TC04	Six sample imports	No failed rows	All six jobs reported zero failures
TC05	Project regression	All six methods pass	Four service and two batch methods passed
TC06	Cancellation request email	Recipient receives correct message	Received in Gmail Spam; verified 5 October
TC07	Role sessions	Allowed and denied actions match access model	Four defined access tests passed, team-confirmed 5 October

The coordinator session verified Event create/read/update/delete, Client read and edit, Feedback create/delete, and denial of Vendor and Venue creation. On 5 October the team confirmed: Event Admin Vendor create/edit/delete; Vendor Manager Vendor create/edit/delete with Event changes denied; Client shared Event read-only and unshared Event denied; Coordinator Feedback create/edit/delete. These are team-reported results for these scenarios, not an exhaustive permission audit.




Figure 39. Coordinator session evidence; the test scope is described above.

7.3 Regression and execution evidence




Figure 40. Earlier regression run on 1 October: four service methods and two batch methods passed. The final 3 October rerun is recorded in the project log.


Check	Observed result	Evidence or limit
Apex compilation	Successful	Invalid classes recompiled on 3 October
Booking and venue tests	4 methods passed	EventForceServiceTest
Batch tests after guide scope edit	2 methods passed	Updated regression on 3 October
Cancellation approval	Passed	Canceled status and approval history
Cancellation rejection	Passed	Rejected status and rejection history
Reminder scheduling	Passed	Three-day offset visible in queue
Sample imports	Passed	Zero failed rows in six import jobs
Scheduled execution	Completed with zero failures	No eligible records in that execution
Cancellation request receipt	Verified in Gmail Spam	Approval Test email received 2 October at 9:50 PM; checked 5 October. Separate reminder received 5 October for 8 October event, team-confirmed
Defined role-access tests	Passed (team-confirmed)	Four scenarios confirmed 5 October; scope listed in section 7.2. Not an exhaustive permission audit
Load and concurrency benchmark	Not measured	No throughput claim

The test evidence supports the specific results shown. It is not a guarantee of zero defects. The updated batch regression passed after the guide-aligned query change.

8 Advantages & Disadvantages

8.1 Original Future Enhancement Map

These items describe possible improvements beyond the submitted educational implementation. They are not represented as features that have already been built.



A future production design should preserve cancellation meaning when considering the nightly completion rule, validate security with representative users, and measure realistic workload behavior before making availability or scalability claims.

Original project diagram. It models the EventForce design; it is not a screenshot or a claim of a completed user study.

8.1 Advantages

Related records reduce duplicate data entry and help users follow an event from client request to feedback. Automated booking checks reduce conflicting venue allocations. Approval History records cancellation decisions. Scheduled reminders and completion processing reduce repeated manual steps, while reporting makes upcoming work easier to inspect.

8.2 Disadvantages and Limitations

The source snapshot is incomplete for clean-org deployment. Four defined role-access tests were team-confirmed; broader permission coverage was not exhaustively tested. Reminder delivery on 5 October for an 8 October event was team-confirmed. The guide-specific batch overwrites the status of past Canceled and Rejected events with Completed. The project has not been tested under production load, and no client self-service portal is claimed.

9 Conclusion

The playground implements the main EventForce workflow using Salesforce configuration and Apex. Security corrections, actual approval demonstrations, import results and regression evidence make the implementation reviewable. Cancellation-request email receipt is verified in Gmail Spam. Four defined role-access tests passed according to the team. The team confirmed reminder delivery on 5 October for an 8 October 2026 event. The team confirmed the completed demo video upload and SkillWallet submission.

10 Future Scope

Future work could add client self-service, richer vendor assignment notifications, calendar-based venue visibility, mobile-specific layouts and integrations. A production version should revisit the guide's non-expiring passwords and broad past-event completion rule. These are future improvements, not features claimed in this educational implementation.

11 APPENDIX

A. Platform, UI and Data

Salesforce Trailhead Playground; EventForce Lightning app; Event__c, Client__c, Vendor__c, Venue__c, Feedback__c and EventVendor__c.

B. Business Logic and Automation

Formula fields, validation rules, Client Reminder - 3 Days Before, Client Cancellation Notification, Event Cancellation Process, EventForceService and EventForceTrigger.

C. Processing

BatchCompleteEvents implements batch and scheduled processing. The daily job is configured for 8 PM in the scheduling user time zone.

D. Security

Event Admin, Event Coordinator, Vendor Manager and Client profiles and roles; Feedback Manager permission set; private Event defaults; Event_Sharing_For_Vendors; report-folder sharing.

E. Data Migration

Salesforce Data Import Wizard and sample CSV files for six objects, loaded in parent-before-child order.

F. UI and Analytics

Five custom object tabs; EventForce app; Upcoming Events by Month report; EventForce Operations Dashboard.

G. Testing and Documentation

EventForceServiceTest and BatchCompleteEventsTest; cancellation approval/rejection evidence; import results; reminder queue; coordinator access evidence; project report; live demonstration and timed narration script.

H. Implementation Evidence

Screenshots in this report come from our project playground. They show recorded checkpoints; date-sensitive counts and later account changes may differ from those captures.

THANK YOU