

UFO Sightings

Sistemas de Informação 1


Setup Environment

- On Windows, you can download and install XAMPP.
 - XAMPP is a very easy to install Apache Distribution for Linux, Solaris, Windows, and Mac OS X.
 - The package includes the Apache web server, MySQL, PHP, Perl, a FTP server and phpMyAdmin.
 - Url: <https://sourceforge.net/projects/xampp/>
- On MacOS, you can download and install MAMP
 - MAMP is a free local server environment with Apache, Nginx, PHP, and MySQL.
 - Url: <https://www.mamp.info/en/mac/>



Create the project

- Go to **htdocs** folder
 - This is where the web server expects to find the web site
 - On Windows: “**.../xampp/htdocs**”
 - On MacOs: “**/Application/MAMP/htdocs**”
- Create a folder named **UFO_Sightings**





Create index.php file

- Create the **UFO_Sightings/index.php** file

```
<html>
  <head><title>UFO Sightings</title></head>
  <body>
    <h2>UFO Sightings</h2>
    <?php
      $browser = $_SERVER['HTTP_USER_AGENT'];
      echo "<p>You are using <i>$browser</i></p>";
    ?>
  </body>
</html>
```

- Start web server
- Open **http://localhost:????/UFO_Sightings**




Update index.php file

(...)

```
<hr/>
<select name="Countries" id="Countries">
<?php
    $countries = array(
        "AU" => "Australia",
        "BR" => "Brazil",
        "CA" => "Canada",
        "GB" => "United Kingdom of Great Britain",
        "PT" => "Portugal"
    );
    foreach ($countries as $key => $value) {
        echo "<option value='$key'> $value </option>";
    }
?>
</select>
</body>
</html>
```

Result



- ✓ Australia
- Brazil
- Canada
- United Kingdom of Great Britain
- Portugal

Good Practices

- Create **UFO_Sightings/BusinessLogicLayer.php** file.

```
<?php

function getHttpAgent(){
    $browser = $_SERVER['HTTP_USER_AGENT'];
    echo "<p>You are using <i>$browser</i></p>";
}

function setDropBoxOptions() {
    $countries = array(
        "AU" => "Australia",
        (...)
        "PT" => "Portugal"
    );
    foreach ($countries as $key => $value) {
        echo "<option value='$key'> $value </option>";
    }
}

?>
```


Good Practices

- Update the **UFO_Sightings/index.php** file

```
▶ <?php include "BusinessLogicLayer.php"; ?>

<html>
  <head><title>UFO Sightings</title></head>
  <body>
    <h2>UFO Sightings</h2>
    ▶ <?php getHttpAgent(); ?>
    <hr/>
    ▶ <select name="Countries" id="Countries">
      <?php setDropBoxOptions(); ?>
    </select>
  </body>
</html>
```

Get Today's Date

- Update **UFO_Sightings/BusinessLogicLayer.php** file.

```
<?php
```

```
(...)
```

```
function getTodaysDate() {  
    echo "Today is " . Date("d/m/Y") . "<br/>";  
}
```

```
?>
```

- Update the **UFO_Sightings/index.php** file