A: Datasheet

Algorithm: everai_paravision_004

Developer: Paravision (EverAI)

Submission Date: 2019_06_19

Template size: 4096 bytes

Template time (2.5 percentile): 670 msec

Template time (median): 672 msec

Template time (97.5 percentile): 930 msec

Investigation:

Frontal mugshot ranking 16 (out of 259) -- FNIR(1600000, 0, 1) = 0.0016 vs. lowest 0.0009 from sensetime_005

Mugshot webcam ranking 17 (out of 221) -- FNIR(1600000, 0, 1) = 0.0102 vs. lowest 0.0062 from sensetime_005

Mugshot profile ranking 9 (out of 190) — FNIR(1600000, 0, 1) = 0.1040 vs. lowest 0.0591 from sensetime_005

Immigration visa-border ranking 35 (out of 142) -- FNIR(1600000, 0, 1) = 0.0057 vs. lowest 0.0014 from visionlabs_009

Immigration visa-kiosk ranking 35 (out of 139) -- FNIR(1600000, 0, 1) = 0.1120 vs. lowest 0.0694 from cib_000

Identification:


Frontal mugshot ranking 13 (out of 259) -- FNIR(1600000, T, L+1) = 0.0100, FPIR=0.001000 vs. lowest 0.0018 from sensetime_004


Mugshot webcam ranking 16 (out of 219) -- FNIR(1600000, T, L+1) = 0.0374, FPIR=0.001000 vs. lowest 0.0122 from sensetime_003

Mugshot profile ranking 170 (out of 189) -- FNIR(1600000, T, L+1) = 0.9999, FPIR=0.001000 vs. lowest 0.1733 from sensetime_005

Immigration visa-border ranking 16 (out of 139) -- FNIR(1600000, T, L+1) = 0.0181, FPIR=0.001000 vs. lowest 0.0059 from sensetime_004

Immigration visa-kiosk ranking 97 (out of 134) -- FNIR(1600000, T, L+1) = 0.9088, FPIR=0.001000 vs. lowest 0.1048 from sensetime_005







D: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals **Immigration Immigration** Mugshot visa-border visa-kiosk natural 0.700 -0.500 -0.300 -0.200 -0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 - 0.005 - 0.005 - 0.002 - 0.001 - 0.001 - 0.700 - 0.500 - 0.200 enrolment_style consolidated-ONE-MATE random-ONE-MATE recent-ONE-MATE unconsolidated-ALL-MATES unconsolidated-ANY-MATE 0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 -


False positive identification rate, FPIR(T)

E: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images



F: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate 7e+01 -5e+01 -3e+01 -2e+01 -1e+01 -7e+00 -5e+00 -3e+00 -2e+00 -1e+00 -7e-01 -5e-01 -3e-01 -2e-01 -1e-01 -7e-02 - 5e-02 -Enrolled images: recent N = 1600000 % 3e-02 -2e-02 -1e-02 -Mugshot natural Mugshot webcam 7e-03 -5e-03 -3e-03 -2e-03 -1e-03 -7e-04 -5e-04 -3e-04 -2e-04 -1e-04 -7e-05 -5e-05 -3e-05 -2e-05 -1e-05 -1e-05 3e-05 1e-04 3e-04 1e-03 3e-03 1e-02 3e-02 1e-01 3e-01 False Positive Idenification Rate, FPIR(T)






I: Investigational mode: FNIR(N, 1, 0) vs. most accurate (sensetime_005) Immigration **Immigration** visa-border visa-kiosk 0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -• 0.005 -0.003 - 0.002 - 0.001 - 0.001 - 0.000 - 0.000 - 0.050 enrolment_style consolidated ---- random --- recent Mugshot natural Mugshot webcam FNIR@Rank = 1 everai_paravision_004 sensetime_005 0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 -1e+06 3e+06 1e+07 1e+06 3e+06 1e+07 Enrolled population size, N

J: Investigational mode: FNIR(1600000, R, 0) by probe type everai_paravision_004 sensetime_005 0.100 -0.070 -0.050 -0.030 enrolment_style Ealse negative identification rate, FNIR(N) 0.000 - 0. lifetime_consolidated ---- random --- recent FNIR(R) N = 1600000 Immigration visa-border Immigration visa-kiosk Mugshot natural Mugshot webcam 0.003 -0.002 -0.001 -10 30 3 10 30 Rank, R

Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power–law models are fit to the first two (N,T) observations



M: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing



