

A: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals Mugshot natural 0.700 0.500 0.300 -0.200 -False negative identification rate, FNIR(T) enrolment\_style consolidated-ONE-MATE recent-ONE-MATE 0.020 -0.010 -0.007 -0.005 -1e-03 3e-01 1e+00 1e-04


False positive identification rate, FPIR(T)


B: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images



C: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate 7e+01 5e+01 3e+01 2e+01 -1e+01 -7e+00 -5e+00 -3e+00 -2e+00 -1e+00 -7e-01 -5e-01 -3e-01 -2e-01 -1e-01 - 7e-02 Enrolled images: recent N = 1600000 Mugshot natural Mugshot profile Mugshot webcam 7e-03 -5e-03 -3e-03 **-**2e-03 -1e-03 -7e-04 -5e-04 -3e-04 -2e-04 1e-04 • 7e-05 -5e-05 3e-05 -2e-05 -1e-05 -3e-03 1e-05 3e-05 1e-04 3e-04 1e-01 3e-01 False Positive Idenification Rate, FPIR(T)







## G: Datasheet

Algorithm: cognitec\_0

Developer: Cognitec Systems GmbH

Submission Date: 2018\_06\_21

Template size: 2052 bytes

Template time (2.5 percentile): 170 msec

Template time (median): 174 msec

Template time (97.5 percentile): 192 msec

Frontal mugshot investigation rank 163 — FNIR(1600000, 0, 1) = 0.0252 vs. lowest 0.0010 from sensetime\_004

natural investigation rank 140 -- FNIR(1600000, 0, 1) = 0.0593 vs. lowest 0.0067 from sensetime\_003


natural investigation rank 280 -- FNIR(1600000, 0, 1) = 0.9526 vs. lowest 0.0492 from paravision\_005


natural investigation rank 280 -- FNIR(1600000, 0, 1) = 0.9526 vs. lowest 0.0492 from paravision\_005

Frontal mugshot identification rank 149 — FNIR(1600000, T, L+1) = 0.1604 vs. lowest 0.0018 from sensetime\_004


natural identification rank 145 -- FNIR(1600000, T, L+1) = 0.3025 vs. lowest 0.0122 from sensetime\_003

natural identification rank 78 -- FNIR(1600000, T, L+1) = 0.9833 vs. lowest 0.1020 from sensetime\_004





Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power–law models are fit to the first two (N,T) observations



M: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing

