




A: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals




B: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images




C: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate




D: FPIR dependence on T by probe type for N = 1600000 subjects



E: DET for Mugshot natural images and various N. Links connect points of equal threshold.



F: Mugshot natural images, identification mode: FNIR(N, L+1, T) vs. most accurate (sensetime_004)



G: Datasheet

Algorithm: microfocus_5

Developer: MicroFocus

Submission Date: 2018_10_29

Template size: 256 bytes

Template time (2.5 percentile): 225 msec

Template time (median): 263 msec

Template time (97.5 percentile): 312 msec

Frontal mugshot investigation rank 241 -- FNIR(1600000, 0, 1) = 0.4242 vs. lowest 0.0010 from sensetime_004

natural investigation rank 206 -- FNIR(1600000, 0, 1) = 0.6010 vs. lowest 0.0067 from sensetime_003

natural investigation rank 92 -- FNIR(1600000, 0, 1) = 0.4943 vs. lowest 0.0014 from visionlabs_009

natural investigation rank 93 -- FNIR(1600000, 0, 1) = 0.7774 vs. lowest 0.0694 from cib_000


Frontal mugshot identification rank 234 -- FNIR(1600000, T, L+1) = 0.8352 vs. lowest 0.0018 from sensetime_004

natural identification rank 198 -- FNIR(1600000, T, L+1) = 0.9281 vs. lowest 0.0122 from sensetime_003


natural identification rank 87 -- FNIR(1600000, T, L+1) = 0.9348 vs. lowest 0.0059 from sensetime_004

natural identification rank 82 -- FNIR(1600000, T, L+1) = 0.9848 vs. lowest 0.1129 from visionlabs_009


H: Investigational mode: FNIR(N, 1, 0) vs. most accurate (yitu_4)



I: Investigational mode: FNIR(1600000, R, 0) by probe type





Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power-law models are fit to the first two (N,T) observations



M: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing

Dataset: 2018 Mugshot N = 3068801



N: Decline of genuine scores with ageing

