## A: Datasheet

Algorithm: vigilantsolutions\_5

Developer: Vigilant Solutions

Submission Date: 2018\_10\_30

Template size: 1544 bytes

Template time (2.5 percentile): 757 msec

Template time (median): 762 msec

Template time (97.5 percentile): 861 msec

Investigation:


Frontal mugshot ranking 115 (out of 259) -- FNIR(1600000, 0, 1) = 0.0092 vs. lowest 0.0009 from sensetime\_005


Mugshot profile ranking 110 (out of 190) -- FNIR(1600000, 0, 1) = 0.9199 vs. lowest 0.0591 from sensetime\_005

Identification:

Frontal mugshot ranking 201 (out of 259) -- FNIR(1600000, T, L+1) = 0.3861, FPIR=0.001000 vs. lowest 0.0018 from sensetime\_004

Mugshot profile ranking 170 (out of 189) -- FNIR(1600000, T, L+1) = 0.9999, FPIR=0.001000 vs. lowest 0.1733 from sensetime\_005






D: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals Immigration Immigration Mugshot visa-border visa-kiosk natural 0.700 -0.500 -0.300 -0.200 -0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 - 0.005 - 0.005 - 0.002 - 0.001 - 0.001 - 0.700 - 0.500 - 0.200 enrolment\_style random-ONE-MATE recent-ONE-MATE 0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 - $1e^{-0.4}e^{-0.3}e^{-0.4}e^{-0.3}e^{-0.3}e^{-0.3}e^{-0.3}e^{-0.3}e^{-0.3}e^{-0.1}e^{-0.3}e^{-0.1}e^{-0.3}e^{-0.4}e^{-0.3}e^{$ 


False positive identification rate, FPIR(T)


E: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images






F: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate 7e+01 -5e+01 -3e+01 -2e+01 -1e+01 -7e+00 -5e+00 -3e+00 -2e+00 -1e+00 -Selectivity, SEL(1) 5e-01 - 5 Enrolled images: recent N = 1600000 Mugshot natural 1e-01 -7e-02 -5e-02 -3e-02 -2e-02 -1e-02 -7e-03 -5e-03 -3e-03 -2e-03 -1e-02 1e-04 3e-04 1e-03 3e-03 3e-02 1e-01 3e-01 False Positive Idenification Rate, FPIR(T)






I: Investigational mode: FNIR(N, 1, 0) vs. most accurate (sensetime\_005) Immigration **Immigration** visa-border visa-kiosk 0.100 0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -Palse negative identification rate, FNIR(N) 0.002 - 0.001 - 0.000 - 0.050 - 0.050 - 0.030 - 0. FNIR@Rank = 1 sensetime\_005 vigilantsolutions\_5 Mugshot webcam Mugshot natural enrolment\_style random ---- recent 0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 -1e+06 3e+06 1e+07 1e+06 3e+06 1e+07 Enrolled population size, N



Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power–law models are fit to the first two (N,T) observations



M: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing



