A: Datasheet

Algorithm: synesis_0

Developer: Synesis

Submission Date: 2018_02_15

Template size: 512 bytes

Template time (2.5 percentile): 233 msec

Template time (median): 236 msec

Template time (97.5 percentile): 249 msec

Investigation:


Frontal mugshot ranking 242 (out of 279) -- FNIR(1600000, 0, 1) = 0.1599 vs. lowest 0.0009 from sensetime_005


Mugshot webcam ranking 220 (out of 241) -- FNIR(1600000, 0, 1) = 0.3610 vs. lowest 0.0062 from sensetime_005

Identification:

Frontal mugshot ranking 238 (out of 279) -- FNIR(1600000, T, L+1) = 0.5516, FPIR=0.001000 vs. lowest 0.0018 from sensetime_004

Mugshot webcam ranking 209 (out of 236) -- FNIR(1600000, T, L+1) = 0.7338, FPIR=0.001000 vs. lowest 0.0122 from sensetime_003







D: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals Immigration Immigration Mugshot visa-border visa-kiosk natural 0.700 -0.500 -0.300 -0.200 -0.100 -0.070 sensetime_004 0.050 -0.030 -0.020 -0.010 -0.007 - 0.005 - 0.005 - 0.002 - 0.001 - 0.001 - 0.500 - 0.300 - 0.200 enrolment_style random-ONE-MATE recent-ONE-MATE 0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 -False positive identification rate, FPIR(T)


E: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images






F: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate 7e+01 -5e+01 -3e+01 -2e+01 -1e+01 -7e+00 -5e+00 -3e+00 -2e+00 -1e+00 -7e-01 -5e-01 -3e-01 -2e-01 -1e-01 -7e-02 -5e-02 -3e-02 -3e-02 -1e-02 -**Enrolled images:** recent N = 1600000 Mugshot natural Mugshot webcam 7e-03 -5e-03 -3e-03 -2e-03 -1e-03 -7e-04 -5e-04 -3e-04 -2e-04 -1e-04 -7e-05 -5e-05 -3e-05 -2e-05 -1e-05 -1e-05 3e-05 1e-04 3e-04 1e-03 3e-03 1e-02 3e-02 1e-01 3e-01 False Positive Idenification Rate, FPIR(T)






K: Investigational mode: FNIR(N, 1, 0) vs. most accurate (sensetime_005) Immigration **Immigration** visa-border visa-kiosk 0.300 -0.200 0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -Palse negative identification rate, FNIR(N) 0.003 - 0.001 - 0.300 - 0.200 - 0.100 - 0. enrolment_style consolidated ---- random --- recent Mugshot Mugshot webcam natural FNIR@Rank = 1 sensetime_005 synesis_0 0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 -1e+06 3e+06 1e+07 1e+06 3e+06 1e+07 Enrolled population size, N



M: Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power–law models are fit to the first two (N,T) observations



Q: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing



