## A: Datasheet

Algorithm: shaman\_3

Developer: Shaman Software

Submission Date: 2018\_06\_30

Template size: 2048 bytes

Template time (2.5 percentile): 669 msec

Template time (median): 672 msec

Template time (97.5 percentile): 1075 msec

Investigation:


Frontal mugshot ranking 232 (out of 279) -- FNIR(1600000, 0, 1) = 0.1243 vs. lowest 0.0009 from sensetime\_005


Mugshot webcam ranking 202 (out of 241) -- FNIR(1600000, 0, 1) = 0.1723 vs. lowest 0.0062 from sensetime\_005

Identification:

Frontal mugshot ranking 226 (out of 279) -- FNIR(1600000, T, L+1) = 0.4513, FPIR=0.001000 vs. lowest 0.0018 from sensetime\_004

Mugshot webcam ranking 199 (out of 236) -- FNIR(1600000, T, L+1) = 0.5971, FPIR=0.001000 vs. lowest 0.0122 from sensetime\_003







D: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals Immigration Immigration Mugshot visa-border visa-kiosk natural 0.700 -0.500 -0.300 -0.200 -0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -Ealse negative identification rate, FNIR(T) 0.003 - 0.000 - 0.500 - 0.500 - 0.200 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0.100 - 0. enrolment\_style consolidated-ONE-MATE random-ONE-MATE recent-ONE-MATE 0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 -


False positive identification rate, FPIR(T)

E: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images



F: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate 7e+01 -5e+01 -3e+01 -2e+01 -1e+01 -7e+00 -5e+00 -3e+00 -2e+00 -1e+00 -7e-01 -5e-01 -3e-01 -2e-01 -1e-01 -7e-02 -5e-02 -5e-02 -3e-02 -1e-02 -**Enrolled images:** recent N = 1600000 Mugshot natural Mugshot webcam 7e-03 -5e-03 -3e-03 -2e-03 -1e-03 -7e-04 -5e-04 -3e-04 -2e-04 -1e-04 -7e-05 -5e-05 -3e-05 -2e-05 -1e-05 -1e-05 3e-05 1e-04 3e-04 1e-03 3e-03 1e-02 3e-02 1e-01 3e-01 False Positive Idenification Rate, FPIR(T)






K: Investigational mode: FNIR(N, 1, 0) vs. most accurate (sensetime\_005) Immigration **Immigration** visa-border visa-kiosk 0.200 -0.100 -• 0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -Ealse negative identification rate, FNIR(N) 0.002 - 0.001 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0. enrolment\_style consolidated ---- random --- recent Mugshot webcam Mugshot natural FNIR@Rank = 1 sensetime\_005 shaman\_3 0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 -1e+06 3e+06 1e+07 1e+06 3e+06 1e+07 Enrolled population size, N

L: Investigational mode: FNIR(1600000, R, 0) by probe type sensetime\_005 shaman\_3 0.200 -0.100 -0.070 -0.050 -Ealse negative identification rate, FNIR(N) 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0.000 - 0. enrolment\_style lifetime\_consolidated ---- random --- recent FNIR(R) N = 1600000 Immigration visa-border Immigration visa-kiosk Mugshot natural Mugshot webcam 0.003 -0.002 -0.001 -3 10 30 3 10 30 Rank, R

M: Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power–law models are fit to the first two (N,T) observations



Q: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing



