## A: Datasheet

Algorithm: tongyitrans\_0

Developer: TongYi Transportation Technology

Submission Date: 2018\_06\_29

Template size: 2070 bytes

Template time (2.5 percentile): 176 msec

Template time (median): 180 msec

Template time (97.5 percentile): 269 msec

Investigation:


Frontal mugshot ranking 96 (out of 259) -- FNIR(1600000, 0, 1) = 0.0069 vs. lowest 0.0009 from sensetime\_005

Mugshot webcam ranking 80 (out of 221) -- FNIR(1600000, 0, 1) = 0.0224 vs. lowest 0.0062 from sensetime\_005

Identification:

Frontal mugshot ranking 107 (out of 259) -- FNIR(1600000, T, L+1) = 0.0743, FPIR=0.001000 vs. lowest 0.0018 from sensetime\_004


Mugshot webcam ranking 71 (out of 219) -- FNIR(1600000, T, L+1) = 0.1123, FPIR=0.001000 vs. lowest 0.0122 from sensetime\_003



Date algorithm submitted to FRVT


D: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals Immigration Immigration Mugshot visa-border visa-kiosk natural 0.700 -0.500 -0.300 -0.200 -0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -Ealse negative identification rate, FNIR(T) 0.003 - 0.0001 - 0.700 - 0.500 - 0.200 - 0.100 - 0 enrolment\_style consolidated-ONE-MATE random-ONE-MATE recent-ONE-MATE 0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 -


\\\ \e^{-0}\frac{3}{3}e^{-0}\frac{4}{0}e^{-0}\frac{3}{3}e^{-0}\frac{3}{0}e^{-0}\frac{1}{0}e




Threshold

F: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate 7e+01 -5e+01 -3e+01 -2e+01 -1e+01 -7e+00 -5e+00 -3e+00 -2e+00 -1e+00 -7e-01 -5e-01 -3e-01 -2e-01 -1e-01 -7e-02 -5e-02 -3e-02 -3e-02 -1e-02 -**Enrolled images:** recent N = 1600000 Mugshot natural Mugshot webcam 7e-03 -5e-03 -3e-03 -2e-03 -1e-03 -7e-04 -5e-04 -3e-04 -2e-04 -1e-04 -7e-05 -5e-05 -3e-05 -2e-05 -1e-05 -1e-05 3e-05 1e-04 3e-04 1e-03 3e-03 1e-02 3e-02 1e-01 3e-01 False Positive Idenification Rate, FPIR(T)






I: Investigational mode: FNIR(N, 1, 0) vs. most accurate (sensetime\_005) Immigration **Immigration** visa-border visa-kiosk 0.100 0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -Palse negative identification rate, FNIR(N) 0.002 - 0.001 - 0.000 - 0.050 - 0.050 - 0.030 - 0. enrolment\_style consolidated ---- random --- recent Mugshot Mugshot webcam natural FNIR@Rank = 1 sensetime\_005 tongyitrans\_0 0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 -1e+06 3e+06 1e+07 1e+06 3e+06 1e+07 Enrolled population size, N



Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power–law models are fit to the first two (N,T) observations



M: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing



