A: Datasheet

Algorithm: tongyitrans_1

Developer: TongYi Transportation Technology

Submission Date: 2018_06_29

Template size: 2070 bytes

Template time (2.5 percentile): 176 msec

Template time (median): 180 msec

Template time (97.5 percentile): 269 msec

Investigation:

Frontal mugshot ranking 112 (out of 279) −− FNIR(1600000, 0, 1) = 0.0069 vs. lowest 0.0009 from sensetime_005

Mugshot webcam ranking 98 (out of 241) −− FNIR(1600000, 0, 1) = 0.0224 vs. lowest 0.0062 from sensetime_005

Identification:

Frontal mugshot ranking 118 (out of 279) −− FNIR(1600000, T, L+1) = 0.0661, FPIR=0.001000 vs. lowest 0.0018 from sensetime_004

Mugshot webcam ranking 75 (out of 236) −− FNIR(1600000, T, L+1) = 0.1010, FPIR=0.001000 vs. lowest 0.0122 from sensetime_003


B: Mugshot natural images, identification mode: FNIR(N, L+1, T) vs. most accurate (sensetime_004)
False negative identification rate, FNIR(N)
0.100
0.070
0.050
0.030
0.020
0.010
0.007
0.005
0.003
0.002
1e+06
3e+06
1e+07
Enrolled population size, N
enrolment_style
consolidated
recent
Dataset:
2018 Mugshot
FNIR@FPIR = 0.001
sensetime_004
tongyitrans_1

C: Evolution of accuracy for TONGYITRANS algorithms on three datasets 2018 − present




D: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals
Immigration visa−border
Immigration visa−kiosk
Mugshot natural
sensetime_004
tongyitrans_1
False negative identification rate, FNIR(T)
0.700
0.500
0.300
0.200
0.100
0.070
0.050
0.030
0.020
0.010
0.007
0.005
0.003
0.002
0.001
1e−04
3e−04
1e−03
3e−03
1e−02
3e−02
1e−01
3e−01
1e+00
False positive identification rate, FPIR(T)
enrolment_style
consolidated−ONE−MATE
random−ONE−MATE
recent−ONE−MATE

E: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images




F: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate
Selectivity, SEL(T)
7e+01
5e+01
3e+01
2e+01
1e+01
7e+00
5e+00
3e+00
2e+00
1e+00
7e−01
5e−01
3e−01
2e−01
1e−01
7e−02
5e−02
3e−02
2e−02
1e−02
7e−03
5e−03
3e−03
2e−03
1e−03
7e−04
5e−04
3e−04
2e−04
1e−04
7e−05
5e−05
3e−05
2e−05
1e−05
3e−05
1e−04
3e−04
1e−03
3e−03
1e−02
3e−02
1e−01
3e−01
False Positive Idenification Rate, FPIR(T)
Enrolled images:
recent
N = 1600000
Mugshot
natural
Mugshot
webcam


G: FPIR dependence on T by probe type for N = 1600000 subjects
False Positive Idenification Rate, FPIR(T)
7e−01
5e−01
3e−01
2e−01
1e−01
7e−02
5e−02
3e−02
2e−02
1e−02
7e−03
5e−03
3e−03
2e−03
1e−03
7e−04
5e−04
3e−04
2e−04
1e−04
7e−05
5e−05
3e−05
2e−05
1e−05
26.00
26.25
26.50
26.75
Threshold
Enrolled image:
random
N = 1600000
Mugshot
natural
Mugshot
webcam
enrolment_style
recent


J: DET for Mugshot natural images and various N. Links connect points of equal threshold.
False negative identification rate, FNIR(T)
0.700
0.500
0.300
0.200
0.100
0.070
0.050
0.030
0.020
0.010
0.007
0.005
0.003
0.002
1e−04
3e−04
1e−03
3e−03
1e−02
3e−02
1e−01
3e−01
1e+00
False positive identification rate, FPIR(T)
2018 Mugshot
Enrolled image:
recent
00640000
01600000


K: Investigational mode: FNIR(N, 1, 0) vs. most accurate (sensetime_005)
Immigration visa−border
Immigration visa−kiosk
Mugshot natural
Mugshot webcam
False negative identification rate, FNIR(N)
0.100
0.070
0.050
0.030
0.020
0.010
0.007
0.005
0.003
0.002
0.001
1e+06
3e+06
1e+07
Enrolled population size, N
enrolment_style
consolidated
random
recent
FNIR@Rank = 1
sensetime_005
tongyitrans_1


L: Investigational mode: FNIR(1600000, R, 0) by probe type
sensetime_005
tongyitrans_1
False negative identification rate, FNIR(N)
0.100
0.070
0.050
0.030
0.020
0.010
0.007
0.005
0.003
0.002
0.001
1
3
10
30
Rank, R
enrolment_style
lifetime_consolidated
random
recent
FNIR(R)
N = 1600000
Immigration visa−border
Immigration visa−kiosk
Mugshot natural
Mugshot webcam


M: Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements.
The template generation time is independent of N. The log and power−law models are fit to the first two (N,T) observations
MODEL
Log Model
Power Law Model
2000
1000
700
500
300
200
Search Duration (milliseconds)
7e+05
8e+05
1e+06
Enrolled population size, N, one image per person


Q: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing
Dataset: 2018 Mugshot N = 3068801
(00,02]
(02,04]
(04,06]
(06,08]
(08,10]
(10,12]
(12,14]
(14,18]
FPIR
Rank
False negative identification rate (FNIR)
0.700
0.500
0.300
0.200
0.100
0.070
0.050
0.030
0.020
0.010
0.007
0.005
0.003
0.002
0.001
1e−04
3e−04
1e−03
3e−03
1e−02
3e−02
1e−01
3e−01
1e+00
1
3
10
30
50
False positive identification rate, FPIR or Rank, R
cloudwalk hr 000