A: Datasheet

Algorithm: realnetworks_0

Developer: Realnetworks Inc

Submission Date: 2018_06_21

Template size: 4100 bytes

Template time (2.5 percentile): 234 msec

Template time (median): 240 msec

Template time (97.5 percentile): 265 msec

Investigation:


Frontal mugshot ranking 188 (out of 259) -- FNIR(1600000, 0, 1) = 0.0402 vs. lowest 0.0009 from sensetime_005


Mugshot webcam ranking 166 (out of 221) -- FNIR(1600000, 0, 1) = 0.0779 vs. lowest 0.0062 from sensetime_005

Identification:

Frontal mugshot ranking 176 (out of 259) -- FNIR(1600000, T, L+1) = 0.2320, FPIR=0.001000 vs. lowest 0.0018 from sensetime_004

Mugshot webcam ranking 156 (out of 219) -- FNIR(1600000, T, L+1) = 0.3184, FPIR=0.001000 vs. lowest 0.0122 from sensetime_003






D: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals **Immigration** Immigration Mugshot visa-border visa-kiosk natural 0.700 -0.500 -0.300 -0.200 -0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -Ealse negative identification rate, FNIR(T) 0.002 - 0.0001 - 0.700 - 0.500 - 0.200 - 0 enrolment_style consolidated-ONE-MATE random-ONE-MATE recent-ONE-MATE 0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -


0.001 -


E: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images




Threshold

F: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate 7e+01 -5e+01 -3e+01 -2e+01 -1e+01 -7e+00 -5e+00 -3e+00 -2e+00 -1e+00 -7e-01 -5e-01 -3e-01 -2e-01 -1e-01 -(E) 7e-02 - 7e **Enrolled images:** recent N = 1600000 Mugshot natural Mugshot webcam 7e-03 -5e-03 -3e-03 -2e-03 -1e-03 -7e-04 -5e-04 -3e-04 -2e-04 -1e-04 -7e-05 -5e-05 -3e-05 -2e-05 -1e-05 -1e-05 3e-05 1e-04 3e-04 1e-03 3e-03 1e-02 3e-02 1e-01 3e-01 False Positive Idenification Rate, FPIR(T)






I: Investigational mode: FNIR(N, 1, 0) vs. most accurate (sensetime_005) Immigration **Immigration** visa-border visa-kiosk 0.100 0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -Ealse negative identification rate, FNIR(N) 0.002 - 0.001 - 0.000 - 0.050 - 0.030 - 0. enrolment_style consolidated ---- random --- recent Mugshot Mugshot webcam natural FNIR@Rank = 1 realnetworks_0 sensetime_005 0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 -1e+06 3e+06 1e+07 1e+06 3e+06 1e+07 Enrolled population size, N



Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power–law models are fit to the first two (N,T) observations



M: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing



