A: Datasheet

Algorithm: ntechlab_4

Developer: N–Tech Lab

Submission Date: 2018_06_21

Template size: 3482 bytes

Template time (2.5 percentile): 901 msec

Template time (median): 923 msec

Template time (97.5 percentile): 980 msec

Investigation:

Frontal mugshot ranking 83 (out of 265) –– FNIR(1600000, 0, 1) = 0.0048 vs. lowest 0.0009 from sensetime_005

Mugshot webcam ranking 68 (out of 227) –– FNIR(1600000, 0, 1) = 0.0190 vs. lowest 0.0062 from sensetime_005

Mugshot profile ranking 45 (out of 196) –– FNIR(1600000, 0, 1) = 0.5056 vs. lowest 0.0591 from sensetime_005

Immigration visa–border ranking 54 (out of 148) –– FNIR(1600000, 0, 1) = 0.0077 vs. lowest 0.0013 from visionlabs_010

Immigration visa–kiosk ranking 49 (out of 145) –– FNIR(1600000, 0, 1) = 0.1294 vs. lowest 0.0568 from hr_000

Identification:

Frontal mugshot ranking 62 (out of 265) –– FNIR(1600000, T, L+1) = 0.0404, FPIR=0.001000 vs. lowest 0.0018 from sensetime_004

Mugshot webcam ranking 68 (out of 225) –– FNIR(1600000, T, L+1) = 0.1045, FPIR=0.001000 vs. lowest 0.0122 from sensetime_003

Mugshot profile ranking 23 (out of 195) –– FNIR(1600000, T, L+1) = 0.8336, FPIR=0.001000 vs. lowest 0.1331 from hr_000

Immigration visa–border ranking 45 (out of 146) –– FNIR(1600000, T, L+1) = 0.0527, FPIR=0.001000 vs. lowest 0.0049 from hr_000

Immigration visa–kiosk ranking 33 (out of 141) –– FNIR(1600000, T, L+1) = 0.2648, FPIR=0.001000 vs. lowest 0.0996 from hr_000

B: Mugshot natural images, identification mode: FNIR(N, L+1, T) vs. most accurate (sensetime_004)

C: Evolution of accuracy for NTECHLAB algorithms on three datasets 2018 – present

D: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals

E: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images

F: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate

G: FPIR dependence on T by probe type for N = 1600000 subjects

Threshold

False Positive Idenification Rate, FPIR(T)

Enrolled image:
random
N = 1600000

Immigration visa-border
Immigration visa-kiosk
Mugshot natural
Mugshot profile
Mugshot webcam

enrolment_style
random
recent

H: DET for Mugshot natural images and various N. Links connect points of equal threshold.

I: Investigational mode: FNIR(N, 1, 0) vs. most accurate (sensetime_005)

J: Investigational mode: FNIR(1600000, R, 0) by probe type

Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power−law models are fit to the first two (N,T) observations

M: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing

N: Decline of genuine scores with ageing