A: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals

B: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images

N ── 00640000 ── 01600000

C: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate

Selectivity, SEL(T)

False Positive Idenification Rate, FPIR(T)

Enrolled images:
recent
N = 1600000

Mugshot natural

Mugshot profile

D: FPIR dependence on T by probe type for N = 1600000 subjects

Enrolled image: recent
N = 1600000

Mugshot natural

Mugshot profile

False Positive Idenification Rate, FPIR(T)

Threshold

E: DET for Mugshot natural images and various N. Links connect points of equal threshold.

F: Mugshot natural images, identification mode: FNIR(N, L+1, T) vs. most accurate (sensetime_004)

G: Datasheet

Algorithm: aware_2

Developer: Aware

Submission Date: 2018_02_16

Template size: 2076 bytes

Template time (2.5 percentile): 848 msec

Template time (median): 909 msec

Template time (97.5 percentile): 989 msec

Frontal mugshot investigation rank 193 –– FNIR(1600000, 0, 1) = 0.0575 vs. lowest 0.0010 from sensetime_004

natural investigation rank 319 –– FNIR(1600000, 0, 1) = 0.9699 vs. lowest 0.0492 from paravision_005

natural investigation rank 319 –– FNIR(1600000, 0, 1) = 0.9699 vs. lowest 0.0492 from paravision_005

natural investigation rank 85 –– FNIR(1600000, 0, 1) = 0.1489 vs. lowest 0.0014 from visionlabs_009

natural investigation rank 87 –– FNIR(1600000, 0, 1) = 0.3947 vs. lowest 0.0694 from cib_000

Frontal mugshot identification rank 242 –– FNIR(1600000, T, L+1) = 0.9772 vs. lowest 0.0018 from sensetime_004

natural identification rank 159 –– FNIR(1600000, T, L+1) = 0.9999 vs. lowest 0.1020 from sensetime_004

natural identification rank 82 –– FNIR(1600000, T, L+1) = 0.7433 vs. lowest 0.0059 from sensetime_004

natural identification rank 79 –– FNIR(1600000, T, L+1) = 0.9431 vs. lowest 0.1129 from visionlabs_009

H: Investigational mode: FNIR(N, 1, 0) vs. most accurate (yitu_4)

I: Investigational mode: FNIR(1600000, R, 0) by probe type

Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power−law models are fit to the first two (N,T) observations