


Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1041, y: 42 [Root] 20:32:30



Time: 01:27:08 Realtime Simulation

PC1 Physical Config Desktop Programming Attributes

Command Prompt

12:01 PM 7/16/2026

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical 338, y: 234

PC-PT PC1 2811 Router3

Time: 01:27:42

Copper Cross-Over

Windows taskbar icons: Start, Chrome, File Explorer, Excel, Word, WhatsApp, etc.

PC1

Physical Config Desktop Programming Attributes

Command Prompt

```
Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 10.0.0.1:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 10.0.0.1

Pinging 10.0.0.1 with 32 bytes of data:

Reply from 10.0.0.1: bytes=32 time<1ms TTL=255
Reply from 10.0.0.1: bytes=32 time<1ms TTL=255
Reply from 10.0.0.1: bytes=32 time<1ms TTL=255
Reply from 10.0.0.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 60.0.0.10

Pinging 60.0.0.10 with 32 bytes of data:

Reply from 60.0.0.10: bytes=32 time<1ms TTL=123
Reply from 60.0.0.10: bytes=32 time=10ms TTL=123
Reply from 60.0.0.10: bytes=32 time<1ms TTL=123
Reply from 60.0.0.10: bytes=32 time<1ms TTL=123

Ping statistics for 60.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 10ms, Average = 2ms

C:\>
```

☐ Top

[Root]

811 Router8 PC-PT PC2

Realtime Simulation

ion	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
-----	------	-------	-----------	----------	-----	------	--------

12:02 PM 7/16/2026

PC2

Physical Config Desktop Programming Attributes

Command Prompt

```
C:\>ping 10.0.0.10

Pinging 10.0.0.10 with 32 bytes of data:

Reply from 10.0.0.10: bytes=32 time<1ms TTL=123
Reply from 10.0.0.10: bytes=32 time<1ms TTL=123
Reply from 10.0.0.10: bytes=32 time<1ms TTL=123
Reply from 10.0.0.10: bytes=32 time<1ms TTL=123

Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ipconfig

FastEthernet0 Connection: (default port)

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: FE80::203:E4FF:FED2:8B63
    IPv6 Address . . . . .: ::
    IPv4 Address . . . . .: 60.0.0.10
    Subnet Mask . . . . .: 255.0.0.0
    Default Gateway . . . . .: ::
                                   60.0.0.1

Bluetooth Connection:

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: ::
    IPv6 Address . . . . .: ::
    IPv4 Address . . . . .: 0.0.0.0
    Subnet Mask . . . . .: 0.0.0.0
    Default Gateway . . . . .: ::
                                   0.0.0.0

C:\>
```

☐ Top

