Syntax 1
Child: >
Sibling: +
Climb-up: ^
Grouping: ()
Multiplication: *
Naming and numbering: \$ 2
ID and CLASS attributes2
Custom attributes2
Text: {}
Implicit tag names
HTML 3
Form, Input, Button4
CSS 7
Visual Formatting
Margin & Padding 9
Box Sizing
Font
Text
Background 13
Color 14
Generated content 14
Outline 15
Tables 15
Border 15
Lists 18
Print 18
Others 18
Animation 19
Flex 20
Transform, Transition 21
XSL 22
HTML DOCTYPES . 23

# SYNTAX

# Child: >

# nav>ul>li

# Sibling: +

# Climb-up: ^

# Grouping: ()

# (div>dl>(dt+dd)\*3)+footer>p

# Multiplication: \*

# ul>li\*5

# Naming and numbering: \$

# ul>li.sample\$\*5

```
     class="sample1">
     class="sample2">
     class="sample3">
     class="sample4">
     class="sample5">
```

# h\$[title=topic\$]{Headline \$}\*3

```
<h1 title="topic1">Headline 1</h1>
<h2 title="topic2">Headline 2</h2>
<h3 title="topic3">Headline 3</h3>
```

# ul>li.item\$\$\$\*5

# ul>li.item\$@-\*5

```
     class="item5">
     class="item4">
     class="item3">
     class="item2">
     class="item1">
```

# ul>li.item\$@3\*5

# **ID and CLASS attributes**

# #header

<div id="header"></div>

# .title

<div class="title"></div>

# form#search.wide

<form id="search" class="wide"></
form>

# p.class1.class2.class3

# **Custom attributes**

# p[title="Hello world"]

# td[rowspan=2 colspan=3 title]

# [a='value1' b="value2"]

<div a="value1" b="value2"></div>

# Text: {}

# a{Click me}

<a href="">Click me</a>

# p>{Click }+a{here}+{ to continue}

Click <a href="">here</a> to continue

# Implicit tag names

## .class

<div class="class"></div>

#### em>.class

<em><span class="class"></span></
em>

# ul>.class

class="class">

#### table>.row>.col

## HTML

All unknown abbreviations will be transformed to tag, e.g. foo  $\rightarrow$  <foo></foo>.

# a

<a href=""></a>

# a:link

<a href="http://"></a>

## a:mail

<a href="mailto:"></a>

## abbr

<abbr title=""></abbr>

# acronym, acr

<acronym title=""></acronym>

#### base

<base href="" />

# basefont

<basefont />

## br

<br />

## frame

<frame />

## hr

<hr />

# bdo

<bdo dir=""></bdo>

#### bdo:r

<bdo dir="rtl"></bdo>

#### bdo:l

<bdo dir="ltr"></bdo>

#### col

<col />

#### link

<link rel="stylesheet" href="" />

#### link:css

<link rel="stylesheet"
href="style.css" />

# link:print

<link rel="stylesheet"
href="print.css" media="print" />

#### link:favicon

<link rel="shortcut icon"
type="image/x-icon" href="favicon.
ico" />

#### link:touch

<link rel="apple-touch-icon"
href="favicon.png" />

# link:rss

<link rel="alternate"
type="application/rss+xml"
title="RSS" href="rss.xml" />

#### link:atom

<link rel="alternate"
type="application/atom+xml"
title="Atom" href="atom.xml" />

# link:import, link:im

<link rel="import"
href="component.html" />

#### meta

<meta />

# meta:utf

<meta http-equiv="Content-Type"
content="text/html;charset=UTF-8"
/>

#### meta:win

<meta http-equiv="ContentType" content="text/
html;charset=windows-1251" />

## meta:vp

<meta name="viewport"
content="width=device-width, userscalable=no, initial-scale=1.0,
maximum-scale=1.0, minimumscale=1.0" />

# meta:compat

<meta http-equiv="X-UA-Compatible"
content="IE=7" />

# style

<style></style>

# script

<script></script>

# script:src

<script src=""></script>

# img

<img src="" alt="" />

#### img:srcset, img:s

<img srcset="" src="" alt="" />

# img:sizes, img:z

<img sizes="" srcset="" src=""
alt="" />

# picture

<picture></picture>

# source, src

<source />

#### source:src, src:sc

<source src="" type="" />

```
source:srcset, src:s
                                          Form, Input, Button
   <source srcset="" />
                                         form
source:media, src:m
                                             <form action=""></form>
   <source media="(min-width: )"</pre>
                                         form:get
   srcset="" />
                                            <form action="" method="get"></
source:type, src:t
   <source srcset="" type="image/" />
                                         form:post
source:sizes, src:z
                                             <form action="" method="post"></
   <source sizes="" srcset="" />
source:media:type, src:mt
                                         label
   <source media="(min-width: )"</pre>
                                            <label for=""></label>
   srcset="" type="image/" />
                                         input
source:media:sizes, src:mz
                                            <input type="text" />
   <source media="(min-width: )"</pre>
                                         inp
   sizes="" srcset="" />
                                             <input type="text" name="" id=""</pre>
source:sizes:type, src:zt
   <source sizes="" srcset=""</pre>
                                         input:hidden, input:h
   type="image/" />
                                            <input type="hidden" name="" />
iframe
                                         input:text, input:t
   <iframe src="" frameborder="0"></
                                             <input type="text" name="" id=""</pre>
   iframe>
                                            />
embed
                                         input:search
   <embed src="" type="" />
                                            <input type="search" name="" id=""</pre>
object
   <object data="" type=""></object>
                                         input:email
param
                                             <input type="email" name="" id=""</pre>
   <param name="" value="" />
                                            />
                                         input:url
   <map name=""></map>
                                             <input type="url" name="" id="" />
area
                                         input:password, input:p
   <area shape="" coords="" href=""
                                             <input type="password" name=""</pre>
   alt="" />
                                            id="" />
area:d
                                         input:datetime
   <area shape="default" href=""
                                             <input type="datetime" name=""</pre>
   alt="" />
                                            id="" />
area:c
                                         input:date
   <area shape="circle" coords=""
                                             <input type="date" name="" id=""</pre>
  href="" alt="" />
                                            />
area:r
                                         input:datetime-local
   <area shape="rect" coords=""
                                             <input type="datetime-local"</pre>
  href="" alt="" />
                                            name="" id="" />
                                         input:month
   <area shape="poly" coords=""</pre>
                                             <input type="month" name="" id=""</pre>
   href="" alt="" />
                                            />
                                         input:week
                                            <input type="week" name="" id=""</pre>
                                            />
                                         input:time
                                             <input type="time" name="" id=""</pre>
```

<pre>input:tel      <input id="" name="" type="tel"/></pre>	<pre>audio      <audio src=""></audio></pre>
<pre>input:number     <input id="" name="" type="number"/></pre>	<pre>html:xml   <html xmlns="http://www.   w3.org/1999/xhtml"></html></pre>
<pre>input:color      <input id="" name="" type="color"/></pre>	keygen />
<pre>input:checkbox, input:c     <input id="" name="" type="checkbox"/></pre>	<pre>command</pre>
<pre>input:radio, input:r      <input <="" id="" name="" pre="" type="radio"/></pre>	button:reset, button:r, btn:r <button type="reset"></button>
<pre>/&gt; input:range     <input id="" name="" type="range"/></pre>	<pre>button:disabled, button:d, btn:d     <button disabled="disabled"><!--     button--></button></pre>
<pre>input:file, input:f      <input id="" name="" type="file"/></pre>	<pre>fieldset:disabled, fieldset:d, fset:d     <fieldset disabled="disabled"><!--/pre--></fieldset></pre>
<pre>input:submit, input:s      <input type="submit" value=""/></pre>	fieldset>
<pre>input:image, input:i     <input alt="" src="" type="image"/></pre>	<pre></pre>
<pre>input:button, input:b</pre>	figc <figcaption></figcaption>
<pre>isindex   <isindex/></pre>	<pre>pic</pre>
<pre>input:reset     <input type="reset" value=""/> select</pre>	<pre>ifr      <iframe frameborder="0" src=""><!--      iframe--></iframe></pre>
<pre><select id="" name=""></select> select:disabled, select:d</pre>	<pre>emb   <embed src="" type=""/></pre>
<pre><select disabled="disabled" id="" name=""></select></pre>	<pre>obj   <object data="" type=""></object></pre>
<pre>option, opt      <option value=""></option></pre>	<pre>cap   <caption></caption></pre>
<pre>textarea</pre>	<pre>colg      <colgroup></colgroup></pre>
<pre>marquee   <marquee behavior="" direction=""></marquee></pre>	<pre>fst, fset      <fieldset></fieldset> btn</pre>
<pre>menu:context, menu:c   <menu type="context"></menu></pre>	<button></button> <pre>optg</pre>
menu:toolbar, menu:t <menu type="toolbar"></menu>	<pre><optgroup></optgroup> tarea</pre>
video <pre> </pre> <pre> video </pre> <pre> </pre> <pre> </pre>	<textarea cols="30" id="" name="" rows="10"></textarea>

```
leg
                                      ri:type, ri:t
   <legend></legend>
                                         <picture>
                                            <source srcset="" type="image/"</pre>
sect
   <section></section>
                                            <img src="" alt="" />
art
                                         </picture>
   <article></article>
hdr
                                      ol+
   <header></header>
                                         < 10>
                                            <\li>
ftr
                                         <footer></footer>
                                      ul+
adr
                                         <l
   <address></address>
                                            <\li>
dlg
                                         <dialog></dialog>
                                      dl+
str
                                         <dl>
   <strong></strong>
                                            <dt></dt>
prog
                                            <dd></dd>
   cprogress>
                                         </dl>
mn
                                      map+
   <main></main>
                                         <map name="">
                                            <area shape="" coords=""
tem
                                        href="" alt="" />
   <template></template>
                                         </map>
                                      table+
   <datagrid></datagrid>
                                         datal
                                            <datalist></datalist>
                                               kg
                                            <keygen />
                                         out
                                      colgroup+, colg+
   <output></output>
                                         <colgroup>
                                            <col />
det
                                         </colgroup>
   <details></details>
                                      tr+
cmd
   <command />
                                         ri:dpr, ri:d
                                         <img srcset="" src="" alt="" />
                                      select+
ri:viewport, ri:v
                                         <select name="" id="">
   <img sizes="" srcset="" src=""</pre>
                                            <option value=""></option>
  alt="" />
                                         </select>
ri:art, ri:a
                                      optgroup+, optg+
                                         <optgroup>
   <picture>
                                            <option value=""></option>
      <source media="(min-width: )"</pre>
  srcset="" />
                                         </optgroup>
      <img src="" alt="" />
                                      pic+
```

<picture>

</picture>

<source srcset="" />
<img src="" alt="" />

</picture>

CSS module uses fuzzy search to find unknown abbreviations, e.g. ov:h == ov-h == ovh == oh.

If abbreviation wasn't found, it is transformed into property name: foo-bar → foo-bar: I:

You can prefix abbreviations with hyphen to produce vendor-prefixed properties: -foo

# Visual Formatting

# pos

position:relative;

# pos:s

position:static;

# pos:a

position:absolute;

# pos:r

position:relative;

# pos:f

position:fixed;

t

top:;

# t:a

top:auto;

# r

right:;

#### r:a

right:auto;

# b

bottom:;

# b:a

bottom:auto;

# 1

left::

# l:a

left:auto;

#### Z

z-index:;

#### z:a

z-index:auto;

# fl

float:left;

# fl:n

float:none;

#### fl:l

float:left;

# float:right;

# cl

clear:both:

# cl:n

clear:none;

# cl:l

clear:left:

# cl:r

clear:right;

# cl:b clear:both:

d

# display:block;

d:n display:none;

d:b

# display:block; d:f

display:flex;

# d:if

display:inline-flex;

# d:i

display:inline;

#### d:ib

display:inline-block;

#### d:li

display:list-item;

# d:ri

display:run-in;

# d:cp

display:compact;

# d:tb

display:table;

# d:itb

display:inline-table;

#### d:tbcp

display:table-caption;

#### d:tbcl

display:table-column;

#### d:tbclg

display:table-column-group;

#### d:tbhg

display:table-header-group;

```
d:tbfg
                                         ovx:a
   display:table-footer-group;
                                            overflow-x:auto;
d:thr
                                         ovv
   display:table-row;
                                            overflow-v:hidden;
d:tbrg
                                         ovv:v
   display:table-row-group;
                                            overflow-y:visible;
d:tbc
                                         ovv:h
   display:table-cell;
                                            overflow-v:hidden;
d:rb
                                         ovy:s
   display:ruby;
                                            overflow-v:scroll:
                                         ovy:a
d:rbb
   display:ruby-base;
                                            overflow-v:auto:
d:rbbg
                                         ovs
   display:ruby-base-group;
                                            overflow-style:scrollbar;
d:rbt
                                         ovs:a
   display:ruby-text;
                                            overflow-style:auto;
d:rbtg
                                         ovs:s
   display:ruby-text-group;
                                            overflow-style:scrollbar:
V
   visibility:hidden;
                                            overflow-style:panner;
v:v
                                         ovs:m
   visibility:visible;
                                            overflow-style:move;
v:h
                                         ovs:ma
   visibility:hidden;
                                            overflow-style:marquee;
v:c
                                         zoo, zm
   visibility:collapse;
                                            zoom:1;
ov
                                         ср
   overflow:hidden;
                                            clip:;
ov:v
                                         cp:a
   overflow:visible;
                                            clip:auto;
ov:h
                                         cp:r
   overflow:hidden;
                                            clip:rect(top right bottom left);
ov:s
                                         rsz
   overflow:scroll;
                                            resize:;
ov:a
                                         rsz:n
   overflow:auto;
                                            resize:none;
ovx
                                         rsz:b
   overflow-x:hidden;
                                            resize:both;
ovx:v
                                         rsz:h
   overflow-x:visible;
                                            resize:horizontal;
ovx:h
                                         rsz:v
   overflow-x:hidden;
                                            resize:vertical;
ovx:s
                                         cur
   overflow-x:scroll;
                                            cursor:${pointer};
```

```
cur:a
                                        pί
   cursor:auto:
                                            padding-left::
cur:d
   cursor:default:
                                         Box Sizing
cur:c
                                        bx7
   cursor:crosshair;
                                            box-sizing:border-box;
cur:ha
                                        bxz:cb
   cursor:hand;
                                            box-sizing:content-box;
cur:he
                                        bxz:bb
   cursor:help:
                                            box-sizing:border-box;
cur:m
                                        bxsh
   cursor:move:
                                            box-shadow:inset hoff voff blur
                                           color:
cur:p
   cursor:pointer;
                                        hxsh:r
                                            box-shadow:inset hoff voff blur
cur:t
                                           spread rgb(0, 0, 0);
   cursor:text;
                                        bxsh:ra
 Margin & Padding
                                            box-shadow:inset h v blur spread
                                           rgba(0, 0, 0, .5);
m
                                        bxsh:n
   margin:;
                                            box-shadow:none:
m:a
   margin:auto;
                                        W
                                           width::
mt
   margin-top:;
                                        w:a
                                           width:auto;
mt:a
   margin-top:auto;
                                        h
                                            height:;
mr
   margin-right:;
                                        h:a
                                            height:auto;
mr:a
   margin-right:auto;
                                        maw
                                            max-width:;
mb
   margin-bottom:;
                                        maw:n
                                            max-width:none;
mb:a
   margin-bottom:auto;
                                        mah
                                            max-height:;
ml
                                        mah:n
   margin-left:;
                                            max-height:none;
ml:a
                                        miw
   margin-left:auto;
                                           min-width:;
p
                                        mih
   padding:;
                                            min-height:;
pt
   padding-top:;
                                         Font
pr
                                         f
   padding-right:;
                                            font:;
pb
```

padding-bottom:;

```
ff:t
f+
                                           font-family: "Times New Roman",
   font:1em Arial.sans-serif:
                                           Times, Baskerville, Georgia, sérif:
   font-weight:;
                                           font-family: Verdana, Geneva,
fw:n
                                           sans-serif:
   font-weight:normal;
                                        fef
fw:b
                                           font-effect::
   font-weight:bold;
                                        fef:n
                                           font-effect:none:
   font-weight:bolder;
                                        fef:eg
fw:lr
                                           font-effect:engrave;
   font-weight:lighter;
                                        fef:eb
fs, fs:i
                                           font-effect:emboss:
   font-style:italic;
                                        fef:o
                                           font-effect:outline:
   font-style:normal;
fs:o
                                           font-emphasize:;
   font-style:oblique:
                                        femp
                                           font-emphasize-position::
   font-variant::
                                        femp:b
fv:n
                                           font-emphasize-position:before;
   font-variant:normal:
                                           font-emphasize-position:after;
   font-variant:small-caps;
fz
                                           font-emphasize-style::
   font-size::
                                        fems:n
fza
                                           font-emphasize-style:none;
   font-size-adjust:;
                                        fems:ac
fza:n
                                           font-emphasize-style:accent;
   font-size-adjust:none;
                                        fems:dt
ff
                                           font-emphasize-style:dot;
   font-family::
                                        fems:c
                                           font-emphasize-style:circle:
   font-family:serif;
                                        fems:ds
ff:ss
                                           font-emphasize-style:disc;
   font-family:sans-serif;
                                        fsm
                                           font-smooth:;
   font-family:cursive;
                                        fsm:a
ff:f
                                           font-smooth:auto;
   font-family:fantasy;
                                           font-smooth:never;
   font-family:monospace;
                                        fsm:aw
                                           font-smooth:always;
   font-family: Arial, "Helvetica
   Neue", Helvetica, sans-serif;
```

<pre>fst   font-stretch:;</pre>	<pre>ta:r    text-align:right;</pre>
<pre>fst:n   font-stretch:normal;</pre>	ta:j  text-align:justify;
<pre>fst:uc   font-stretch:ultra-condensed;</pre>	<pre>ta-lst   text-align-last:;</pre>
<pre>fst:ec   font-stretch:extra-condensed;</pre>	<pre>tal:a    text-align-last:auto;</pre>
<pre>fst:c   font-stretch:condensed;</pre>	<pre>tal:l     text-align-last:left;</pre>
<pre>fst:sc   font-stretch:semi-condensed;</pre>	<pre>tal:c     text-align-last:center;</pre>
<pre>fst:se   font-stretch:semi-expanded;</pre>	<pre>tal:r    text-align-last:right;</pre>
<pre>fst:e   font-stretch:expanded;</pre>	<pre>td, td:n   text-decoration:none;</pre>
<pre>fst:ee   font-stretch:extra-expanded;</pre>	<pre>td:u    text-decoration:underline;</pre>
<pre>fst:ue   font-stretch:ultra-expanded;</pre>	<pre>td:o     text-decoration:overline;</pre>
Text	td:l text-decoration:line-through;
<pre>va   vertical-align:top;</pre>	<pre>te   text-emphasis:;</pre>
<pre>va:sup   vertical-align:super;</pre>	<pre>te:n    text-emphasis:none;</pre>
<pre>va:t   vertical-align:top;</pre>	<pre>te:ac     text-emphasis:accent;</pre>
va:tt	te:dt
<pre>vertical-align:text-top;</pre>	text-emphasis:dot;
<pre>vertical-align:text-top; va:m   vertical-align:middle;</pre>	
va:m	<pre>text-emphasis:dot; te:c</pre>
<pre>va:m   vertical-align:middle; va:bl</pre>	<pre>text-emphasis:dot; te:c    text-emphasis:circle; te:ds</pre>
<pre>va:m   vertical-align:middle; va:bl   vertical-align:baseline; va:b</pre>	<pre>text-emphasis:dot; te:c    text-emphasis:circle; te:ds    text-emphasis:disc; te:b</pre>
<pre>va:m   vertical-align:middle; va:bl   vertical-align:baseline; va:b   vertical-align:bottom; va:tb   vertical-align:text-bottom; va:sub   vertical-align:sub;</pre>	<pre>text-emphasis:dot; te:c    text-emphasis:circle; te:ds    text-emphasis:disc; te:b    text-emphasis:before; te:a</pre>
<pre>va:m   vertical-align:middle; va:bl   vertical-align:baseline; va:b   vertical-align:bottom; va:tb   vertical-align:text-bottom; va:sub</pre>	<pre>text-emphasis:dot; te:c     text-emphasis:circle; te:ds     text-emphasis:disc; te:b     text-emphasis:before; te:a     text-emphasis:after; th</pre>

```
12
th:t
                                        tw
   text-height:text-size;
                                           text-wrap:;
th:m
                                        tw:n
   text-height:max-size;
                                           text-wrap:normal;
ti
   text-indent::
                                           text-wrap:none;
ti:-
                                        tw:u
   text-indent:-9999px;
                                           text-wrap:unrestricted;
ti
                                        tw:s
   text-justify:;
                                           text-wrap:suppress:
ti:a
                                        tsh
                                           text-shadow:hoff voff blur #000:
   text-justify:auto;
ti:iw
                                        tsh:r
   text-justify:inter-word;
                                           text-shadow:h v blur rgb(0, 0, 0);
ti:ii
                                           text-shadow:h v blur rgba(0, 0, 0,
   text-justify:inter-ideograph;
                                           .5);
ti:ic
                                        tsh+
   text-justify:inter-cluster;
                                           text-shadow:0 0 0 #000;
                                        tsh:n
   text-justify:distribute;
                                           text-shadow:none;
ti:k
                                        lh
   text-justify:kashida;
                                           line-height:;
ti:t
                                        lts
   text-justify:tibetan;
                                           letter-spacing:;
to
                                        lts-n
   text-outline:;
                                           letter-spacing:normal;
to+
   text-outline:0 0 #000;
                                           white-space:;
to:n
                                        whs:n
   text-outline:none;
                                           white-space:normal;
tr
                                        whs:p
   text-replace:;
                                           white-space:pre;
tr:n
                                        whs:nw
   text-replace:none;
                                           white-space:nowrap;
tt
                                        whs:pw
   text-transform:uppercase;
                                           white-space:pre-wrap;
tt:n
                                        whs:pl
   text-transform:none;
                                           white-space:pre-line;
tt:c
                                        whsc
   text-transform:capitalize;
                                           white-space-collapse:;
tt:u
   text-transform:uppercase;
                                           white-space-collapse:normal;
```

whsc:k

white-space-collapse:keep-all;

tt:l

text-transform:lowercase;

#### whsc:1 Background white-space-collapse:loose; bg whsc:bs background:#000; white-space-collapse:break-strict; bg+ whsc:ba background:#fff url() 0 0 white-space-collapse:break-all; no-repeat; wob bg:n word-break:; background:none; wob:n bgc word-break:normal: background-color:#fff; wob:k bgc:t word-break:keep-all: background-color:transparent: wob:ba bgi word-break:break-all; background-image:url(); bgi:n wos word-spacing:; background-image:none; wow bgr word-wrap:; background-repeat:: wow:nm word-wrap:normal; background-repeat:no-repeat; wow:n bgr:x word-wrap:none; background-repeat:repeat-x; wow:u bgr:y word-wrap:unrestricted; background-repeat:repeat-y; wow:s bgr:sp word-wrap:suppress; background-repeat:space; wow:b bgr:rd word-wrap:break-word; background-repeat:round; bga background-attachment:: bga:f background-attachment:fixed; background-attachment:scroll; bgp background-position:0 0; bgpx background-position-x:; background-position-y:; bgbk background-break:; bgbk:bb background-break:bounding-box;

```
bgbk:eb
                                        Color
   background-break:each-box;
                                       C
bgbk:c
                                          color:#000;
  background-break:continuous;
                                       c:r
bgcp
                                          color:rgb(0, 0, 0);
  background-clip:padding-box;
                                       c:ra
bgcp:bb
                                          color:rgba(0, 0, 0, .5);
  background-clip:border-box;
                                       op
bgcp:pb
                                          opacity::
  background-clip:padding-box;
                                        Generated content
bgcp:cb
   background-clip:content-box;
                                       cnt
bgcp:nc
                                          content: '';
  background-clip:no-clip;
                                       cnt:n, ct:n
                                          content:normal;
  background-origin:;
                                       cnt:oq, ct:oq
bgo:pb
                                          content:open-quote;
  background-origin:padding-box;
                                       cnt:noq, ct:noq
bgo:bb
                                          content:no-open-quote;
  background-origin:border-box;
                                       cnt:cq, ct:cq
bgo:cb
                                          content:close-quote;
  background-origin:content-box;
                                       cnt:ncq, ct:ncq
                                          content:no-close-quote;
bgsz
  background-size:;
                                       cnt:a, ct:a
                                          content:attr();
bgsz:a
   background-size:auto;
                                       cnt:c, ct:c
bgsz:ct
                                          content:counter();
  background-size:contain;
                                       cnt:cs, ct:cs
                                          content:counters();
bgsz:cv
   background-size:cover;
                                       ct
                                          content:;
                                       q
                                          quotes:;
                                          quotes:none;
                                       q:ru
                                          quotes: '\00AB' ,\00BB' ,\201E'
                                          ,\201C';
                                       q:en
                                           quotes:'\201C' ,\201D' ,\2018'
                                          ,\2019';
                                       coi
                                          counter-increment:;
                                       cor
                                          counter-reset:;
```

#### Outline **Tables** ٥1 th1 table-layout:; outline:: ol:n tbl:a outline:none; table-layout:auto; പിര tbl:f outline-offset:; table-layout:fixed; olw cps outline-width:; caption-side:; olw:tn cps:t outline-width:thin; caption-side:top; olw:m cps:b outline-width: medium; caption-side:bottom; olw:tc ec outline-width: thick; empty-cells:; ols ec:s outline-style:; empty-cells:show; ols:n ec:h outline-style:none; empty-cells:hide; Border outline-style:dotted; bd ols:ds border:; outline-style:dashed; bd+ ols:s border:1px solid #000; outline-style:solid; bd:n ols:db border:none; outline-style:double; hdhk ols:g border-break:close; outline-style:groove; bdbk:c border-break:close: outline-style:ridge; bdcl ols:i border-collapse:; outline-style:inset; bdcl:c ols:o border-collapse:collapse; outline-style:outset; bdcl:s olc border-collapse:separate; outline-color:#000: bdc olc:i border-color:#000; outline-color:invert; bdc:t border-color:transparent; bdi border-image:url(); bdi:n border-image:none;

<pre>bdti border-top-image:url();</pre>	<pre>bdbli:c border-bottom-left-image:continue;</pre>
bdti:n border-top-image:none;	<pre>bdf border-fit:repeat;</pre>
<pre>bdri border-right-image:url();</pre>	<pre>bdf:c border-fit:clip;</pre>
<pre>bdri:n   border-right-image:none;</pre>	<pre>bdf:r border-fit:repeat;</pre>
<pre>bdbi border-bottom-image:url();</pre>	<pre>bdf:sc border-fit:scale;</pre>
bdbi:n border-bottom-image:none;	<pre>bdf:st border-fit:stretch;</pre>
<pre>bdli   border-left-image:url();</pre>	<pre>bdf:ow border-fit:overwrite;</pre>
<pre>bdli:n border-left-image:none;</pre>	<pre>bdf:of border-fit:overflow;</pre>
<pre>bdci border-corner-image:url();</pre>	<pre>bdf:sp border-fit:space;</pre>
<pre>bdci:n border-corner-image:none;</pre>	<pre>bdlen border-length:;</pre>
<pre>bdci:c border-corner-image:continue;</pre>	<pre>bdlen:a border-length:auto;</pre>
<pre>bdtli border-top-left-image:url();</pre>	<pre>bdsp border-spacing:;</pre>
<pre>bdtli:n border-top-left-image:none;</pre>	<pre>bds border-style:;</pre>
<pre>bdtli:c border-top-left-image:continue;</pre>	<pre>bds:n border-style:none;</pre>
<pre>bdtri border-top-right-image:url();</pre>	<pre>bds:h border-style:hidden;</pre>
<pre>bdtri:n border-top-right-image:none;</pre>	<pre>bds:dt border-style:dotted;</pre>
<pre>bdtri:c border-top-right-image:continue;</pre>	<pre>bds:ds border-style:dashed;</pre>
<pre>bdbri border-bottom-right-image:url();</pre>	<pre>bds:s border-style:solid;</pre>
<pre>bdbri:n border-bottom-right-image:none;</pre>	<pre>bds:db border-style:double;</pre>
<pre>bdbri:c border-bottom-right-image:continue;</pre>	<pre>bds:dtds border-style:dot-dash;</pre>
<pre>bdbli border-bottom-left-image:url();</pre>	<pre>bds:dtdtds border-style:dot-dot-dash;</pre>
bdbli:n border-bottom-left-image:none;	bds:w border-style:wave:

<pre>bds:g border-style:groove;</pre>	<pre>bdb+ border-bottom:1px solid #000;</pre>
<pre>bds:r border-style:ridge;</pre>	<pre>bdb:n border-bottom:none;</pre>
<pre>bds:i   border-style:inset;</pre>	<pre>bdbw border-bottom-width:;</pre>
<pre>bds:o    border-style:outset;</pre>	<pre>bdbs border-bottom-style:;</pre>
<pre>bdw border-width:;</pre>	<pre>bdbs:n border-bottom-style:none;</pre>
<pre>bdt, bt border-top:;</pre>	<pre>bdbc border-bottom-color:#000;</pre>
<pre>bdt+   border-top:1px solid #000;</pre>	<pre>bdbc:t   border-bottom-color:transparent;</pre>
<pre>bdt:n    border-top:none;</pre>	<pre>bdl, bl border-left:;</pre>
<pre>bdtw border-top-width:;</pre>	<pre>bdl+   border-left:1px solid #000;</pre>
<pre>bdts border-top-style:;</pre>	<pre>bdl:n   border-left:none;</pre>
<pre>bdts:n border-top-style:none;</pre>	<pre>bdlw border-left-width:;</pre>
<pre>bdtc border-top-color:#000;</pre>	<pre>bdls   border-left-style:;</pre>
<pre>bdtc:t border-top-color:transparent;</pre>	<pre>bdls:n border-left-style:none;</pre>
<pre>bdr, br border-right:;</pre>	<pre>bdlc border-left-color:#000;</pre>
<pre>bdr+ border-right:1px solid #000;</pre>	<pre>bdlc:t   border-left-color:transparent;</pre>
<pre>bdr:n   border-right:none;</pre>	<pre>bdrs border-radius:;</pre>
<pre>bdrw border-right-width:;</pre>	<pre>bdtrrs border-top-right-radius:;</pre>
<pre>bdrst border-right-style:;</pre>	<pre>bdtlrs border-top-left-radius:;</pre>
<pre>bdrst:n border-right-style:none;</pre>	<pre>bdbrrs border-bottom-right-radius:;</pre>
<pre>bdrc border-right-color:#000;</pre>	<pre>bdblrs border-bottom-left-radius:;</pre>
<pre>bdrc:t   border-right-color:transparent;</pre>	
<pre>bdb, bb border-bottom:;</pre>	

```
pgbb:r
 Lists
                                           page-break-before:right;
lis
                                        pgbi
   list-style:;
                                           page-break-inside:;
lis:n
                                        pgbi:au
   list-style:none:
                                           page-break-inside:auto;
                                        pgbi:av
   list-style-position:;
                                           page-break-inside:avoid;
lisp:i
                                        pgba
   list-style-position:inside;
                                           page-break-after:;
lisp:o
                                        pgba:au
   list-style-position:outside;
                                           page-break-after:auto;
list
                                        pgba:al
   list-style-type:;
                                           page-break-after:always;
list:n
                                        pgba:l
   list-style-type:none;
                                           page-break-after:left;
list:d
                                        pgba:r
   list-style-type:disc;
                                           page-break-after:right;
list:c
   list-style-type:circle;
                                           orphans:;
                                        wid
   list-style-type:square;
                                           widows:;
list:dc
   list-style-type:decimal;
                                         Others
list:dclz
                                        !
   list-style-type:decimal-leading-
                                           !important
   zero;
                                        af
list:lr
                                           @font-face {
   list-style-type:lower-roman;
                                              font-family:;
                                              src:url(|);
   list-style-type:upper-roman;
                                           }
lisi
                                        af+
                                           @font-face {
   list-style-image:;
                                              font-family: ,FontName';
lisi:n
                                              src: url(,FileName.eot');
   list-style-image:none;
                                              src: url(,FileName.eot?#iefix')
                                           format(,embedded-opentype'),
 Print
                                                  url(,FileName.woff')
                                           format(,woff'),
pgbb
                                                  url(,FileName.ttf')
   page-break-before:;
                                           format(,truetype'),
pgbb:au
                                                  url(,FileName.
   page-break-before:auto;
                                           svg#FontName') format(,svg');
                                              font-style: normal;
pgbb:al
                                              font-weight: normal;
   page-break-before:always;
                                           }
pgbb:l
   page-break-before:left;
```

```
@i, @import
                                         Animation
   @import url();
                                        anim
@kf
                                           animation:;
   @-webkit-keyframes identifier {
                                        anim-
      from { }
                                           animation:name duration timing-
      to { }
                                           function delay iteration-count
                                           direction fill-mode;
   @-o-keyframes identifier {
      from { }
                                        animdel
      to { }
                                           animation-delay:time;
                                        animdir
   @-moz-keyframes identifier {
                                           animation-direction:normal;
      from { }
                                        animdir:a
      to { }
                                           animation-direction:alternate;
   @keyframes identifier {
                                        animdir:ar
      from { }
                                           animation-direction:alternate-
      to { }
                                           reverse;
   }
                                        animdir:n
@m, @media
                                           animation-direction:normal;
   @media screen { }
                                        animdir:r
ac
                                           animation-direction:reverse;
   align-content:;
                                        animdur
ac:c
                                           animation-duration:0s;
   align-content:center;
ac:fe
                                           animation-fill-mode:both;
   align-content: flex-end;
                                        animfm:b
ac:fs
                                           animation-fill-mode:backwards;
   align-content:flex-start;
                                        animfm:bt, animfm:bh
ac:s
                                           animation-fill-mode:both;
   align-content:stretch;
                                        animfm:f
                                           animation-fill-mode:forwards;
   align-content:space-around;
ac:sb
                                           animation-iteration-count:1;
   align-content:space-between;
                                        animic:i
ai
                                           animation-iteration-count:infinite;
   align-items:;
                                        animn
ai:b
                                           animation-name:none;
   align-items:baseline;
                                        animps
ai:c
                                           animation-play-state:running;
   align-items:center;
                                        animps:p
ai:fe
                                           animation-play-state:paused;
   align-items:flex-end;
                                        animps:r
ai:fs
                                           animation-play-state:running;
   align-items:flex-start;
                                        animtf
                                           animation-timing-function:linear;
   align-items:stretch;
```

```
animtf:cb
                                        colmf
   animation-timing-function:cubic-
                                            column-fill::
   bezier(0.1, 0.7, 1.0, 0.1);
                                        colmg
animtf:e
                                            column-gap:;
   animation-timing-function:ease;
                                        colmr
animtf:ei
                                            column-rule:;
   animation-timing-function:ease-in;
                                        colmrc
animtf:eio
                                            column-rule-color::
   animation-timing-function:ease-in-
   out;
                                        colmrs
animtf:eo
                                            column-rule-style:;
   animation-timing-function:ease-out;
                                        colmrw
                                            column-rule-width:;
animtf:l
   animation-timing-function:linear;
                                        colms
                                            column-span:;
ap
   appearance:${none};
                                        colmw
                                            column-width:;
as
   align-self:;
                                        d:ib+
                                            display: inline-block;
as:a
                                            *display: inline;
   align-self:auto;
                                            *zoom: 1;
as:b
   align-self:baseline;
                                         Flex
                                        fx
   align-self:center;
                                            flex:;
as:fe
                                        fxb
   align-self:flex-end;
                                            flex-basis:;
as:fs
                                        fxd
   align-self:flex-start;
                                            flex-direction::
as:s
                                        fxd:c
   align-self:stretch;
                                            flex-direction:column;
bfv
                                        fxd:cr
   backface-visibility:;
                                            flex-direction:column-reverse;
bfv:h
   backface-visibility:hidden;
                                            flex-direction:row;
bfv:v
                                        fxd:rr
   backface-visibility:visible;
                                            flex-direction:row-reverse;
bg:ie
                                        fxf
   filter:progid:DXImageTransform.
                                            flex-flow:;
   Microsoft.AlphaImageLoader(src='x.
   png',sizingMethod='crop');
                                        fxg
                                            flex-grow:;
cm
   /* ${child} */
                                        fxsh
                                            flex-shrink:;
colm
                                        fxw
   columns:;
                                            flex-wrap: ;
colmc
   column-count:;
```

```
fxw:n
                                         Transform, Transition
   flex-wrap:nowrap:
                                        trf
fxw:w
                                           transform::
   flex-wrap:wrap;
                                        trf:r
fxw:wr
                                           transform: rotate(angle);
   flex-wrap:wrap-reverse;
ic
                                           transform: rotateX(angle);
   justify-content::
                                        trf:rv
                                           transform: rotateY(angle);
   justify-content:center;
                                        trf:rz
ic:fe
                                           transform: rotateZ(angle);
   justify-content:flex-end;
                                        trf:sc
ic:fs
                                           transform: scale(x, y);
   justify-content:flex-start;
                                        trf:sc3
                                           transform: scale3d(x, y, z);
   justify-content:space-around;
                                        trf:scx
ic:sb
                                           transform: scaleX(x);
   justify-content:space-between;
                                        trf:scy
mar
                                           transform: scaleY(y);
   max-resolution:res:
                                        trf:scz
mir
                                           transform: scaleZ(z);
   min-resolution:res;
                                        trf:skx
op+
                                           transform: skewX(angle);
   opacity: ;
                                        trf:sky
   filter: alpha(opacity=);
                                           transform: skewY(angle);
op:ie
                                        trf:t
   filter:progid:DXImageTransform.
                                           transform: translate(x, y);
   Microsoft.Alpha(Opacity=100);
                                        trf:t3
op:ms
                                           transform: translate3d(tx, ty,
   -ms-filter:'progid:DXImageTransform.
                                           tz);
   Microsoft.Alpha(Opacity=100)';
                                        trf:tx
ord
                                           transform: translateX(x);
   order::
                                        trf:ty
ori
                                           transform: translateY(y);
   orientation:;
                                        trf:tz
ori:l
                                           transform: translateZ(z);
   orientation:landscape;
                                        trfo
ori:p
                                           transform-origin:;
   orientation:portrait;
tov
                                           transform-style:preserve-3d;
   text-overflow:${ellipsis};
                                        trs
tov:c
                                           transition:prop time;
   text-overflow:clip;
                                        trsde
tov:e
                                           transition-delay:time;
   text-overflow:ellipsis;
```

```
trsdu
   transition-duration:time;
                                          tmatch, tm
trsp
                                             <xsl:template match="" mode=""><///>
   transition-property:prop;
                                             xsl:template>
                                          tname, tn
   transition-timing-function:tfunc;
                                             <xsl:template name=""><//r>
                                             xsl:template>
us
   user-select:${none};
                                          call
                                             <xsl:call-template name="" />
wfsm
                                          ap
   -webkit-font-
                                             <xsl:apply-templates select=""</pre>
   smoothing:${antialiased};
                                             mode="" />
wfsm:a
                                          api
   -webkit-font-smoothing:antialiased;
                                             <xsl:apply-imports />
                                          imp
   -webkit-font-smoothing:none;
                                             <xsl:import href="" />
wfsm:s, wfsm:sa
                                          inc
   -webkit-font-smoothing:subpixel-
                                             <xsl:include href="" />
   antialiased;
                                          ch
                                             <xsl:choose></xsl:choose>
wm
   writing-mode: lr-tb;
                                          xsl:when, wh
                                             <xsl:when test=""></xsl:when>
wm:btl
   writing-mode:bt-lr;
                                          ot
                                             <xsl:otherwise></xsl:otherwise>
wm:btr
   writing-mode:bt-rl;
                                          if
                                             <xsl:if test=""></xsl:if>
wm:lrb
                                          par
   writing-mode:lr-bt;
                                             <xsl:param name=""></xsl:param>
wm:lrt
                                          pare
   writing-mode:lr-tb;
                                             <xsl:param name="" select="" />
wm:rlb
                                          var
   writing-mode:rl-bt;
                                             <xsl:variable name=""><///>
wm:rlt
                                             xsl:variable>
   writing-mode:rl-tb;
                                             <xsl:variable name="" select="" />
wm:tbl
   writing-mode:tb-lr;
                                          wp
                                             <xsl:with-param name="" select="" />
wm:tbr
                                          key
   writing-mode:tb-rl;
                                             <xsl:key name="" match="" use="" />
                                          elem
                                             <xsl:element name=""></xsl:element>
                                          attr
                                             <xsl:attribute name=""><//r>
                                             xsl:attribute>
                                             <xsl:attribute-set name=""></</pre>
                                             xsl:attribute-set>
                                          сp
```

<xsl:copy select="" />

```
HTML DOCTYPES
CO
   <xsl:copy-of select="" />
                                           !. html:5
                                              <!DOCTYPE html>
val
                                              <html lang="en">
   <xsl:value-of select="" />
                                              <head>
each, for
                                                 <meta charset="UTF-8" />
   <xsl:for-each select=""><//r>
                                                 <title>Document</title>
   xsl:for-each>
                                              </head>
tex
                                              <body>
   <xsl:text></xsl:text>
                                              </body>
com
   <xsl:comment></xsl:comment>
                                              </html>
msg
                                           doc
   <xsl:message terminate="no"></</pre>
                                              <html>
   xsl:message>
                                              <head>
fall
                                                 <meta charset="UTF-8" />
   <xsl:fallback></xsl:fallback>
                                                 <title>Document</title>
num
                                              </head>
   <xsl:number value="" />
                                              <body>
nam
   <namespace-alias stylesheet-prefix=""
                                              </body>
   result-prefix="" />
                                              </html>
pres
                                           doc4
   <xsl:preserve-space elements="" />
                                              <html>
strip
                                              <head>
   <xsl:strip-space elements="" />
                                                 <meta http-equiv="Content-Type"</pre>
proc
                                              content="text/html;charset=UTF-8"
   <xsl:processing-</pre>
   instruction name=""></
                                                 <title>Document</title>
   xsl:processing-instruction>
                                              </head>
                                              <body>
   <xsl:sort select="" order="" />
                                              </body>
choose+
                                              </html>
   <xsl:choose>
      <xsl:when test=""></xsl:when>
                                           html:4t
      <xsl:otherwise></xsl:otherwise>
                                              <!DOCTYPE HTML PUBLIC "-//W3C//
   </xsl:choose>
                                              DTD HTML 4.01 Transitional//EN"
xsl
                                              "http://www.w3.org/TR/html4/loose.
   1}
                                              dtd">
   <?xml version="1.0"
                                              <html lang="en">
   encoding="UTF-8"?>
                                              <head>
   <xsl:stylesheet version="1.0"</pre>
                                                 <meta http-equiv="Content-Type"</pre>
   xmlns:xsl="http://www.w3.org/1999/
                                              content="text/html;charset=UTF-8"
   XSL/Transform"></xsl:stylesheet>
111
                                                 <title>Document</title>
   <?xml version="1.0"</pre>
                                              </head>
   encoding="UTF-8"?>
                                              <body>
                                              </body>
                                              </html>
```

#### html:4s

#### html:xt

# html:xs

</html>

#### html:xxs

# <!DOCTYPE html>

!!!4t
 <!DOCTYPE HTML PUBLIC "-//W3C//
 DTD HTML 4.01 Transitional//EN"
 "http://www.w3.org/TR/html4/loose.
 dtd">

#### !!!4s

<!DOCTYPE HTML PUBLIC "-//W3C//DTD
HTML 4.01//EN" "http://www.w3.org/
TR/html4/strict.dtd">

#### !!!xt

<!DOCTYPE html PUBLIC "-//W3C//
DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">

#### !!!xs

<!DOCTYPE html PUBLIC "-//W3C//DTD
XHTML 1.0 Strict//EN" "http://www.
w3.org/TR/xhtml1/DTD/xhtml1-strict.
dtd">

#### !!!xxs

<!DOCTYPE html PUBLIC "-//W3C//DTD
XHTML 1.1//EN" "http://www.w3.org/
TR/xhtml11/DTD/xhtml11.dtd">