

Assessment: JLabel, JTextField & JTextArea

1. What is the main purpose of a JLabel in a Java GUI program?

- A. To let the user type in text
- B. To display text or a message on the screen (similar to System.out.println() but in GUI form)
- C. To create a clickable button
- D. To close the program

2. Which import statement is required to use JLabel?

- A. import javax.swing.JLabel;
- B. import java.awt.JLabel;
- C. import javax.swing.JLabel;
- D. import java.util.JLabel;

3. What happens if a JLabel object is created but never added to the JFrame (or a panel added to the frame)?

- A. It will still show up automatically
- B. It becomes pointless, since it won't appear on the window
- C. It will replace the JFrame's title
- D. It will cause a compiler error

4. Which method is used to update a JLabel's displayed text after it has already been created?

- A. jl.getText();
- B. jl.setText("new text");
- C. jl.printText();
- D. jl.addText();

5. What is the main purpose of a JTextField?

- A. To display non-editable text only
- B. To allow the user to type in and input a single line of text
- C. To organize other components
- D. To display images

6. Which import statement is required to use JTextField?

- A. import javax.swing.JTextField;
- B. import java.awt.JTextField;
- C. import javax.swing.JTextField;
- D. import java.util.JTextField;

7. In a declaration like `new JTextField(30)`, what does the number 30 represent?

- A. The maximum number of characters allowed
- B. The horizontal width/length of the text field
- C. The font size
- D. The number of rows

8. Which method retrieves the text a user has typed into a JTextField, as a String?

- A. jt.readText();
- B. jt.getText();
- C. jt.toText();
- D. jt.fetch();

9. Which listener/method is typically used to detect when the user presses Enter on a JTextField?

- A. ActionListener with actionPerformed(ActionEvent e)
- B. MouseListener with mouseClicked()

- C. WindowListener with windowClosed()
- D. Thread with run()

10. How many rows can a standard JTextField display at once?

- A. Only one row
- B. Up to 5 rows
- C. Unlimited rows
- D. It depends on the screen size

11. What is the key difference between JTextField and JTextArea?

- A. JTextField can have multiple rows, JTextArea only one row
- B. JTextField can only have one row, while JTextArea can have multiple rows
- C. JTextArea cannot accept any text input
- D. There is no difference

12. Which import statement is required to use JTextArea?

- A. import javax.swing.JTextArea;
- B. import java.awt.JTextArea;
- C. import java.text.JTextArea;
- D. import java.util.JTextArea;

13. In `new JTextArea(10, 40)`, what do the two arguments represent, in order?

- A. Width, then height
- B. Rows, then columns
- C. Columns, then rows
- D. X position, then Y position

14. When is JTextArea the better choice compared to JTextField?

- A. When you want the user to type a single short word
- B. When you want the user to type in paragraph form (multiple lines)
- C. When you want to display a button
- D. When you want to display only numbers

15. What generally happens when the user presses Enter while typing inside a JTextArea (unlike in a JTextField)?

- A. It submits/triggers an action automatically
- B. It simply creates a new line, since JTextArea supports multiple lines
- C. It clears all the typed text
- D. It closes the JFrame

16. Which container is typically used to hold and organize components like JLabel, JTextField, and JTextArea before adding them to the JFrame?

- A. JButton
- B. JPanel
- C. JScrollBar
- D. JMenu

17. Which method is used to attach a component (such as JLabel, JTextField, or JTextArea) onto a JPanel or JFrame?

- A. append()
- B. add()
- C. insert()
- D. place()

18. Which of these three components — JLabel, JTextField, JTextArea — allow the user to type input?

- A. Only JLabel
- B. Only JTextField
- C. JTextField and JTextArea
- D. All three allow typing

19. Which package must be imported to use JLabel, JTextField, and JTextArea, since they are all part of the same Swing library?

- A. java.util
- B. javax.swing
- C. java.io
- D. java.text

20. A developer wants to build a simple feedback form: a label saying 'Enter your name:', a field for a short name, and a box for a longer comment. Which combination of components should be used?

- A. JLabel for the instruction text, JTextField for the short name, JTextArea for the longer comment
- B. JTextArea for everything, since it can handle all types of text
- C. JLabel for both name and comment, no text input components needed
- D. JTextField for everything, including the long comment

Answer Key

Item No.	Answer
1	B
2	A
3	B
4	B
5	B
6	A
7	B
8	B
9	A
10	A
11	B
12	A
13	B
14	B
15	B
16	B
17	B
18	C
19	B
20	A