# Module 2 - R Markdown Document 1

José Ulises Jiménez S.

07/10/2020

## This is a level 1 header

#### R Markdown

#### This is a level 3 header

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.

Here is a link to GOOGLE

Here is a word in **bold** and another word in **bold**.

Here is a word in *italics* and another word in *italics*.

When we compile our document, we are using the rmarkdown package.

Here are some example R commands:

```
2+2 mean(c(1,2,3,4,5))
```

Here is an example of a non-numbered list:

- Breakfast
  - food
    - \* eggs
    - \* toast
    - \* bacon
  - drink
    - \* apple juice
- Lunch
  - taco
- Dinner
  - baked chicken
  - broccoli
  - rice

Here is an example of a numbered list:

- 1. Breakfast
  - a. food
    - i. eggs
    - ii. toast
    - iii. bacon
  - b. drink
    - i. apple juice
- 2. Lunch

- a. taco
- 3. Dinner
  - a. baked chicken
  - b. broccoli
  - c. rice

Here is an example of a blockquote:

This is a block quote. This paragraph has two lines.

- 1. This is a list inside a block quote.
- 2. Second item.

Here is an example of a nested blockquote:

This is a block quote. This paragraph has two lines.

This text is nested

Here is an example of code in a blockquote:

```
2+2 mean(c(1,2,3,4,5))
```


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

#### summary(cars)

```
##
        speed
                         dist
##
    Min.
           : 4.0
                    Min.
                               2.00
##
    1st Qu.:12.0
                    1st Qu.: 26.00
    Median:15.0
                    Median : 36.00
##
    Mean
            :15.4
                    Mean
                            : 42.98
##
    3rd Qu.:19.0
                    3rd Qu.: 56.00
                            :120.00
##
    Max.
            :25.0
                    Max.
```


#### **Including Plots**

You can also embed plots, for example:



Note that the echo = FALSE parameter was added to the code chunk to prevent printing of the R code that generated the plot.

plot(pressure)



### **Insert Tables**

knitr::kable(head(cars), caption = "Top 6 Rows of Cars Dataset")

Table 1: Top 6 Rows of Cars Dataset

dis	speed
2	4
10	4
4	7
22	7
16	8
10	9

## Insert an equation

$$Y = \beta_0 + \beta_1 x$$

## **Insert Images**

Here is an image inserted

## Insert text with some footnotes

Here is a footnote reference  $^1$  and another  $^2$ 

 $<sup>^{1}\</sup>mathrm{Here}$  is the footnote.

 $<sup>^2</sup>$ Here's one with multiple blocks.




Figure 1: sunstar

Here is an inline footnote  $^{\rm 3}$ 

<sup>&</sup>lt;sup>3</sup>Inlines notes are easier to write, since you don't have to pick an identifier and move down to type the note.