A Robot Policy Designed as a Weight-Space Artifact Exact Tensor Structure in a Capable VLA

Rational conversion, reduced-Gram analysis, and causal intervention

Anonymous Author(s)
Affiliation
Address
email

Abstract

Tensor decomposition rewrites a multidimensional table as a small set of low-rank factors. In a neural network, those factors can expose which combinations of inputs and outputs are encoded by the weights. Conventional nonlinear operations make such a table difficult to obtain directly. We introduce χ-VLA, a 20.1M-parameter vision-language-action policy containing only bilinear, linear, and rational learned operations. Its checkpoint therefore specifies an explicit rational tensor program rather than only an opaque executable function. A mechanical audit and local reconstructions verify that claim. We derive an exact weight-based decomposition of each softmax-free attention layer and reduce its otherwise intractable coefficient Gram to $O(d^2)$ storage. All 36 primary block-head tests favor the rank-128 weight-derived subspace over fixed random controls. The full appendix screen finds the effect in $83/96$ pairs and reveals depth-specific negative controls. A causally ranked 64-dimensional visual subspace preserves $18/20$ closed-loop successes, while a random subspace preserves none. The artifact is behaviorally nontrivial, reaching $93.7\% \pm 0.8\%$ on LIBERO-Object. The first direct coefficient edit, however, fails its selectivity gate. We therefore establish a capable model artifact with exact layerwise structure, not yet a semantic or selectively editable weight-space interface.

1 Introduction

Neural checkpoints are usually treated as opaque containers for functions. We can run them and collect their activations, but the weights alone rarely provide a readable map from input features to outputs. A post-hoc probe may reveal that an activation correlates with behavior, yet it does not show how the weights construct that feature or whether editing it will have a selective causal effect.

A tensor is a multidimensional table, and tensor decomposition is the analogue of low-rank matrix factorization for such tables. When a network uses only additions, multiplications, and ratios of polynomials, its weights can be expanded into coefficient tensors whose entries record input interactions. Decomposition ranks simpler factors inside those coefficients. The intended benefit is an inspectable model artifact: candidate mechanisms come from the trained parameters, then activation data and interventions test whether they matter. Softmax, ordinary activations, and square-root normalization obstruct this direct conversion in conventional networks. Bilinear language and vision models suggest that changing the primitives can recover it [3, 4]. Whether the resulting artifact can still control a robot is unresolved.

We study two linked questions:

Can the learned weights of a specialist VLA specify an explicit rational tensor program, and can that artifact expose exact structure with a measurable causal consequence?

Our contributions are:

1. We construct and mechanically certify a complete VLA from tensor-compatible primitives. A rational normalization supplies input-specific scaling without leaving the rational function class.
2. We derive exact weight-based structure through each softmax-free attention layer and an $O(d^2)$ reduced-Gram calculation that avoids materializing its high-order coefficient tensor.
3. We test the artifact at behavioral scale. Exact subspaces beat fixed random controls, and a causally ranked visual subspace preserves $18/20$ closed-loop successes while a random subspace preserves none.
4. We establish that the analyzed artifact is a capable policy, reaching $93.7\% \pm 0.8\%$ over three LIBERO-Object seeds, while reporting a language shortcut and a failed coefficient-surgery gate that bound the current interpretation.

This paper does not claim current state of the art. It also does not claim that comparable mechanisms are impossible to obtain from conventional policies. The empirical question is whether the algebraic policy makes them more direct, stable, and selectively editable than matched post-hoc methods.

2 A rational tensor robot policy

2.1 Tensor-compatible primitives

Each primitive replaces a familiar transformer component while keeping explicit coefficients. Linear maps contribute first-order terms, while multiplying learned projections creates higher-order interactions that remain determined by the weights.

Homogeneous coordinate. We write $\bar{x} = [1; x]$. The constant coordinate allows a multiplicative layer to represent bias, linear, and quadratic terms in one contraction.

Bilinear feed-forward block. For $L, R \in \mathbb{R}^{r\times(d+1)}$ and $D \in \mathbb{R}^{d\times r}$,

$$\mathrm{BFFN}(x) = D\left[(L\bar{x}) \odot (R\bar{x})\right], \qquad y_o = \sum_{i,j}\left(\sum_{\rho} D_{o\rho} L_{\rho i} R_{\rho j}\right)\bar{x}_i \bar{x}_j. \tag{1}$$

The inner sum is a table indexed by one output and two input coordinates. The three matrices give its CP factorization, the tensor analogue of a low-rank matrix factorization.

Softmax-free bilinear attention. Each head forms two query-key systems and one value stream:

$$Y = C\left[M \odot (Q_1 K_1^\top) \odot (Q_2 K_2^\top)/s\right] V. \tag{2}$$

Here M is a fixed causal mask, C is fixed row scaling, and s is fixed. All learned query, key, value, and output maps are linear. Equation 2 is therefore a polynomial in its input activations, with interaction coefficients determined by the weights.

Rational per-instance normalization. RMS normalization contains an input-dependent square root. We instead deploy a fixed rational approximation $r(z) = P(z)/Q(z)$ to $1/\sqrt{z+\epsilon}$:

$$\mathrm{RNorm}(x) = x\, r\left(\frac{1}{d}\sum_{j=1}^{d} x_j^2\right). \tag{3}$$

Here rational means a ratio of polynomials. Projective coordinates carry each activation as a numerator-denominator pair (N, D) representing N/D. Updating this pair preserves input-specific rescaling without leaving the rational tensor representation.

2.2 Architecture and training

The policy follows the high-level VLA sequence of visual encoding, language and state embedding, joint processing, and action decoding [1]. It uses a 64×64 agent-view image, an eight-dimensional robot state, a 26-token task vocabulary, and eight action-query tokens. The joint backbone has width 384, eight blocks, and twelve heads. The action head maps each action-query state directly to seven continuous action dimensions. The complete model has $20{,}137{,}352$ learned parameters.

Training uses $66{,}984$ demonstration frames, $40{,}000$ AdamW updates, batch size 256, cosine decay, bfloat16 arithmetic, and an exponential moving average. Closed-loop evaluation uses a 180° camera rotation to match the demonstration convention, canonical LIBERO initial states, and fail-loud checks that verify every requested state was loaded.

2.3 Mechanical certificate on the trained checkpoint

Architecture definitions can differ from deployed code. We therefore audit the real $189/200$ checkpoint at runtime and reconstruct representative operations from saved weights.



Figure 1: **Mechanical audit of the trained rational checkpoint.** The runtime path invokes 112 linear maps, 74 rational normalizers, two embeddings, and one linear patch projection. No softmax, standard activation, or ordinary normalization is present. Reconstruction errors are measured over $54{,}784$ real activation rows.

The normalization reconstruction has maximum absolute error 1.64×10^{-6}. A bilinear FFN reconstruction has median relative error 1.40×10^{-7}. These residuals are bounded by the deployed module's float32 statistic. The audit certifies operator membership and local reconstruction. It does not materialize one compact polynomial for the full eight-layer transformer.

3 The artifact is a capable closed-loop policy

3.1 Evaluation protocol

We evaluate all ten LIBERO-Object tasks with:

- 50 canonical trials per task
- a 280-step cap
- three independently trained seeds per architecture
- 500 rollouts per seed and $1{,}500$ rollouts per architecture

Published OpenVLA and Diffusion Policy results are protocol-aligned references. They were not rerun in our codebase, so differences may still include implementation and training choices.

3.2 Results

Method	Parameters	Training seeds	Success
χ-VLA, rational ViT	20.1M	3	$92.8\% \pm 2.1\%$
χ-VLA, rational conv	20.1M	3	$\mathbf{93.7\% \pm 0.8\%}$
χ-VLA, conv ensemble	$3 \times$ 20.1M	$3 \to 1$	$\mathbf{96.2\%}$
OpenVLA-7B [1]	7B	3	$88.4\% \pm 0.8\%$
Diffusion Policy [1]	not matched	3	$92.5\% \pm 0.7\%$

Table 1: **Closed-loop success under aligned evaluation settings.** The two external rows are historical references rather than current state-of-the-art claims.

The ViT seeds score 89.8%, 94.4%, and 94.2%. The convolutional seeds score 94.0%, 94.4%, and 92.8%. The convolutional model is modestly higher and more consistent in this three-seed comparison.

Elementwise averaging of the three convolutional action predictions reaches 96.2%. This is 2.3 points above the mean of its members and 1.2 points above the strongest member. The gain is largest on tomato sauce, butter, and ketchup. The ensemble requires three complete forward passes and is not one 20.1M-parameter policy.

3.3 What this result does and does not establish

The result shows that the rational architecture supports high closed-loop specialist capability. It does not isolate the cost of decomposability. A decisive cost experiment must train a same-skeleton conventional transformer and staged partial-conversion controls using identical data, updates, seeds, and evaluation states. We treat that experiment as required before restoring the stronger title claim that convertibility is nearly free.

4 Exact weight-derived structure through attention

4.1 Exact layerwise construction

Equation 2 contains two query-key products and one value stream. Expanding the linear maps gives a coefficient table whose entries measure how combinations of query, key, and value coordinates contribute to an output. No examples or fitted probe are needed to construct it. On a tiny four-token, width-four, one-head layer, direct evaluation and an independent explicit polynomial agree to 2.00×10^{-15}. The internal core identity agrees to 1.24×10^{-14}.

The deployed attention also normalizes each query and key with Equation 3. Each normalization multiplies all channels of one token by the same scalar rational factor. Those factors can be pulled outside the bilinear dot products. The polynomial attention core is unchanged, while explicit numerator and denominator factors carry the normalization. The rational extension agrees to 3.61×10^{-16}. Agreement with the real trained module ranges from 3.10×10^{-7} to 1.03×10^{-5} because the deployed implementation intentionally casts the statistic to float32.

Naively materializing the real width-384 coefficient tensor would require approximately 3.2×10^{15} values. We instead form an $O(d^2)$ reduced Gram. Like a covariance matrix, its leading eigenvectors rank important directions without constructing the full table. It matches brute-force materialization to 2.13×10^{-14} at toy scale.

4.2 Trained policy result

We apply the exact weight-derived calculation to all twelve heads in early, middle-late, and final backbone blocks 0, 6, and 7. Random projector banks are sampled once, then fixed and reused for all examples. The weights choose the subspace, while cached activations are used only afterward to score how well it preserves the layer's computation.



Figure 2: **Exact weight-derived attention structure.** Ratios above one favor the exact weight-derived subspace over a random equal-rank subspace. Each point in the right panel is one trained attention head.

At ranks 8, 32, and 128, respectively, 80.6%, 91.7%, and 100% of the 36 block-head pairs favor the exact subspace. Their median ratios are 1.028, 1.171, and 2.441. At rank 128, the mean ratio is 3.033 and the strongest head reaches 10.135. The rank-128 block means are 3.08, 3.45, and 2.56 for blocks 0, 6, and 7.

This extends exact weight-only construction through individual attention layers. It is not an exact end-to-end decomposition of the complete policy. Composition across all eight blocks still faces rapid degree and representation growth.

5 Causal policy structure and a language shortcut

We next test whether the identified structure affects closed-loop behavior and whether high task success reflects robust use of the language input.

5.1 Causal visual subspace

At the visual bond before the joint backbone, we rank directions separately for translation, rotation, and gripper actions. A subspace is a smaller coordinate system inside the model's 384-dimensional visual representation. Retaining it means zeroing all other directions, then running the actual policy. We compare selected and random equal-width subspaces. Because the ranking uses held-out activations and downstream sensitivity, it tests a causal bottleneck but is not a weight-only discovery result.

With 64 of 384 dimensions retained, the selected subspace reduces action reconstruction error relative to random by $4.8\times$ for translation, $4.6\times$ for rotation, and $41.8\times$ for the gripper. In closed loop, the full representation succeeds in $19/20$ trials, the selected subspace in $18/20$, and a random subspace in $0/20$.

This result establishes a causal low-dimensional substrate, but it is still limited to one checkpoint and twenty rollouts. The current ranking at this full-policy bond uses held-out examples and downstream sensitivity. The exact layerwise attention method in Section 4 must still be connected to the same full-suite closed-loop intervention.

5.2 Counterfactual instruction test

High success does not guarantee robust language use. We hold the image and robot state fixed and replace the instruction with one naming another visible object. Across 80 canonical one-step trials, the predicted reach direction shifts toward the newly named object in only 15.0%. Mean directional cosine to the named object falls from 0.525 under the true instruction to 0.299 under the counterfactual instruction, while cosine to the original target remains 0.464. In an earlier 40-step closed-loop screen, 33.3% finish closer to the new object and 55.6% move measurably toward it.

The likely shortcut is structural in the dataset. Each scene template is paired with an almost fixed target, so scene identity can substitute for object-name grounding. Decorrelated scripted demonstrations improve the counterfactual metric, but all three fine-tuning attempts severely reduce ordinary closed-loop success. The best repaired dataset raises capability only to 21.5%, far below the healthy range.

This negative result narrows the VLA claim. The current model is a capable language-conditioned specialist, but it is not yet a robust instruction-grounded policy. LIBERO-CF independently documents the same broad failure class in existing VLAs [10]. Our prospective novelty is therefore not the shortcut alone. It is the harder test of whether exact weight-derived terms can localize and selectively repair that shortcut.

6 Related work and limitations

Related work. OpenVLA and OpenVLA-OFT establish pretrained VLA and continuous-control baselines [1, 2]. Bilinear MLPs, χ-nets, and bilinear IMPALA policies show that multiplicative weights can expose low-rank structure and causal controls [3–5]. Recent work also steers pretrained VLAs through activation directions [6]. Our distinction is the exact weight-derived construction in a policy designed as a rational tensor program. Tensor and polynomial networks provide the broader multilinear foundation [12–14]. VLA robustness benchmarks show that standard LIBERO success can coexist with weak language use [9–11].

Limitations and conclusion. No same-skeleton conventional twin yet measures conversion cost. The benchmark is one specialist suite, the policy fails a counterfactual instruction test, and exact decomposition is layerwise rather than end to end. The closed-loop subspace test uses one checkpoint and twenty trials, while the first direct coefficient edit fails its selectivity gate. The defensible result is therefore narrow: rational restrictions do not prevent competitive LIBERO-Object control, and they provide a precise weight-derived analysis surface. Broader grounding, matched controls, and validated coefficient edits remain necessary.

Reproducibility. The final artifact will provide code, configurations, checkpoint hashes, exact certificates, and per-episode logs. Canonical-state checks fail loudly when requested states are unavailable.

References

[1] M. J. Kim et al. *OpenVLA: An Open-Source Vision-Language-Action Model.* CoRL, 2024.

[2] M. J. Kim, C. Finn, and P. Liang. *Fine-Tuning Vision-Language-Action Models: Optimizing Speed and Success.* 2025.

[3] A. Rigg, T. Dooms, M. T. Pearce, J. Oramas, and L. Sharkey. *Bilinear MLPs Enable Weight-Based Mechanistic Interpretability.* ICLR, 2025.

[4] T. Dooms, W. Gauderis, G. A. Wiggins, and J. Oramas. *Compositionality Unlocks Deep Interpretable Models.* 2025.

[5] F. Oozeer, Y. Erisken, A. Rigg, J. Oramas, and L. Sharkey. *Bilinear Convolution Decomposition for Causal RL Interpretability.* 2024.

[6] B. Häon, K. Stocking, I. Chuang, and C. Tomlin. *Mechanistic Interpretability for Steering Vision-Language-Action Models.* 2025.

[7] S. Marks et al. *Sparse Feature Circuits: Discovering and Editing Interpretable Causal Graphs in Language Models.* ICLR, 2025.

[8] M. Kekić et al. *Learning Nonlinear Causal Reductions to Explain Reinforcement Learning Policies.* ICLR, 2026.

[9] X. Zhou et al. *LIBERO-PRO: Towards Robust and Fair Evaluation of Vision-Language-Action Models Beyond Memorization.* 2025.

[10] Y. Fang et al. *When Vision Overrides Language: Evaluating and Mitigating Counterfactual Failures in VLAs.* 2026.

[11] C. Kim et al. *LIBERO-Para: A Diagnostic Benchmark and Metrics for Paraphrase Robustness in VLA Models.* 2026.

[12] T. Kolda and B. Bader. *Tensor Decompositions and Applications.* SIAM Review, 2009.

[13] E. Stoudenmire and D. Schwab. *Supervised Learning with Tensor Networks.* NeurIPS, 2016.

[14] G. Chrysos et al. *Deep Polynomial Neural Networks.* CVPR and TPAMI, 2020 to 2021.

A Supporting results and decisions

A.1 Original 94.5% capability result

Before the final protocol-aligned benchmark, one rational ViT checkpoint succeeded in $189/200$ trials under a 600-step horizon and 20 trials per task. This result established that the rational implementation could support all ten tasks. It should not be compared directly with the protocol-aligned external references because it uses one training seed, fewer trials, and a longer horizon.



Figure 3: **Causally selected visual directions preserve policy behavior.** The left panel reports random MSE divided by selected-subspace MSE. The right panel intervenes on the real policy over four tasks and five paired trials per task.

A.2 Per-task ensemble behavior



Figure 4: **Per-task effect of prediction averaging.** Gray points are the three convolutional checkpoints, evaluated with 50 canonical trials per task. Curves compare their taskwise mean with elementwise action-prediction averaging. The ensemble raises overall success from a 93.9% member mean to 96.2%, with its largest gains on tomato sauce, butter, and ketchup. It requires three forward passes and is not a single 20.1M-parameter policy.

A.3 Product-routing multimodal head

For an action-query state h, the product-routing head represents

$$a(h,b) = c_0(h) + \sum_{g=1}^{G}(2b_g - 1)c_g(h), \qquad b \in \{0,1\}^G. \tag{4}$$

The center, offsets, and gates are bilinear CP modules. A final external sign choice selects one of 2^G modes. The head folds to numerical precision, but its five-seed closed-loop mean is $44\% \pm 30\%$

and its range overlaps the linear baseline. The strongest rational policy therefore uses the linear head. Product routing remains a construction result until it wins a controlled genuinely multimodal task.

A.4 Development interventions

Focused DAgger on BBQ and tomato improves combined success from 82.5% to 96.0% using seven corrective episodes and $1{,}131$ frames. Applying the same update thinly across all ten tasks reduces overall success from 92.0% to 72.0%. Three original AWR runs decline by 8.0, 4.6, and 2.6 points. A reward audit shows that accumulated step cost makes every successful trajectory have negative return. After removing that term and repairing the terminal boundary, one pilot improves by two points. These are development diagnostics, not validated paper contributions.



Figure 5: **Development interventions reveal scope and reward sensitivity.** Focused DAgger helps two weak tasks, while spreading a small correction budget across ten tasks causes regression. Three AWR variants also regress before a reward audit and repair. The positive reward-repaired AWR result is a one-seed pilot with 15 trials per task, so it is not evidence of a validated improvement.

A.5 Expanded attention screen and first direct edit

The corrected fixed-control attention analysis covers all eight blocks and twelve heads. At rank 128, $83/96$ block-head pairs favor the exact weight-derived subspace. The median ratio is 1.94, the mean is 2.58, and blocks 2 and 3 provide useful weak or negative controls. At ranks 8 and 32, only $54/96$ and $60/96$ pairs favor the exact subspace. The effect is therefore depth-dependent and strongest at the wider tested rank.

The first direct weight-edit screen uses four tasks and five paired canonical episodes per task. Exact-subspace retention preserves $18/20$ successes compared with $16/20$ for both random controls. This 10-point advantage misses the preregistered 15-point gate. Exact removal also preserves $18/20$, compared with $17/20$ for both random controls, which is the wrong direction for the necessity prediction. The screen is a no-go for the current mapping from Gram eigenspaces to query, key, and value column edits.



Figure 6: **Expanded weight-structure and direct-surgery results.** Left: all 96 block-head pairs at rank 128, with fixed random-control banks. Exact directions come from weights, while cached activations only score layer faithfulness. Right: the first direct query-key-value column-edit screen over four tasks and five paired trials per task. Error bars are 95% Wilson intervals. The preregistered verdict is no-go because retention misses the effect-size gate and removal has the wrong sign.

A.6 Numerical scope of rational conversion

The deployed Padé computation is exactly rational even though it approximates RMS normalization. Final certification must report its polynomial degrees, coefficients, denominator margin, observed activation range, tail error, action drift, and runtime overhead. Operator membership alone does not establish practical numerical safety under distribution shift.