



**NANYANG
TECHNOLOGICAL
UNIVERSITY**

SINGAPORE

SC4031 INT OF THINGS: COMM & NETWKING

Term Paper (interim)

Topic: Communication Protocols for Smart Home IoT in Personal Area Networks

Communication Protocols for Smart Home IoT in Personal Area Networks

Abstract

- The Internet of Things (IoT) has enabled smart homes where devices such as sensors and appliances work together to improve convenience, security, and energy efficiency. These systems rely heavily on communication networks that need to handle low-power devices efficiently.
- Personal Area Networks (PANs) are commonly used because they provide short-range communication while consuming minimal energy. This makes them suitable for battery-powered IoT devices in home environments.
- Key PAN protocols including Bluetooth Low Energy, Zigbee, Z-Wave, and Thread. It evaluates their architectures and how well they support smart home applications.
- A comparison is made based on energy efficiency, scalability, and interoperability. What are the existing challenges and future research directions.

1. Introduction

- Smart homes are becoming increasingly popular as societies move toward automation and digitalization in everyday life. The demand for convenience and energy efficiency drives the shift toward smart, connected environments.
- IoT has significantly transformed smart home systems by enabling interconnected devices to automate tasks. These systems improve user comfort, security, and energy efficiency through communication between devices.
- Advances in embedded systems, wireless communication, and cloud computing have accelerated IoT adoption. As a result, billions of IoT devices are expected to be deployed worldwide.
- Communication between IoT devices remains challenging due to their limited power and hardware constraints. Most devices are battery-powered and require efficient communication protocols.
- Communication protocols must ensure low energy consumption, reliable connectivity, and scalability. These requirements are critical for maintaining long-term operation in smart homes.
- PANs are designed for short-range communication and prioritize energy efficiency over high data rates. This makes them ideal for connecting devices within a home environment.

- Common PAN protocols include BLE, Zigbee, Z-Wave, and Thread, each offering different trade-offs.
-

2. Smart Home IoT Architecture

- Smart home systems typically divided into edge(device), fog and cloud layers. This layered design helps organise functionality and improve scalability.
 - The device layer consists of sensors and actuators that collect data and perform actions. These devices interact directly with the physical environment.
 - The fog layer enables communication between devices using PAN protocols. It ensures efficient data transmission with low power consumption.
 - PAN Devices connects to LAN and connects to external systems through a gateway which translates PAN protocols into IP-based communication.
 - This layered architecture improves system flexibility and scalability. It also separates hardware-level communication from higher-level services.
-

3. Personal Area Networks in IoT Systems

- PANs are short-range wireless networks designed for communication within small areas like homes. They typically operate over distances of a few meters to tens of meters.
 - These networks are optimized for low energy consumption and small data transmissions. This allows battery-powered devices to function for long periods.
 - Many PAN technologies are based on the IEEE 802.15.4 standard. This standard defines low-rate wireless communication for embedded systems.
 - PANs supports many devices while maintaining flexibility in network design. This is important for smart homes with many connected components.
 - PANs provide an efficient communication solution for IoT environments by balancing energy efficiency with connectivity needs.
-

4. Major PAN Communication Protocols

4.1 Bluetooth Low Energy (BLE)

- BLE is designed for ultra-low power communication and is widely used in consumer electronics. It is commonly found in smartphones, wearables, and IoT sensors.
 - It uses a star topology where devices connect to a central controller. This structure simplifies communication but can limit scalability.
 - BLE devices transmit small amounts of data and spend most of their time in sleep mode. This significantly reduces energy consumption.
 - While BLE is energy-efficient and widely supported, it may struggle with large networks. Its scalability is lower compared to mesh-based protocols.
-

4.2 Zigbee

- Zigbee is a popular IoT protocol built on the IEEE 802.15.4 standard. It is widely used in smart home applications.
 - It supports mesh networking, allowing devices to forward messages to each other. This increases communication range and reliability.
 - Zigbee is suitable for large networks because of its ability to scale efficiently. It is commonly used in lighting and monitoring systems.
 - Its mesh capability makes it more robust than star-based systems. However, it may introduce additional communication overhead.
-

4.3 Z-Wave

- Z-Wave is designed specifically for home automation and also uses mesh networking. It enables devices to communicate through intermediate nodes.
 - It operates in sub-GHz frequency bands, reducing interference from other wireless technologies. This improves signal reliability.
 - Z-Wave is widely used in commercial smart home products. These include smart locks, sensors, and lighting systems.
 - Its lower interference makes it reliable, but its ecosystem may be more limited compared to others.
-

4.4 Thread

- Thread is a modern IoT protocol that combines mesh networking with IPv6 addressing. This allows direct communication with internet services.
 - It is designed to be secure, scalable, and interoperable. This makes it suitable for future smart home ecosystems.
 - Thread improves integration with cloud platforms by using IP-based communication. This simplifies device connectivity.
 - It is gaining popularity due to compatibility with emerging standards. Its design supports long-term IoT development.
-

5. Comparative Analysis of PAN Protocols

Feature	Bluetooth Low Energy (BLE)	Zigbee	Z-Wave	Thread
Standard	Bluetooth 4.x / 5.x	IEEE 802.15.4	Proprietary (ITU-T G.9959)	IEEE 802.15.4 + IPv6
Topology	Star (Mesh optional in BLE Mesh)	Mesh	Mesh	Mesh
Frequency Band	2.4 GHz	2.4 GHz (global)	Sub-GHz (≈868/915 MHz)	2.4 GHz
Data Rate	Up to ~2 Mbps	Up to 250 kbps	Up to 100 kbps	Up to 250 kbps
Range	Short (≈10–30 m typical)	Medium (10–100 m, extendable via mesh)	Medium (30–100 m)	Medium (10–100 m, mesh extendable)
Power Consumption	Very low	Low	Low	Low
Scalability	Limited (better with BLE Mesh)	High (supports large networks)	Moderate (~232 nodes max)	High (designed for large networks)
Network Size	Small to medium	Large (thousands of nodes)	Medium	Large
Interference Handling	Moderate (shares 2.4 GHz band)	Moderate (2.4 GHz congestion possible)	Strong (less interference in sub-GHz)	Moderate (2.4 GHz)
IP Support	No (native)	No (requires gateway)	No (requires gateway)	Yes (native IPv6)
Security	Strong (AES-128)	Strong (AES-128)	Strong (AES-128)	Strong (AES-128, secure commissioning)
Typical Use Cases	Wearables, smartphones, sensors	Smart lighting, home automation	Smart locks, sensors, home devices	Smart home ecosystems, Matter devices
Key Strength	Ultra-low power, ubiquitous support	Scalable mesh networking	Low interference, reliable	IP-based, future-proof
Key Limitation	Limited scalability	Possible congestion, overhead	Smaller ecosystem	Still emerging adoption

- Different PAN protocols are designed with varying priorities such as power efficiency and scalability. As a result, each protocol has its own strengths and weaknesses.
 - BLE offers the lowest power consumption due to its efficient sleep cycles. However, it sacrifices scalability because of its star topology.
 - Mesh protocols like Zigbee, Z-Wave, and Thread provide better scalability. They allow devices to communicate over multiple hops.
 - Wireless interference is a concern for protocols operating in the 2.4 GHz band. Z-Wave avoids this by using sub-GHz frequencies.
 - Interoperability remains a major challenge as different protocols cannot easily communicate. New standards like Matter aim to solve this issue.
-

6. Challenges in Smart Home PAN Networks

- Interoperability between devices from different manufacturers is still limited. This creates compatibility issues in smart home systems.
 - Security is a major concern due to potential unauthorized access and data breaches. IoT devices are often vulnerable to attacks.
 - Network congestion can occur as more devices are added to the system. This may reduce performance and reliability.
 - Addressing these challenges requires improved protocols and standardization. Ongoing research is focused on solving these issues.
-

7. Future Research Directions

- Researchers are focusing on improving interoperability, security, and scalability. These are key limitations in current smart home systems.
- Integration with 5G networks is a promising direction. It may enable faster and more reliable IoT communication.
- Edge computing is another important area of research. It allows data processing to occur locally instead of relying on the cloud.
- Advances in security and standardization will enhance system reliability. These improvements are essential for large-scale adoption.

8. Conclusion

- Smart homes are a major application of IoT technologies. They rely on efficient communication between low-power devices.
 - PANs play a crucial role in enabling this communication within home environments. They provide a balance between energy efficiency and connectivity.
 - The paper reviewed BLE, Zigbee, Z-Wave, and Thread, each with different advantages. These protocols vary in power usage, scalability, and reliability.
 - Future developments will focus on improving interoperability and security. PAN technologies will continue to be essential for smart home systems.
-

Declaration on Use of GAI (Generative Artificial Intelligence) Assistance

I Jonathan Low Seng Kian (Student name), JLOW100 @e.ntu.edu.sg
(NTU email) honestly and sincerely make the following declaration in relation to the
following course submission:

- 1) Name of Course: INT OF THINGS: COMM & NETWKING
- 2) Course Code: SC4031
- 3) Course Coordinator: TAN Rui, Ph.D.
- 4) Title of Assignment/Project Submission: Term Paper interim check

In relation to the foregoing I hereby declare that, fully and properly in accordance with the
Project Instructions, I have (tick where appropriate):

- i. Not used GAI assistance in any way in the development or generation of this assignment ☒
- ii. Used GAI as permitted to assist in generating key ideas only. ☐
- iii. Used GAI as permitted to assist in generating a first text only. ☐
And/or
- iv. Used GAI to refine syntax and grammar for correct language submission only. ☐

If I have used GAI, I also declare that I have:

- a. Fully and honestly submitted the digital paper trail required under the assignment/project instructions; and that
- b. Wherever GAI assistance has been employed in the submission in word or paraphrase or inclusion of a significant idea or fact suggested by the GAI assistant, I have acknowledged this by a footnote; and that,
- c. Apart from the foregoing notices, the submission is wholly my own work.

Jonathan Low



20/3/2026

Student Name & Signature

Date