



ZAP Scanning Report

Sites: <https://cdnjs.cloudflare.com> <https://owasp-juice-shop-practice.j0n-harr150n.com>

Generated on Thu, 24 Oct 2024 09:00:31

ZAP Version: 2.15.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	1
Medium	5
Low	5
Informational	5

Alerts

Name	Risk Level	Number of Instances
SQL Injection - SQLite	High	1
Content Security Policy (CSP) Header Not Set	Medium	108
Cross-Domain Misconfiguration	Medium	97
Missing Anti-clickjacking Header	Medium	51
Session ID in URL Rewrite	Medium	180
Vulnerable JS Library	Medium	1
Cross-Domain JavaScript Source File Inclusion	Low	98
Private IP Disclosure	Low	1
Strict-Transport-Security Disabled	Low	325
Timestamp Disclosure - Unix	Low	528
X-Content-Type-Options Header Missing	Low	181
Information Disclosure - Suspicious Comments	Informational	4
Modern Web Application	Informational	50
Re-examine Cache-control Directives	Informational	157
Retrieved from Cache	Informational	45
User Agent Fuzzer	Informational	121

Alert Detail

High	SQL Injection - SQLite

Description	SQL injection may be possible.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/products/search?q=%27%28
Method	GET
Attack	'(
Evidence	SQLITE_ERROR
Other Info	RDBMS [SQLite] likely, given error message regular expression [SQLITE_ERROR] matched by the HTML results. The vulnerability was detected by manipulating the parameter to cause a database error message to be returned and recognised.
Instances	1
Solution	<p>Do not trust client side input, even if there is client side validation in place.</p> <p>In general, type check all data on the server side.</p> <p>If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?'</p> <p>If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries.</p> <p>If database Stored Procedures can be used, use them.</p> <p>Do *not* concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality!</p> <p>Do not create dynamic SQL queries using simple string concatenation.</p> <p>Escape all data received from the client.</p> <p>Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input.</p> <p>Apply the principle of least privilege by using the least privileged database user possible.</p> <p>In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact.</p> <p>Grant the minimum database access that is necessary for the application.</p>
Reference	https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html
CWE Id	89
WASC Id	19
Plugin Id	40018

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com
Method	GET
Attack	
Evidence	
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/main.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/polyfills.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/runtime.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/styles.css
Method	GET
Attack	
Evidence	
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/vendor.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:39:13
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:55:18
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/main.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/polyfills.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/runtime.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/styles.css
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/vendor.js
Method	GET

Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/main.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/polyfills.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/runtime.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/styles.css
Method	GET
Attack	
Evidence	
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/vendor.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:280:10
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:286:9
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:328:13
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:365:14
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:376:14
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:421:3
Method	GET
Attack	
Evidence	

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/layer.js:95:5
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/main.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/polyfills.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/runtime.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/styles.css
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/vendor.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/assets/public/favicon.js.ico
Method	GET

Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/main.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/polyfills.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/runtime.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/styles.css
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/vendor.js
Method	GET
Attack	
Evidence	
Other Info	

URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/index.js:145:39
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/main.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/polyfills.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/runtime.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/styles.css
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/vendor.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/ftp
Method	GET
Attack	
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/coupons_2013.md.bak
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/eastere.gg
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/encrypt.pyc
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/package.json.bak
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/quarantine
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/suspicious_errors.yml
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/sitemap.xml

Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X153&sid=6uwmqZN4Fk0g6t6iAAAI
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1pt&sid=3DSYgEnakXREOCMiAAAK
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2ek&sid=BBxgSCkGOqyBiB3CAAAO
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2LF&sid=omz-jjhlSZZ9UjWKAAM
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2zT&sid=l51dxJElmLxupA_zAAAQ
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3hZ&sid=-dPNWGWX_5FqDIQoAAAU
Method	POST
Attack	
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3N8&sid=93Kuem4lCfMYvZojAAAS
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3qS&sid=7WQssyELfQQnZAFvAAAV
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4-t&sid=T0vHBI29X79bEp4dAAAh
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X47h&sid=sv2-me0zONHb0ZvYAAAY
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4cU&sid=kFdG6Z69jFSb-zruAAAb
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4mS&sid=6HtrU0YShkXVZujgAAAd
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4V3&sid=DNrwUD1oxbM1En4_AAAa
Method	POST
Attack	

Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4vu&sid=gbsBqfcQ5j3a-CcXAAAg
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Go&sid=m2WRWt8RtfQAW3byAAAk
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5IT&sid=M0wS1MiSUxZiGteJAAAg
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5M8&sid=zhAVJKUWDk3-nfo3AAAm
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5qH&sid=zooJ_68vIF0MDJI_AAAr
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5TY&sid=8Q8jwNGReb9cQqkiAAAo
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6-6&sid=t1jMuUBt_H-17HfQAAA4

Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X66H&sid=iQ4vstIl56-Si-DOAAAU
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6AU&sid=UBkv501swRZyRT_wAAAv
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6bV&sid=AjyvkkTuPhRzjqJNAAA1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Oy&sid=k5gPBaoZWfs2COq1AAAY
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6ZC&sid=7w4laLI4thSWFTPAAA0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70d&sid=aJd7pYHLc5NIA8WvAAA5
Method	POST
Attack	
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70h&sid=pG70fCv62TS_bnVdAAA6
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X79D&sid=TIzjwAM0cbueouRIAAA9
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7h6&sid=f6WYAAcxTL2jrOgQAABD
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7kp&sid=5Tpt3grFUbE1G7uHAABF
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Ql&sid=l8yOGAphzNEorr_0AABA
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7RU&sid=kziBfKaMw6QE3HtAABB
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7sH&sid=s9eC5ytjGehgEjc0AABH
Method	POST
Attack	

Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vO&sid=L8EUhAXPO7uqlzKfAABl
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vt&sid=TLZ5ec5q09Nkr4e-AABJ
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X86M&sid=D-Tb3-ztfeObSOk5AABN
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8CS&sid=Kgpv9-4A1-Vx0gzFAABP
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8fB&sid=XyOKF3cz_7TAtAABW
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8P8&sid=3xejTHvhOzFtYSLsAABS
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8pM&sid=ik2l1X-zxggfKlb3AABa

Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8rv&sid=5bEeGa0eqrLb9oUVAABb
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8vs&sid=DyoaAjMZ0Us9be5NAABc
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8YW&sid=mDB42itAYqYe8PIOABU
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Zo&sid=LTTUop_00DpH5oBcAABV
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9A3&sid=cYgwQHNMQ9yl2t0oAABg
Method	POST
Attack	
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9II&sid=xf4gl6HZTV4FcQw6AABh
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9U2&sid=TBgsZ4VY006w0OvIAABj
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA0v&sid=U9p8e1L3loEtIIWxAABl
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6Z&sid=fmfADYbluq mzTerSAABq
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	
Evidence	
Other Info	
Instances	108
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/
CWE Id	693

WASC Id	15
Plugin Id	10038

Medium	Cross-Domain Misconfiguration
Description	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *

Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantities/
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/main.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *

Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/polyfills.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/runtime.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/styles.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/vendor.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:39:13
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser

Other Info	implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:55:18
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/main.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/polyfills.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/runtime.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/styles.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.

	be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/vendor.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/assets/public/favicon.js.ico
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/favicon.js.ico
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/main.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/polyfills.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser

Other Info	implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/runtime.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/styles.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/vendor.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:280:10
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:286:9
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *

Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:328:13
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:365:14
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:376:14
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:421:3
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/layer.js:95:5
Method	GET
Attack	

Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/main.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/polyfills.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/runtime.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/styles.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/vendor.js

Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/main.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/polyfills.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/runtime.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/styles.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/vendor.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/index.js:145:39
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/main.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from

	authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/polyfills.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/runtime.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/styles.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/vendor.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
	The CORS misconfiguration on the web server permits cross-domain read requests from

Other Info	arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/favicon.js.ico
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/hackingInstructor.png
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/JuiceShop_Logo.png
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/apple_juice.jpg
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/apple_pressings.jpg
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *

Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/artwork2.jpg
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/banana_juice.jpg
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/carrot_juice.jpeg
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/eggfruit_juice.jpg
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/fruit_press.jpg
Method	GET

Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/green_smoothie.jpg
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/lemon_juice.jpg
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/melon_bike.jpeg
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/permafrost.jpg
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/user_day_ticket.png

Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/acquisitions.md
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/announcement_encrypted.md
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/coupons_2013.md.bak
Method	GET

Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/eastere.gg
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/encrypt.pyc
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/incident-support.kdbx
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/legal.md
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/package.json.bak
Method	GET
Attack	

Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/quarantine
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/quarantine/juicy_malware_linux_amd_64.url
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/quarantine/juicy_malware_linux_arm_64.url
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/quarantine/juicy_malware_macos_64.url
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/quarantine/juicy_malware_windows_64.exe.url
Method	GET

Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/suspicious_errors.yml
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/main.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/MaterialIcons-Regular.woff2
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/polyfills.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	

Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/robots.txt
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/runtime.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *

Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/sitemap.xml
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/styles.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/vendor.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
Instances	97
Solution	<p>Ensure that sensitive data is not available in an unauthenticated manner (using IP address white-listing, for instance).</p> <p>Configure the "Access-Control-Allow-Origin" HTTP header to a more restrictive set of domains, or remove all CORS headers entirely, to allow the web browser to enforce the Same Origin Policy (SOP) in a more restrictive manner.</p>
Reference	https://vulncat.fortify.com/en/detail?id=desc.config.dotnet.html5_overly_permissive_cors_policy
CWE Id	264
WASC Id	14
Plugin Id	10098

Medium	Missing Anti-clickjacking Header
Description	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/

URL	EIO=4&transport=polling&t=PA-X153&sid=6uwmqZN4Fk0g6t6iAAAI
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1pt&sid=3DSYgEnakXREOCMiAAAK
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2ek&sid=BBxgSCkGOqyBiB3CAAAO
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2LF&sid=omz-jjHlsZZ9UjWKAAAM
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2zT&sid=I51dxJElmLxupA_zAAAQ
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3hZ&sid=-dPNWGWX_5FqDIQoAAAU
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3N8&sid=93Kuem4lCfMYvZojAAAS
Method	POST
Attack	
Evidence	

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3qS&sid=7WQssyELfQQnZAFvAAAV
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4-t&sid=T0vHBI29X79bEp4dAAAh
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X47h&sid=sv2-me0zONHb0ZvYAAAY
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4cU&sid=kFdG6Z69jFSb-zruAAAb
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4mS&sid=6HtrU0YShkXVZujqAAAAd
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4V3&sid=DNrwUD1oxbM1En4_AAAa
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4vu&sid=gbsBqfcQ5j3a-CcXAAAg
Method	POST

Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Go&sid=m2WRWt8RtfQAW3byAAAk
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5IT&sid=M0wS1MiSUxZiGteJAAAg
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5M8&sid=zhAVJKUWDk3-nfo3AAAm
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5qH&sid=zooJ_68vIF0MDJI_AAAr
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5TY&sid=8Q8jwNGReb9cQqkiAAAo
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6-6&sid=t1jMuUBt_H-17HfQAAA4
Method	POST
Attack	
Evidence	
Other Info	
	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?

URL	EIO=4&transport=polling&t=PA-X66H&sid=iQ4vstII56-Si-DOAAAU
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6AU&sid=UBkv501swRZyRT_wAAAv
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6bV&sid=AjyvkkTuPhRzjqJNAAA1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Oy&sid=k5gPBAoZWfs2COq1AAAy
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6ZC&sid=7w4IaLI4thSWFTPAAA0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70d&sid=aJd7pYHLc5NIA8WvAAA5
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70h&sid=pG70fCv62TS_bnVdAAA6
Method	POST
Attack	
Evidence	

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X79D&sid=TIzjwAM0cbueouRIAAA9
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7h6&sid=f6WYAAcxTL2jrOgQAABD
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7kp&sid=5Tpt3grFUbE1G7uHAABF
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7QI&sid=l8yOGAphzNEorr_0AABA
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7RU&sid=kziBfKaMw6QE3HtAABB
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7sH&sid=s9eC5ytjGehgEjc0AABH
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vO&sid=L8EUhAXPO7uqlzKfAABI
Method	POST

Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vt&sid=TLZ5ec5q09Nkr4e-AABJ
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X86M&sid=D-Tb3-ztfeObSOk5AABN
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8CS&sid=Kqpv9-4A1-Vx0gzFAABP
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8fB&sid=XyOKFxf3cz_7TAaABW
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8pM&sid=3xejTHvhOzFtYSLsAABS
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8pM&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	
Evidence	
Other Info	
	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?

URL	EIO=4&transport=polling&t=PA-X8rv&sid=5bEeGa0eqlLb9oUVAABb
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8vs&sid=Dy0aAjMZ0Us9be5NAABc
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8YW&sid=mDB42itAYqYe8PIOAABU
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Zo&sid=LTTUop_00DpH5oBcAABV
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9A3&sid=cYgwQHNMQ9yI2t0oAABg
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9II&sid=xf4gl6HZTV4FcQw6AABh
Method	POST
Attack	
Evidence	

Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9U2&sid=TBgsZ4VY006w0OvIAABj
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA0v&sid=U9p8e1L3loEtIIWxAABl
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6Z&sid=fmfADYbluqmzTerSAABq
Method	POST
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	
Evidence	
Other Info	
Instances	51
Solution	<p>Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app.</p> <p>If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.</p>
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Medium	Session ID in URL Rewrite
Description	URL rewrite is used to track user session ID. The session ID may be disclosed via cross-site referer header. In addition, the session ID might be stored in browser history or server logs.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X153.0&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET

Attack	
Evidence	6uwmqZN4Fk0g6t6iAAAI
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1Fa&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	
Evidence	6uwmqZN4Fk0g6t6iAAAI
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1pu&sid=3DSYgEnakXREOCMiAAAK
Method	GET
Attack	
Evidence	3DSYgEnakXREOCMiAAAK
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2el&sid=BBxgSCkGOqyBiB3CAAAO
Method	GET
Attack	
Evidence	BBxgSCkGOqyBiB3CAAAO
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2LG&sid=omz-jjhlsZZ9UjWKAAAM
Method	GET
Attack	
Evidence	omz-jjhlsZZ9UjWKAAAM
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2nq&sid=BBxgSCkGOqyBiB3CAAAO
Method	GET
Attack	
Evidence	BBxgSCkGOqyBiB3CAAAO
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2zU&sid=I51dxJEImLxupA_zAAAQ
Method	GET
Attack	
Evidence	I51dxJEImLxupA_zAAAQ
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3ha&sid=-dPNWGWX_5FqDIQoAAAU
Method	GET
Attack	
Evidence	-dPNWGWX_5FqDIQoAAAU
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3N9&sid=93Kuem4lCfMYvZojAAAS
Method	GET
Attack	
Evidence	93Kuem4lCfMYvZojAAAS
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3qT&sid=7WQssyELfQQnZAfvAAAV
Method	GET
Attack	
Evidence	7WQssyELfQQnZAfvAAAV
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3Z2&sid=93Kuem4lCfMYvZojAAAS
Method	GET
Attack	
Evidence	93Kuem4lCfMYvZojAAAS
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4-u&sid=T0vHBI29X79bEp4dAAAh
Method	GET
Attack	
Evidence	T0vHBI29X79bEp4dAAAh
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X47i&sid=sv2-me0zONHb0ZvYAAAY
Method	GET
Attack	
Evidence	sv2-me0zONHb0ZvYAAAY
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4cW&sid=kFdG6Z69jFSb-zruAAAb
Method	GET
Attack	
Evidence	kFdG6Z69jFSb-zruAAAb

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4fN&sid=DNrwUD1oxbM1En4_AAAa
Method	GET
Attack	
Evidence	DNrwUD1oxbM1En4_AAAa
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4Gm&sid=sv2-me0zONHb0ZvYAAAY
Method	GET
Attack	
Evidence	sv2-me0zONHb0ZvYAAAY
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4mS.0&sid=6HtrU0YShkXVZujqAAAd
Method	GET
Attack	
Evidence	6HtrU0YShkXVZujqAAAd
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4V4&sid=DNrwUD1oxbM1En4_AAAa
Method	GET
Attack	
Evidence	DNrwUD1oxbM1En4_AAAa
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4vu.0&sid=gbsBqfcQ5j3a-CcXAAAg
Method	GET
Attack	
Evidence	gbsBqfcQ5j3a-CcXAAAg
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X54m&sid=T0vHBI29X79bEp4dAAAh
Method	GET
Attack	
Evidence	T0vHBI29X79bEp4dAAAh
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Go.0&sid=m2WRWt8RtfQAW3byAAAk
Method	GET

Attack	
Evidence	m2WRWt8RtfQAW3byAAAk
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Lc&sid=m2WRWt8RtfQAW3byAAAk
Method	GET
Attack	
Evidence	m2WRWt8RtfQAW3byAAAk
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5IV&sid=M0wS1MiSUxZiGteJAAAq
Method	GET
Attack	
Evidence	M0wS1MiSUxZiGteJAAAq
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5M9&sid=zhAVJKUWDk3-nfo3AAAam
Method	GET
Attack	
Evidence	zhAVJKUWDk3-nfo3AAAam
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Q_&sid=zhAVJKUWDk3-nfo3AAAam
Method	GET
Attack	
Evidence	zhAVJKUWDk3-nfo3AAAam
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5qH.0&sid=zooJ_68vIF0MDJl_AAAr
Method	GET
Attack	
Evidence	zooJ_68vIF0MDJl_AAAr
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5s3&sid=M0wS1MiSUxZiGteJAAAq
Method	GET
Attack	
Evidence	M0wS1MiSUxZiGteJAAAq
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Ta&sid=8Q8jwNGReb9cQqkiAAAO
Method	GET
Attack	
Evidence	8Q8jwNGReb9cQqkiAAAO
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5wV&sid=zooJ_68vIF0MDJl_AAAr
Method	GET
Attack	
Evidence	zooJ_68vIF0MDJl_AAAr
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6-7&sid=t1jMuUBt_H-17HfQAAA4
Method	GET
Attack	
Evidence	t1jMuUBt_H-17HfQAAA4
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X66l&sid=iQ4vstlI56-Si-DOAAAu
Method	GET
Attack	
Evidence	iQ4vstlI56-Si-DOAAAu
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6AV&sid=UBkv501swRZyRT_wAAAv
Method	GET
Attack	
Evidence	UBkv501swRZyRT_wAAAv
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6bX&sid=AjyvkkTuPhRzjqJNAAA1
Method	GET
Attack	
Evidence	AjyvkkTuPhRzjqJNAAA1
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Ha&sid=UBkv501swRZyRT_wAAAv
Method	GET
Attack	
Evidence	UBkv501swRZyRT_wAAAv

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6jl&sid=7w4laLI4thSWFTPAAA0
Method	GET
Attack	
Evidence	7w4laLI4thSWFTPAAA0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6jw&sid=AjyvkkTuPhRzjqJNAAA1
Method	GET
Attack	
Evidence	AjyvkkTuPhRzjqJNAAA1
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Oz&sid=k5gPBaoZWfs2COq1AAAy
Method	GET
Attack	
Evidence	k5gPBaoZWfs2COq1AAAy
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6ZD&sid=7w4laLI4thSWFTPAAA0
Method	GET
Attack	
Evidence	7w4laLI4thSWFTPAAA0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Zu&sid=k5gPBaoZWfs2COq1AAAy
Method	GET
Attack	
Evidence	k5gPBaoZWfs2COq1AAAy
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70e&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	aJd7pYHLc5NIA8WvAAA5
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70i&sid=pG70fCv62TS_bnVdAAA6
Method	GET

Attack	
Evidence	pG70fCv62TS_bnVdAAA6
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76j&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	aJd7pYHLc5NIA8WvAAA5
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76w&sid=t1jMuUBt_H-17HfQAAA4
Method	GET
Attack	
Evidence	t1jMuUBt_H-17HfQAAA4
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X79E&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	TIzjwAM0cbueouRIAAA9
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7h7&sid=f6WYAAcxTL2jrOgQAABD
Method	GET
Attack	
Evidence	f6WYAAcxTL2jrOgQAABD
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7jp&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	kziBfKaMw6QEp3HtAABB
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7JW&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	TIzjwAM0cbueouRIAAA9
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7kq&sid=5Tpt3grFUbE1G7uHAABF
Method	GET
Attack	
Evidence	5Tpt3grFUbE1G7uHAABF
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7QJ&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	l8yOGAphzNEorr_0AABA
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7RV&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	kziBfKaMw6QEp3HtAABB
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7sl&sid=s9eC5ytjGehgEjc0AABH
Method	GET
Attack	
Evidence	s9eC5ytjGehgEjc0AABH
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Vc&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	l8yOGAphzNEorr_0AABA
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vP&sid=L8EUhAXPO7uqlzKfAABI
Method	GET
Attack	
Evidence	L8EUhAXPO7uqlzKfAABI
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vu&sid=TLZ5ec5q09Nkr4e-AABJ
Method	GET
Attack	
Evidence	TLZ5ec5q09Nkr4e-AABJ

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X81X&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	L8EUhAXPO7uqlzKfAABl
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X81Z&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	kziBfKaMw6QEp3HtAABB
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X83R&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	l8yOGAphzNEorr_0AABA
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X84e&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	TIzjwAM0cbueouRIAAA9
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X86N&sid=D-Tb3-ztfeObSOk5AABN
Method	GET
Attack	
Evidence	D-Tb3-ztfeObSOk5AABN
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X87s&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	aJd7pYHLc5NIA8WvAAA5
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8aM&sid=3xejTHvhOzFtYSLsAABS
Method	GET

Attack	
Evidence	3xejTHvhOzFtYSLsAABS
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8CT&sid=Kqpv9-4A1-Vx0gzFAABP
Method	GET
Attack	
Evidence	Kqpv9-4A1-Vx0gzFAABP
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8fC&sid=XyOKF3cgF3cz_7TAtAABW
Method	GET
Attack	
Evidence	XyOKF3cgF3cz_7TAtAABW
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8lQ&sid=XyOKF3cgF3cz_7TAtAABW
Method	GET
Attack	
Evidence	XyOKF3cgF3cz_7TAtAABW
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8PB&sid=3xejTHvhOzFtYSLsAABS
Method	GET
Attack	
Evidence	3xejTHvhOzFtYSLsAABS
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8pN&sid=ik2l1X-zxggfKlb3AABa
Method	GET
Attack	
Evidence	ik2l1X-zxggfKlb3AABa
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8rv.0&sid=5bEeGa0eqlLb9oUVAABb
Method	GET
Attack	
Evidence	5bEeGa0eqlLb9oUVAABb
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8V1&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	L8EUhAXPO7uqlzKfAABl
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8vt&sid=DyoaAjMZ0Us9be5NAABc
Method	GET
Attack	
Evidence	DyoaAjMZ0Us9be5NAABc
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8YX&sid=mDB42itAYqYe8PIOAABU
Method	GET
Attack	
Evidence	mDB42itAYqYe8PIOAABU
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Zq&sid=LTTUop_00DpH5oBcAABV
Method	GET
Attack	
Evidence	LTTUop_00DpH5oBcAABV
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X99n&sid=DyoaAjMZ0Us9be5NAABc
Method	GET
Attack	
Evidence	DyoaAjMZ0Us9be5NAABc
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9bu&sid=TBgsZ4VY006w0OvIAABj
Method	GET
Attack	
Evidence	TBgsZ4VY006w0OvIAABj
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9UD&sid=TBgsZ4VY006w0OvIAABj
Method	GET
Attack	
Evidence	TBgsZ4VY006w0OvIAABj

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA0w&sid=U9p8e1L3loEtIIWxAABl
Method	GET
Attack	
Evidence	U9p8e1L3loEtIIWxAABl
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA3X&sid=U9p8e1L3loEtIIWxAABl
Method	GET
Attack	
Evidence	U9p8e1L3loEtIIWxAABl
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6Z.0&sid=fmfADYbluq mzTerSAABq
Method	GET
Attack	
Evidence	fmfADYbluq mzTerSAABq
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8Q&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	
Evidence	igOkPIL9HSFhLWJkAABr
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAAR&sid=fmfADYbluq mzTerSAABq
Method	GET
Attack	
Evidence	fmfADYbluq mzTerSAABq
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	
Evidence	igOkPIL9HSFhLWJkAABr
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=-dPNWGWX_5FqDIQoAAAU
Method	GET

Attack	
Evidence	-dPNWGWX_5FqDIQoAAAU
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=3DSYgEnakXREOCMiAAAK
Method	GET
Attack	
Evidence	3DSYgEnakXREOCMiAAAK
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=3xejTHvhOzFtYSLsAABS
Method	GET
Attack	
Evidence	3xejTHvhOzFtYSLsAABS
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=5bEeGa0eqrLb9oUVAABb
Method	GET
Attack	
Evidence	5bEeGa0eqrLb9oUVAABb
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=5Tpt3grFUbE1G7uHAABF
Method	GET
Attack	
Evidence	5Tpt3grFUbE1G7uHAABF
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6HtrU0YShkXVZujqAAAd
Method	GET
Attack	
Evidence	6HtrU0YShkXVZujqAAAd
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	
Evidence	6uwmqZN4Fk0g6t6iAAAI
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=7w4laLI4thSWFTPAAA0
Method	GET
Attack	
Evidence	7w4laLI4thSWFTPAAA0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=7WQssyELfQQnZAfvAAAV
Method	GET
Attack	
Evidence	7WQssyELfQQnZAfvAAAV
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=8Q8jwNGReb9cQqkiAAAo
Method	GET
Attack	
Evidence	8Q8jwNGReb9cQqkiAAAo
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=93Kuem4lCfMYvZojAAAS
Method	GET
Attack	
Evidence	93Kuem4lCfMYvZojAAAS
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	aJd7pYHLc5NIA8WvAAA5
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=AjyvkkTuPhRzjqJNAAA1
Method	GET
Attack	
Evidence	AjyvkkTuPhRzjqJNAAA1
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=BBxgSCkGOqyBiB3CAAAO
Method	GET
Attack	
Evidence	BBxgSCkGOqyBiB3CAAAO

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=D-Tb3-ztfeObSOk5AABN
Method	GET
Attack	
Evidence	D-Tb3-ztfeObSOk5AABN
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=DNrwUD1oxbM1En4_AAAa
Method	GET
Attack	
Evidence	DNrwUD1oxbM1En4_AAAa
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=DyoaAjMZ0Us9be5NAABc
Method	GET
Attack	
Evidence	DyoaAjMZ0Us9be5NAABc
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=f6WYAAcxTL2jrOgQAABD
Method	GET
Attack	
Evidence	f6WYAAcxTL2jrOgQAABD
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=fmfADYbluq mzTerSAABq
Method	GET
Attack	
Evidence	fmfADYbluq mzTerSAABq
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=gbsBqfcQ5j3a-CcXAAA g
Method	GET
Attack	
Evidence	gbsBqfcQ5j3a-CcXAAA g
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=l51dxJEImLxupA_zAAAQ
Method	GET

Attack	
Evidence	I51dxJEImLxupA_zAAAQ
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=I8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	I8yOGAphzNEorr_0AABA
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	
Evidence	igOkPIL9HSFhLWJkAABr
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=ik2I1X-zxggfKlb3AABa
Method	GET
Attack	
Evidence	ik2I1X-zxggfKlb3AABa
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=iQ4vstII56-Si-DOAAAU
Method	GET
Attack	
Evidence	iQ4vstII56-Si-DOAAAU
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=k5gPBAoZWfs2COq1AAAY
Method	GET
Attack	
Evidence	k5gPBAoZWfs2COq1AAAY
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=kFdG6Z69jFSb-zruAAAb
Method	GET
Attack	
Evidence	kFdG6Z69jFSb-zruAAAb
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=Kqpv9-4A1-Vx0gzFAABP
Method	GET
Attack	
Evidence	Kqpv9-4A1-Vx0gzFAABP
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	kziBfKaMw6QEp3HtAABB
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	L8EUhAXPO7uqlzKfAABl
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=LTTUop_00DpH5oBcAABV
Method	GET
Attack	
Evidence	LTTUop_00DpH5oBcAABV
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=M0wS1MiSUxZiGteJAAAq
Method	GET
Attack	
Evidence	M0wS1MiSUxZiGteJAAAq
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=m2WRWt8RtfQAW3byAAAk
Method	GET
Attack	
Evidence	m2WRWt8RtfQAW3byAAAk
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=mDB42itAYqYe8PIOAABU
Method	GET
Attack	
Evidence	mDB42itAYqYe8PIOAABU

Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=omz-jjhlsZZ9UjWKAAAM
Method	GET
Attack	
Evidence	omz-jjhlsZZ9UjWKAAAM
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=pG70fCv62TS_bnVdAAA6
Method	GET
Attack	
Evidence	pG70fCv62TS_bnVdAAA6
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=s9eC5ytjGehgEjc0AABH
Method	GET
Attack	
Evidence	s9eC5ytjGehgEjc0AABH
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=sv2-me0zONHb0ZvYAAAY
Method	GET
Attack	
Evidence	sv2-me0zONHb0ZvYAAAY
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=T0vHBI29X79bEp4dAAAh
Method	GET
Attack	
Evidence	T0vHBI29X79bEp4dAAAh
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=t1jMuUBt_H-17HfQAAA4
Method	GET
Attack	
Evidence	t1jMuUBt_H-17HfQAAA4
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=TBgsZ4VY006w0OvIAABj
Method	GET

Attack	
Evidence	TBgsZ4VY006w0OvIAABj
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=TLzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	TLzjwAM0cbueouRIAAA9
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=TLZ5ec5q09Nkr4e-AABJ
Method	GET
Attack	
Evidence	TLZ5ec5q09Nkr4e-AABJ
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=U9p8e1L3loEtIIWxAABl
Method	GET
Attack	
Evidence	U9p8e1L3loEtIIWxAABl
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=UBkv501swRZyRT_wAAAv
Method	GET
Attack	
Evidence	UBkv501swRZyRT_wAAAv
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=xf4gl6HZTV4FcQw6AABh
Method	GET
Attack	
Evidence	xf4gl6HZTV4FcQw6AABh
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=XyOKF3cz_7TAAtAABW
Method	GET
Attack	
Evidence	XyOKF3cz_7TAAtAABW
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=zhAVJKUWDk3-nfo3AAAm
Method	GET
Attack	
Evidence	zhAVJKUWDk3-nfo3AAAm
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=zooJ_68vIF0MDJI_AAAr
Method	GET
Attack	
Evidence	zooJ_68vIF0MDJI_AAAr
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X153&sid=6uwmqZN4Fk0g6t6iAAAI
Method	POST
Attack	
Evidence	6uwmqZN4Fk0g6t6iAAAI
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1pt&sid=3DSYgEnakXREOCMiAAAK
Method	POST
Attack	
Evidence	3DSYgEnakXREOCMiAAAK
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2ek&sid=BBxgSCkGOqyBiB3CAAAO
Method	POST
Attack	
Evidence	BBxgSCkGOqyBiB3CAAAO
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2LF&sid=omz-jjhlsZZ9UjWKAAM
Method	POST
Attack	
Evidence	omz-jjhlsZZ9UjWKAAM
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2zT&sid=I51dxJEImLxupA_zAAAQ
Method	POST
Attack	
Evidence	I51dxJEImLxupA_zAAAQ

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3hZ&sid=-dPNWGWX_5FqDIQoAAAU
Method	POST
Attack	
Evidence	-dPNWGWX_5FqDIQoAAAU
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3N8&sid=93Kuem4ICfMYvZojAAAS
Method	POST
Attack	
Evidence	93Kuem4ICfMYvZojAAAS
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3qS&sid=7WQssyELfQQnZAfVAAAV
Method	POST
Attack	
Evidence	7WQssyELfQQnZAfVAAAV
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4-t&sid=T0vHBI29X79bEp4dAAAh
Method	POST
Attack	
Evidence	T0vHBI29X79bEp4dAAAh
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X47h&sid=sv2-me0zONHb0ZvYAAAY
Method	POST
Attack	
Evidence	sv2-me0zONHb0ZvYAAAY
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4cU&sid=kFdG6Z69jFSb-zruAAAb
Method	POST
Attack	
Evidence	kFdG6Z69jFSb-zruAAAb
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4mS&sid=6HtrU0YShkXVZujqAAAd
Method	POST

Attack	
Evidence	6HtrU0YShkXVZujqAAAd
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4V3&sid=DNrwUD1oxbM1En4_AAAa
Method	POST
Attack	
Evidence	DNrwUD1oxbM1En4_AAAa
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4vu&sid=gbsBqfcQ5j3a-CcXAAAq
Method	POST
Attack	
Evidence	gbsBqfcQ5j3a-CcXAAAq
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Go&sid=m2WRWt8RtfQAW3byAAAk
Method	POST
Attack	
Evidence	m2WRWt8RtfQAW3byAAAk
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5IT&sid=M0wS1MiSUxZiGteJAAAq
Method	POST
Attack	
Evidence	M0wS1MiSUxZiGteJAAAq
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5M8&sid=zhAVJKUWDk3-nfo3AAAam
Method	POST
Attack	
Evidence	zhAVJKUWDk3-nfo3AAAam
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5qH&sid=zooJ_68vIF0MDJI_AAAr
Method	POST
Attack	
Evidence	zooJ_68vIF0MDJI_AAAr
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5TY&sid=8Q8jwNGReb9cQqkiAAAO
Method	POST
Attack	
Evidence	8Q8jwNGReb9cQqkiAAAO
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6-6&sid=t1jMuUBt_H-17HfQAAA4
Method	POST
Attack	
Evidence	t1jMuUBt_H-17HfQAAA4
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X66H&sid=iQ4vstII56-Si-DOAAAU
Method	POST
Attack	
Evidence	iQ4vstII56-Si-DOAAAU
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6AU&sid=UBkv501swRZyRT_wAAAv
Method	POST
Attack	
Evidence	UBkv501swRZyRT_wAAAv
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6bV&sid=AjyvkkTuPhRzjqJNAAA1
Method	POST
Attack	
Evidence	AjyvkkTuPhRzjqJNAAA1
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Oy&sid=k5gPBAoZWfs2COq1AAAY
Method	POST
Attack	
Evidence	k5gPBAoZWfs2COq1AAAY
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6ZC&sid=7w4IalLI4thSWFTPAAA0
Method	POST
Attack	
Evidence	7w4IalLI4thSWFTPAAA0

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70d&sid=aJd7pYHLc5NIA8WvAAA5
Method	POST
Attack	
Evidence	aJd7pYHLc5NIA8WvAAA5
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70h&sid=pG70fCv62TS_bnVdAAA6
Method	POST
Attack	
Evidence	pG70fCv62TS_bnVdAAA6
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X79D&sid=TIzjwAM0cbueouRIAAA9
Method	POST
Attack	
Evidence	TIzjwAM0cbueouRIAAA9
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7h6&sid=f6WYAAcxTL2jrOgQAABD
Method	POST
Attack	
Evidence	f6WYAAcxTL2jrOgQAABD
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7kp&sid=5Tpt3grFUbE1G7uHAABF
Method	POST
Attack	
Evidence	5Tpt3grFUbE1G7uHAABF
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7QI&sid=l8yOGAphzNEorr_0AABA
Method	POST
Attack	
Evidence	l8yOGAphzNEorr_0AABA
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7RU&sid=kziBfKaMw6QE3HtAABB
Method	POST

Attack	
Evidence	kziBfKaMw6QEp3HtAABB
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7sH&sid=s9eC5ytjGehgEjc0AABH
Method	POST
Attack	
Evidence	s9eC5ytjGehgEjc0AABH
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vO&sid=L8EUhAXPO7uqlzKfAABl
Method	POST
Attack	
Evidence	L8EUhAXPO7uqlzKfAABl
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vt&sid=TLZ5ec5q09Nkr4e-AABJ
Method	POST
Attack	
Evidence	TLZ5ec5q09Nkr4e-AABJ
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X86M&sid=D-Tb3-ztfeObSOk5AABN
Method	POST
Attack	
Evidence	D-Tb3-ztfeObSOk5AABN
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8fB&sid=XyOKF3cz_7TAtAABW
Method	POST
Attack	
Evidence	XyOKF3cz_7TAtAABW
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8P8&sid=3xejTHvhOzFtYSLsAABS
Method	POST
Attack	
Evidence	3xejTHvhOzFtYSLsAABS
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8pM&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	
Evidence	ik2l1X-zxggfKlb3AABa
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8rv&sid=5bEeGa0eqrLb9oUVAABb
Method	POST
Attack	
Evidence	5bEeGa0eqrLb9oUVAABb
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8vs&sid=Dy0aAjMZ0Us9be5NAABc
Method	POST
Attack	
Evidence	Dy0aAjMZ0Us9be5NAABc
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	
Evidence	ik2l1X-zxggfKlb3AABa
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8YW&sid=mDB42itAYqYe8PIOAABU
Method	POST
Attack	
Evidence	mDB42itAYqYe8PIOAABU
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Zo&sid=LTTUop_00DpH5oBcAABV
Method	POST
Attack	
Evidence	LTTUop_00DpH5oBcAABV

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9A3&sid=cYgwQHNMQ9yI2t0oAABg
Method	POST
Attack	
Evidence	cYgwQHNMQ9yI2t0oAABg
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9II&sid=xf4gl6HZTV4FcQw6AABh
Method	POST
Attack	
Evidence	xf4gl6HZTV4FcQw6AABh
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9U2&sid=TBgsZ4VY006w0OvIAABj
Method	POST
Attack	
Evidence	TBgsZ4VY006w0OvIAABj
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA0v&sid=U9p8e1L3loEtIIWxAABI
Method	POST
Attack	
Evidence	U9p8e1L3loEtIIWxAABI
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6Z&sid=fmfADYbluq mzTerSAABq
Method	POST
Attack	
Evidence	fmfADYbluq mzTerSAABq
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	
Evidence	igOkPIL9HSFhLWJkAABr
Other Info	
Instances	180
Solution	For secure content, put session ID in a cookie. To be even more secure consider using a combination of cookie and URL rewrite.

Reference	https://seclists.org/webappsec/2002/q4/111
CWE Id	200
WASC Id	13
Plugin Id	3

Medium	Vulnerable JS Library
Description	The identified library jquery, version 2.2.4 is vulnerable.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	/2.2.4/jquery.min.js
Other Info	CVE-2020-11023 CVE-2020-11022 CVE-2015-9251 CVE-2019-11358
Instances	1
Solution	Please upgrade to the latest version of jquery.
Reference	https://github.com/jquery/jquery/issues/2432 http://blog.jquery.com/2016/01/08/jquery-2-2-and-1-12-released/ http://research.insecurelabs.org/jquery/test/ https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/ https://nvd.nist.gov/vuln/detail/CVE-2019-11358 https://github.com/advisories/GHSA-rmxg-73gg-4p98 https://nvd.nist.gov/vuln/detail/CVE-2015-9251 https://github.com/jquery/jquery/commit/753d591aea698e57d6db58c9f722cd0808619b1b https://github.com/jquery/jquery.com/issues/162 https://bugs.jquery.com/ticket/11974 https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
CWE Id	829
WASC Id	
Plugin Id	10003

Low	Cross-Domain JavaScript Source File Inclusion
Description	The page includes one or more script files from a third-party domain.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/
Method	GET
Attack	

Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/build/routes/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/build/routes/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/build/routes/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/build/routes/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/build/routes/assets/public/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:39:13
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:39:13
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:55:18
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:55:18
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/assets/public/favicon.js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/assets/public/favicon.js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/favicon.js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/favicon.js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/main.js
Method	GET
Attack	

Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other	

Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/assets/public/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/assets/public/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/assets/public/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:280:10
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:280:10
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:286:9
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:286:9

Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:328:13
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:328:13
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:365:14
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:365:14
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:376:14
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:376:14
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:421:3
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:421:3
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/layer.js:95:5
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/layer.js:95:5
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router

URL	/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/vendor.js
Method	GET
Attack	

Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other	

Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/styles.css

Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/index.js:145:39
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/index.js:145:39
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/vendor.js

Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/sitemap.xml
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/sitemap.xml
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
Other Info	
Instances	98
Solution	Ensure JavaScript source files are loaded from only trusted sources, and the sources can't be controlled by end users of the application.
Reference	
CWE Id	829
WASC Id	15
Plugin Id	10017

Low	Private IP Disclosure
Description	A private IP (such as 10.x.x.x, 172.x.x.x, 192.168.x.x) or an Amazon EC2 private hostname (for example, ip-10-0-56-78) has been found in the HTTP response body. This information might be helpful for further attacks targeting internal systems.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	192.168.99.100:3000
Other Info	192.168.99.100:3000 192.168.99.100:4200
Instances	1
Solution	Remove the private IP address from the HTTP response body. For comments, use JSP/ASP/PHP comment instead of HTML/JavaScript comment which can be seen by client browsers.

Reference	https://tools.ietf.org/html/rfc1918
CWE Id	200
WASC Id	13
Plugin Id	2

Low	Strict-Transport-Security Disabled
Description	<p>A HTTP Strict Transport Security (HSTS) header was found, but it contains the directive max-age=0 which disables the control and instructs browsers to reset any previous HSTS related settings. See RFC 6797 for further details.</p> <p>HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL).</p>
URL	https://owasp-juice-shop-practice.j0n-harr150n.com
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/favicon_js.ico
Method	GET

Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/main.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/polyfills.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/runtime.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/styles.css
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/vendor.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:39:13
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:55:18
Method	GET
Attack	
Evidence	max-age=0

Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/build/routes/main.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/build/routes/polyfills.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/build/routes/runtime.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/build/routes/styles.css
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/build/routes/vendor.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	max-age=0

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/main.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/polyfills.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/runtime.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/styles.css
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/vendor.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:280:10
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:286:9
Method	GET

Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:328:13
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:365:14
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:376:14
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:421:3
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/layer.js:95:5
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/main.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router

URL	/polyfills.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/runtime.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/styles.css
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/vendor.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/assets/public/favicon.js.ico
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/favicon.js.ico
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/main.js
Method	GET
Attack	
Evidence	max-age=0

Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/polyfills.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/runtime.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/styles.css
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/vendor.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/index.js:145:39
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/main.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/polyfills.js
Method	GET
Attack	

Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/runtime.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/styles.css
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/vendor.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/favicon.js.ico
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/hackingInstructor.png
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/JuiceShop_Logo.png
Method	GET

Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/apple_juice.jpg
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/apple_pressings.jpg
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/artwork2.jpg
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/banana_juice.jpg
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/carrot_juice.jpeg
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/eggfruit_juice.jpg
Method	GET
Attack	
Evidence	max-age=0
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/fruit_press.jpg
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/green_smoothie.jpg
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/lemon_juice.jpg
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/melon_bike.jpeg
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/permafrost.jpg
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products/user_day_ticket.png
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp
Method	GET
Attack	
Evidence	max-age=0

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/acquisitions.md
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/announcement_encrypted.md
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/coupons_2013.md.bak
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/eastere.gg
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/encrypt.pyc
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/incident-support.kdbx
Method	GET
Attack	
Evidence	max-age=0
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/legal.md
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/package.json.bak
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/quarantine
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/quarantine/juicy_malware_linux_amd_64.url
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/quarantine/juicy_malware_linux_arm_64.url
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/quarantine/juicy_malware_macos_64.url
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/quarantine/juicy_malware_windows_64.exe.url
Method	GET
Attack	
Evidence	max-age=0
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/suspicious_errors.yml
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/main.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/MaterialIcons-Regular.woff2
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/polyfills.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=

Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/robots.txt
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/runtime.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/sitemap.xml
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X11E
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X153.0&sid=6uwmqZN4Fk0g6t6iAAA1
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1Fa&sid=6uwmqZN4Fk0g6t6iAAA1
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1oU

Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1pu&sid=3DSYgEnakXREOCMiAAAK
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2dl
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2el&sid=BBxgSCkGOqyBiB3CAAAO
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2Hb
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2LG&sid=omz-jjhlsZZ9UjWKAAAM
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2nq&sid=BBxgSCkGOqyBiB3CAAAO
Method	GET
Attack	
Evidence	max-age=0
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2xo
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2zU&sid=l51dxJElmLxupA_zAAAQ
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3dO
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3ha&sid=dPNWGWX_5FqDIQoAAAU
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3id
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3LW
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3N9&sid=93Kuem4lCfMYvZojAAAS
Method	GET
Attack	

Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3qT&sid=7WQssyELfQQnZAfvAAAV
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3Z2&sid=93Kuem4lCfMYvZojAAAS
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4-u&sid=T0vHBI29X79bEp4dAAAh
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X45v
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X47i&sid=sv2-me0zONHb0ZvYAAAY
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4cW&sid=kFdG6Z69jFSb-zruAAAAb
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4fN&sid=DNrwUD1oxbM1En4_AAAa

Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4Gm&sid=sv2-me0zONHb0ZvYAAAY
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4i0
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4mS.0&sid=6HtrU0YShkXVZujqAAAd
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4qj
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4TX
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4V4&sid=DNrwUD1oxbM1En4_AAAa
Method	GET
Attack	
Evidence	max-age=0
Other	

Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4vu.0&sid=gbsBqfcQ5j3a-CcXAAAq
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4xF
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4xm
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4Yv
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X54m&sid=T0vHBI29X79bEp4dAAAq
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5GB
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Go.0&sid=m2WRWt8RtfQAW3byAAAk
Method	GET
Attack	

Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5gU
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Lc&sid=m2WRWt8RtfQAW3byAAAk
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5ln
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5IV&sid=M0wS1MiSUxZiGteJAAAq
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5M9&sid=zhAVJKUWDk3-nfo3AAAm
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Ps
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Q_&sid=zhAVJKUWDk3-nfo3AAAm

Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5qH.0&sid=zooJ_68vIF0MDJl_AAAr
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5s3&sid=M0wS1MiSUxZiGteJAAAq
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Ta&sid=8Q8jwNGReb9cQqkiAAAo
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5wV&sid=zooJ_68vIF0MDJl_AAAr
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6-7&sid=t1jMuUBt_H-17HfQAAA4
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X64n
Method	GET
Attack	
Evidence	max-age=0
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X668
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X66I&sid=iQ4vstlI56-Si-DOAAAu
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6AV&sid=UBkv501swRZyRT_wAAAv
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6bX&sid=AjyvkkTuPhRzjqJNAAA1
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Ha&sid=UBkv501swRZyRT_wAAAv
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6jl&sid=7w4IaLI4thSWFTPAAA0
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6jw&sid=AjyvkkTuPhRzjqJNAAA1
Method	GET
Attack	

Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6NK
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Oz&sid=k5gPBaoZWfs2COq1AAAy
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Vi
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6w6
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Y4
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6y5
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6y9

Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6ZD&sid=7w4lalLI4thSWFTPAAA0
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Zu&sid=k5gPBAoZWfs2COq1AAAy
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70e&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70i&sid=pG70fCv62TS_bnVdAAA6
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76j&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76W
Method	GET
Attack	
Evidence	max-age=0
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76w&sid=t1jMuUBt_H-17HfQAAA4
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X79E&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7a3
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7ab
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7h7&sid=f6WYAAcxTL2jrOgQAABD
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7jp&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7JW&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	

Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7kq&sid=5Tpt3grFUE1G7uHAABF
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Lh
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Lp
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7oz
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7QJ&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7RV&sid=kziBfKaMw6QE3HtAABB
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7sl&sid=s9eC5ytjGehgEjc0AABH

Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Vc&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vP&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vu&sid=TLZ5ec5q09Nkr4e-AABJ
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Xp
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8-g
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8-V
Method	GET
Attack	
Evidence	max-age=0
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X81X&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X81Z&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X82g
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X83R&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X84e&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X86N&sid=D-Tb3-ztfeObSOk5AABN
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X87s&sid=aJd7pYHLC5NIA8WvAAA5
Method	GET
Attack	

Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X88E
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8aM&sid=3xejTHvhOzFtYSLsAABS
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8CT&sid=Kqpv9-4A1-Vx0gzFAABP
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8fC&sid=XyOKF3cz_7TAAtAABW
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8kf
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8LK
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8IQ&sid=XyOKF3cz_7TAAtAABW

Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8m1
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8PB&sid=3xejTHvhOzFtYSLsAABS
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8pN&sid=ik2l1X-zxggfKlb3AABa
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8ru
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8rv.0&sid=5bEeGa0egrLb9oUVAABb
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Ug
Method	GET
Attack	
Evidence	max-age=0
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Uj
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8V1&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8vt&sid=DyoaAjMZ0Us9be5NAABc
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Y-
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8YX&sid=mDB42itAYqYe8PIOAABU
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Zq&sid=LTTUop_00DpH5oBcAABV
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X91-
Method	GET
Attack	

Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X97c
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X994
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X99n&sid=Dy0aAjMZ0Us9be5NAABc
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9bu&sid=TBgsZ4VY006w0OvIAABj
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9PV
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9UD&sid=TBgsZ4VY006w0OvIAABj
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA0w&sid=U9p8e1L3loEtIIWxAABl

Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA3X&sid=U9p8e1L3loEtIIWxAABl
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA4-
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6Z.0&sid=fmfADYbluqmzTerSAABq
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8Q&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAAR&sid=fmfADYbluqmzTerSAABq
Method	GET
Attack	
Evidence	max-age=0
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=-dPNWGWX_5FqDIQoAAAU
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=3DSYgEnakXREOCMiAAAK
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=3xejTHvhOzFtYSLsAABS
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=5bEeGa0eqlb9oUVAABb
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=5Tpt3grFUbE1G7uHAABF
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6HtrU0YShkXVZujqAAAd
Method	GET
Attack	

Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAf
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=7w4laLI4thSWFTPAAA0
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=7WQssyELfQQnZAFvAAAV
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=8Q8jwNGReb9cQqkiAAAo
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=93Kuem4lCfMYvZojAAAS
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=AjyvkkTuPhRzjqJNAAA1

Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=BBxgSCkGOqyBiB3CAAAO
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=D-Tb3-ztfeObSOk5AABN
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=DNrwUD1oxbM1En4_AAAa
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=DyoaAjMZ0Us9be5NAABc
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=f6WYAAcxTL2jrOgQAABD
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=fmfADYbluqgzTerSAABq
Method	GET
Attack	
Evidence	max-age=0
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=gbsBqfcQ5j3a-CcXAAAg
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=I51dxJElmLxupA_zAAAQ
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=I8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=ik2l1X-zxggfKlb3AABa
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=iQ4vstlI56-Si-DOAAAu
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=k5gPBAoZWfs2CQq1AAAy
Method	GET
Attack	

Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=kFdG6Z69jFSb-zruAAAb
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=Kqpv9-4A1-Vx0gzFAABP
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=LTTUop_00DpH5oBcAABV
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=M0wS1MiSUxZiGteJAAAg
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=m2WRWt8RtfQAW3byAAAk

Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=mDB42itAYqYe8PIOAABU
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=omz-ijhlsZZ9UjWKAAAM
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=pG70fCv62TS_bnVdAAA6
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=s9eC5ytjGehgEjc0AABH
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=sv2-me0zONHb0ZvYAAAY
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=T0vHBI29X79bEp4dAAAh
Method	GET
Attack	
Evidence	max-age=0
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=t1jMuUBt_H-17HfQAAA4
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=TBgsZ4VY006w0OvIAABj
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=TLZ5ec5q09Nkr4e-AABJ
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=U9p8e1L3loEtIIWxAABl
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=UBkv501swRZyRT_wAAAv
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=xf4gl6HZTV4FcQw6AABh
Method	GET
Attack	

Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=XyOKFxgF3cz_7TAtAABW
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=zhAVJKUWDk3-nfo3AAAm
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=zooJ_68vIF0MDJI_AAAr
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/styles.css
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/vendor.js
Method	GET
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X153&sid=6uwmqZN4Fk0g6t6iAAAI
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1pt&sid=3DSYgEnakXREOCMiAAAK
Method	POST

Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2ek&sid=BBxgSCkGOqyBiB3CAAAO
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2LF&sid=omz-jjhlsZZ9UjWKAAAM
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2zT&sid=l51dxJElmLxupA_zAAAQ
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3hZ&sid=dPNWGWX_5FqDIQoAAAU
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3N8&sid=93Kuem4lCfMYvZojAAAS
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3qS&sid=7WQssyELfQQnZAFvAAAV
Method	POST
Attack	
Evidence	max-age=0
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4-t&sid=T0vHBI29X79bEp4dAAAh
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X47h&sid=sv2-me0zONHb0ZvYAAAY
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4cU&sid=kFdG6Z69jFSb-zruAAAb
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4mS&sid=6HtrU0YShkXVZujqAAAAd
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4V3&sid=DNrwUD1oxbM1En4_AAAa
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4vu&sid=gbsBqfcQ5j3a-CcXAAAg
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Go&sid=m2WRWt8RtfQAW3byAAAk
Method	POST
Attack	
Evidence	max-age=0

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5IT&sid=M0wS1MiSUxZiGteJAAAq
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5M8&sid=zhAVJKUWDk3-nfo3AAAm
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5qH&sid=zooJ_68vIF0MDJI_AAAr
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5TY&sid=8Q8jwNGReb9cQqkiAAAo
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6-6&sid=t1jMuUBt_H-17HfQAAA4
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X66H&sid=iQ4vstlI56-Si-DOAAAu
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6AU&sid=UBkv501swRZyRT_wAAAv
Method	POST

Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6bV&sid=AjyvkkTuPhRzjqJNAAA1
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Oy&sid=k5gPBAoZWfs2COq1AAAy
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6ZC&sid=7w4laLI4thSWFTPAAA0
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70d&sid=aJd7pYHLc5NIA8WvAAA5
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70h&sid=pG70fCv62TS_bnVdAAA6
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X79D&sid=TIzjwAM0cbueouRIAAA9
Method	POST
Attack	
Evidence	max-age=0
Other Info	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7h6&sid=f6WYAAcxTL2jrOgQAABD
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7kp&sid=5Tpt3grFUbE1G7uHAABF
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Ql&sid=l8yOGAphzNEorr_0AABA
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7RU&sid=kziBfKaMw6QEp3HtAABB
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7sH&sid=s9eC5ytjGehgEjc0AABH
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vO&sid=L8EUhAXPO7uqlzKfAABl
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vt&sid=TLZ5ec5q09Nkr4e-AABJ
Method	POST
Attack	
Evidence	max-age=0

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X86M&sid=D-Tb3-ztfeObSOk5AABN
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8CS&sid=Kqpv9-4A1-Vx0gzFAABP
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8fB&sid=XyOKFxf3cz_7TAaAABW
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8P8&sid=3xejTHvhOzFtYSLsAABS
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8pM&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8rv&sid=5bEeGa0eqrLb9oUVAABb
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8vs&sid=DyoeAjMZ0Us9be5NAABc
Method	POST

Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8YW&sid=mDB42itAYqYe8PIOAABU
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Zo&sid=LTUop_00DpH5oBcAABV
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9A3&sid=cYgwQHNMQ9yI2t0oAABg
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9II&sid=xf4gl6HZTV4FcQw6AABh
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9U2&sid=TBgsZ4VY006w0QvIAABj
Method	POST
Attack	
Evidence	max-age=0
Other Info	

URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA0v&sid=U9p8e1L3loEtIIWxAABl
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6Z&sid=fmfADYbluqmzTerSAABq
Method	POST
Attack	
Evidence	max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	
Evidence	max-age=0
Other Info	
Instances	325
Solution	Review the configuration of this control. Ensure that your web server, application server, load balancer, etc. is configured to set Strict-Transport-Security with an appropriate max-age value.
Reference	https://datatracker.ietf.org/doc/html/rfc6797#section-6.2
CWE Id	319
WASC Id	15
Plugin Id	10035

Low	Timestamp Disclosure - Unix
Description	A timestamp was disclosed by the application/web server. - Unix
URL	https://owasp-juice-shop-practice.i0n-harr150n.com
Method	GET
Attack	
Evidence	1729773167
Other Info	1729773167, which evaluates to: 2024-10-24 08:32:47.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET

Attack	
Evidence	1729773177
Other Info	1729773177, which evaluates to: 2024-10-24 08:32:57.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773181
Other Info	1729773181, which evaluates to: 2024-10-24 08:33:01.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773182
Other Info	1729773182, which evaluates to: 2024-10-24 08:33:02.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773183
Other Info	1729773183, which evaluates to: 2024-10-24 08:33:03.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773185
Other Info	1729773185, which evaluates to: 2024-10-24 08:33:05.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773186
Other Info	1729773186, which evaluates to: 2024-10-24 08:33:06.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773187
Other Info	1729773187, which evaluates to: 2024-10-24 08:33:07.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773189

Other Info	1729773189, which evaluates to: 2024-10-24 08:33:09.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773191
Other Info	1729773191, which evaluates to: 2024-10-24 08:33:11.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773192
Other Info	1729773192, which evaluates to: 2024-10-24 08:33:12.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773193
Other Info	1729773193, which evaluates to: 2024-10-24 08:33:13.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773195
Other Info	1729773195, which evaluates to: 2024-10-24 08:33:15.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773196
Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773197
Other Info	1729773197, which evaluates to: 2024-10-24 08:33:17.

URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773198
Other Info	1729773198, which evaluates to: 2024-10-24 08:33:18.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773200
Other Info	1729773200, which evaluates to: 2024-10-24 08:33:20.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773202
Other Info	1729773202, which evaluates to: 2024-10-24 08:33:22.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET

Attack	
Evidence	1729773205
Other Info	1729773205, which evaluates to: 2024-10-24 08:33:25.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773208
Other Info	1729773208, which evaluates to: 2024-10-24 08:33:28.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773210
Other Info	1729773210, which evaluates to: 2024-10-24 08:33:30.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773211
Other Info	1729773211, which evaluates to: 2024-10-24 08:33:31.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/
Method	GET
Attack	

Evidence	1729773212
Other Info	1729773212, which evaluates to: 2024-10-24 08:33:32.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773178
Other Info	1729773178, which evaluates to: 2024-10-24 08:32:58.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773181
Other Info	1729773181, which evaluates to: 2024-10-24 08:33:01.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773183
Other Info	1729773183, which evaluates to: 2024-10-24 08:33:03.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773184
Other Info	1729773184, which evaluates to: 2024-10-24 08:33:04.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773185
Other Info	1729773185, which evaluates to: 2024-10-24 08:33:05.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773186
Other	

Info	1729773186, which evaluates to: 2024-10-24 08:33:06.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773187
Other Info	1729773187, which evaluates to: 2024-10-24 08:33:07.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773188
Other Info	1729773188, which evaluates to: 2024-10-24 08:33:08.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773189
Other Info	1729773189, which evaluates to: 2024-10-24 08:33:09.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773190
Other Info	1729773190, which evaluates to: 2024-10-24 08:33:10.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773191
Other Info	1729773191, which evaluates to: 2024-10-24 08:33:11.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773192
Other Info	1729773192, which evaluates to: 2024-10-24 08:33:12.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773193
Other Info	1729773193, which evaluates to: 2024-10-24 08:33:13.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board

Method	GET
Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773195
Other Info	1729773195, which evaluates to: 2024-10-24 08:33:15.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773196
Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773197
Other Info	1729773197, which evaluates to: 2024-10-24 08:33:17.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773200
Other Info	1729773200, which evaluates to: 2024-10-24 08:33:20.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET

Attack	
Evidence	1729773202
Other Info	1729773202, which evaluates to: 2024-10-24 08:33:22.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773205
Other Info	1729773205, which evaluates to: 2024-10-24 08:33:25.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773208
Other Info	1729773208, which evaluates to: 2024-10-24 08:33:28.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773209

Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773210
Other Info	1729773210, which evaluates to: 2024-10-24 08:33:30.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773211
Other Info	1729773211, which evaluates to: 2024-10-24 08:33:31.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773212
Other Info	1729773212, which evaluates to: 2024-10-24 08:33:32.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773178
Other Info	1729773178, which evaluates to: 2024-10-24 08:32:58.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773181
Other Info	1729773181, which evaluates to: 2024-10-24 08:33:01.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773183
Other Info	1729773183, which evaluates to: 2024-10-24 08:33:03.

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773185
Other Info	1729773185, which evaluates to: 2024-10-24 08:33:05.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773186
Other Info	1729773186, which evaluates to: 2024-10-24 08:33:06.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773188
Other Info	1729773188, which evaluates to: 2024-10-24 08:33:08.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773189
Other Info	1729773189, which evaluates to: 2024-10-24 08:33:09.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773191
Other Info	1729773191, which evaluates to: 2024-10-24 08:33:11.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773192
Other Info	1729773192, which evaluates to: 2024-10-24 08:33:12.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773193
Other Info	1729773193, which evaluates to: 2024-10-24 08:33:13.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET

Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773195
Other Info	1729773195, which evaluates to: 2024-10-24 08:33:15.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773196
Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773197
Other Info	1729773197, which evaluates to: 2024-10-24 08:33:17.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773198
Other Info	1729773198, which evaluates to: 2024-10-24 08:33:18.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773200
Other Info	1729773200, which evaluates to: 2024-10-24 08:33:20.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	

Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773202
Other Info	1729773202, which evaluates to: 2024-10-24 08:33:22.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773205
Other Info	1729773205, which evaluates to: 2024-10-24 08:33:25.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773208
Other	

Info	1729773208, which evaluates to: 2024-10-24 08:33:28.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773210
Other Info	1729773210, which evaluates to: 2024-10-24 08:33:30.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773211
Other Info	1729773211, which evaluates to: 2024-10-24 08:33:31.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773212
Other Info	1729773212, which evaluates to: 2024-10-24 08:33:32.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773213
Other Info	1729773213, which evaluates to: 2024-10-24 08:33:33.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantitys/
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/assets/public/favicon.js.ico
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/main.js
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/polyfills.js
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/runtime.js
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/styles.css
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/vendor.js
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:39:13
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:55:18

Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/main.js
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/polyfills.js
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/runtime.js
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/styles.css
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/vendor.js
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	1729773172
Other Info	1729773172, which evaluates to: 2024-10-24 08:32:52.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/favicon_js.ico
Method	GET

Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/main.js
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/polyfills.js
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/runtime.js
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/styles.css
Method	GET
Attack	
Evidence	1729773172
Other Info	1729773172, which evaluates to: 2024-10-24 08:32:52.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/vendor.js
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:280:10
Method	GET
Attack	
Evidence	1729773171
Other Info	1729773171, which evaluates to: 2024-10-24 08:32:51.

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:286:9
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:328:13
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:365:14
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:376:14
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:421:3
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/layer.js:95:5
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/main.js
Method	GET
Attack	
Evidence	1729773170

Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/polyfills.js
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/runtime.js
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/styles.css
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/vendor.js
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/assets/public/favicon.js.ico
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/favicon.js.ico
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/main.js
Method	GET

Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/polyfills.js
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/runtime.js
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/styles.css
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/assets/public/vendor.js
Method	GET
Attack	
Evidence	1729773171
Other Info	1729773171, which evaluates to: 2024-10-24 08:32:51.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/index.js:145:39
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/main.js
Method	GET
Attack	
Evidence	1729773171
Other Info	1729773171, which evaluates to: 2024-10-24 08:32:51.
	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/polyfills.js

URL	js
Method	GET
Attack	
Evidence	1729773171
Other Info	1729773171, which evaluates to: 2024-10-24 08:32:51.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/runtime.js
Method	GET
Attack	
Evidence	1729773171
Other Info	1729773171, which evaluates to: 2024-10-24 08:32:51.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/styles.css
Method	GET
Attack	
Evidence	1729773170
Other Info	1729773170, which evaluates to: 2024-10-24 08:32:50.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/vendor.js
Method	GET
Attack	
Evidence	1729773171
Other Info	1729773171, which evaluates to: 2024-10-24 08:32:51.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773178
Other Info	1729773178, which evaluates to: 2024-10-24 08:32:58.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773181
Other Info	1729773181, which evaluates to: 2024-10-24 08:33:01.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773183
Other Info	1729773183, which evaluates to: 2024-10-24 08:33:03.

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773184
Other Info	1729773184, which evaluates to: 2024-10-24 08:33:04.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773186
Other Info	1729773186, which evaluates to: 2024-10-24 08:33:06.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773187
Other Info	1729773187, which evaluates to: 2024-10-24 08:33:07.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773189
Other Info	1729773189, which evaluates to: 2024-10-24 08:33:09.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773190
Other Info	1729773190, which evaluates to: 2024-10-24 08:33:10.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773192
Other Info	1729773192, which evaluates to: 2024-10-24 08:33:12.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773193
Other Info	1729773193, which evaluates to: 2024-10-24 08:33:13.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET

Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773195
Other Info	1729773195, which evaluates to: 2024-10-24 08:33:15.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773196
Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773197
Other Info	1729773197, which evaluates to: 2024-10-24 08:33:17.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773200
Other Info	1729773200, which evaluates to: 2024-10-24 08:33:20.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	

Evidence	1729773202
Other Info	1729773202, which evaluates to: 2024-10-24 08:33:22.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773205
Other Info	1729773205, which evaluates to: 2024-10-24 08:33:25.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773208
Other Info	1729773208, which evaluates to: 2024-10-24 08:33:28.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773209
Other	

Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773210
Other Info	1729773210, which evaluates to: 2024-10-24 08:33:30.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773211
Other Info	1729773211, which evaluates to: 2024-10-24 08:33:31.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773212
Other Info	1729773212, which evaluates to: 2024-10-24 08:33:32.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n/en.json
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/hackingInstructor.png
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/JuiceShop_Logo.png
Method	GET
Attack	
Evidence	1729772756
Other Info	1729772756, which evaluates to: 2024-10-24 08:25:56.

URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/apple_juice.jpg
Method	GET
Attack	
Evidence	1729772757
Other Info	1729772757, which evaluates to: 2024-10-24 08:25:57.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/apple_pressings.jpg
Method	GET
Attack	
Evidence	1729772757
Other Info	1729772757, which evaluates to: 2024-10-24 08:25:57.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/artwork2.jpg
Method	GET
Attack	
Evidence	1729772757
Other Info	1729772757, which evaluates to: 2024-10-24 08:25:57.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/banana_juice.jpg
Method	GET
Attack	
Evidence	1729772757
Other Info	1729772757, which evaluates to: 2024-10-24 08:25:57.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/carrot_juice.jpeg
Method	GET
Attack	
Evidence	1729772757
Other Info	1729772757, which evaluates to: 2024-10-24 08:25:57.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/eggfruit_juice.jpg
Method	GET
Attack	
Evidence	1729772757
Other Info	1729772757, which evaluates to: 2024-10-24 08:25:57.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/fruit_press.jpg
Method	GET
Attack	

Evidence	1729772757
Other Info	1729772757, which evaluates to: 2024-10-24 08:25:57.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/green_smoothie.jpg
Method	GET
Attack	
Evidence	1729772757
Other Info	1729772757, which evaluates to: 2024-10-24 08:25:57.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/lemon_juice.jpg
Method	GET
Attack	
Evidence	1729772757
Other Info	1729772757, which evaluates to: 2024-10-24 08:25:57.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/melon_bike.jpeg
Method	GET
Attack	
Evidence	1729772757
Other Info	1729772757, which evaluates to: 2024-10-24 08:25:57.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/permafrost.jpg
Method	GET
Attack	
Evidence	1729772757
Other Info	1729772757, which evaluates to: 2024-10-24 08:25:57.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/public/images/products/user_day_ticket.png
Method	GET
Attack	
Evidence	1729772757
Other Info	1729772757, which evaluates to: 2024-10-24 08:25:57.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/ftp/
Method	GET
Attack	
Evidence	1729773167
Other Info	1729773167, which evaluates to: 2024-10-24 08:32:47.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/ftp/
Method	GET

Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/acquisitions.md
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/announcement_encrypted.md
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/coupons_2013.md.bak
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/eastere.gg
Method	GET
Attack	
Evidence	1729773171
Other Info	1729773171, which evaluates to: 2024-10-24 08:32:51.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/encrypt.pyc
Method	GET
Attack	
Evidence	1729773171
Other Info	1729773171, which evaluates to: 2024-10-24 08:32:51.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/incident-support.kdbx
Method	GET
Attack	
Evidence	1729773171
Other Info	1729773171, which evaluates to: 2024-10-24 08:32:51.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/legal.md
Method	GET
Attack	
Evidence	1729773171

Other Info	1729773171, which evaluates to: 2024-10-24 08:32:51.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/ftp/package.json.bak
Method	GET
Attack	
Evidence	1729773171
Other Info	1729773171, which evaluates to: 2024-10-24 08:32:51.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/ftp/quarantine
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/ftp/quarantine/juicy_malware_linux_arm_64.url
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/ftp/quarantine/juicy_malware_linux_arm_64.url
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/ftp/quarantine/juicy_malware_macos_64.url
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/ftp/quarantine/juicy_malware_windows_64.exe.url
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/ftp/suspicious_errors.yml
Method	GET
Attack	

Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/main.js
Method	GET
Attack	
Evidence	1734944650
Other Info	1734944650, which evaluates to: 2024-12-23 04:04:10.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/main.js
Method	GET
Attack	
Evidence	1729773169
Other Info	1729773169, which evaluates to: 2024-10-24 08:32:49.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/polyfills.js
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1969196030
Other Info	1969196030, which evaluates to: 2032-05-26 10:53:50.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1970691216
Other Info	1970691216, which evaluates to: 2032-06-12 18:13:36.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773178
Other Info	1729773178, which evaluates to: 2024-10-24 08:32:58.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773179
Other	

Info	1729773179, which evaluates to: 2024-10-24 08:32:59.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773181
Other Info	1729773181, which evaluates to: 2024-10-24 08:33:01.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773182
Other Info	1729773182, which evaluates to: 2024-10-24 08:33:02.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773183
Other Info	1729773183, which evaluates to: 2024-10-24 08:33:03.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773184
Other Info	1729773184, which evaluates to: 2024-10-24 08:33:04.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773185
Other Info	1729773185, which evaluates to: 2024-10-24 08:33:05.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773186
Other Info	1729773186, which evaluates to: 2024-10-24 08:33:06.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773187
Other Info	1729773187, which evaluates to: 2024-10-24 08:33:07.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration

Method	GET
Attack	
Evidence	1729773188
Other Info	1729773188, which evaluates to: 2024-10-24 08:33:08.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773189
Other Info	1729773189, which evaluates to: 2024-10-24 08:33:09.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773190
Other Info	1729773190, which evaluates to: 2024-10-24 08:33:10.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773191
Other Info	1729773191, which evaluates to: 2024-10-24 08:33:11.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773192
Other Info	1729773192, which evaluates to: 2024-10-24 08:33:12.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773193
Other Info	1729773193, which evaluates to: 2024-10-24 08:33:13.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET

Attack	
Evidence	1729773195
Other Info	1729773195, which evaluates to: 2024-10-24 08:33:15.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773196
Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773197
Other Info	1729773197, which evaluates to: 2024-10-24 08:33:17.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773198
Other Info	1729773198, which evaluates to: 2024-10-24 08:33:18.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773200
Other Info	1729773200, which evaluates to: 2024-10-24 08:33:20.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773202

Other Info	1729773202, which evaluates to: 2024-10-24 08:33:22.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773205
Other Info	1729773205, which evaluates to: 2024-10-24 08:33:25.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773208
Other Info	1729773208, which evaluates to: 2024-10-24 08:33:28.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773210
Other Info	1729773210, which evaluates to: 2024-10-24 08:33:30.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773211
Other Info	1729773211, which evaluates to: 2024-10-24 08:33:31.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773212
Other Info	1729773212, which evaluates to: 2024-10-24 08:33:32.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773213
Other Info	1729773213, which evaluates to: 2024-10-24 08:33:33.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773216
Other Info	1729773216, which evaluates to: 2024-10-24 08:33:36.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET
Attack	
Evidence	1729773217
Other Info	1729773217, which evaluates to: 2024-10-24 08:33:37.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET

Attack	
Evidence	1729773178
Other Info	1729773178, which evaluates to: 2024-10-24 08:32:58.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773181
Other Info	1729773181, which evaluates to: 2024-10-24 08:33:01.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773183
Other Info	1729773183, which evaluates to: 2024-10-24 08:33:03.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773184
Other Info	1729773184, which evaluates to: 2024-10-24 08:33:04.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773186
Other Info	1729773186, which evaluates to: 2024-10-24 08:33:06.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773188
Other Info	1729773188, which evaluates to: 2024-10-24 08:33:08.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773189
Other Info	1729773189, which evaluates to: 2024-10-24 08:33:09.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	

Evidence	1729773190
Other Info	1729773190, which evaluates to: 2024-10-24 08:33:10.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773191
Other Info	1729773191, which evaluates to: 2024-10-24 08:33:11.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773192
Other Info	1729773192, which evaluates to: 2024-10-24 08:33:12.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773193
Other Info	1729773193, which evaluates to: 2024-10-24 08:33:13.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773195
Other Info	1729773195, which evaluates to: 2024-10-24 08:33:15.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773196
Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773197
Other	

Info	1729773197, which evaluates to: 2024-10-24 08:33:17.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773200
Other Info	1729773200, which evaluates to: 2024-10-24 08:33:20.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773202
Other Info	1729773202, which evaluates to: 2024-10-24 08:33:22.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773205
Other Info	1729773205, which evaluates to: 2024-10-24 08:33:25.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version

Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773208
Other Info	1729773208, which evaluates to: 2024-10-24 08:33:28.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773210
Other Info	1729773210, which evaluates to: 2024-10-24 08:33:30.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773211
Other Info	1729773211, which evaluates to: 2024-10-24 08:33:31.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773212
Other Info	1729773212, which evaluates to: 2024-10-24 08:33:32.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET

Attack	
Evidence	1729773213
Other Info	1729773213, which evaluates to: 2024-10-24 08:33:33.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	1729773217
Other Info	1729773217, which evaluates to: 2024-10-24 08:33:37.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773178
Other Info	1729773178, which evaluates to: 2024-10-24 08:32:58.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773181
Other Info	1729773181, which evaluates to: 2024-10-24 08:33:01.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773183
Other Info	1729773183, which evaluates to: 2024-10-24 08:33:03.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773185
Other Info	1729773185, which evaluates to: 2024-10-24 08:33:05.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773186

Other Info	1729773186, which evaluates to: 2024-10-24 08:33:06.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773188
Other Info	1729773188, which evaluates to: 2024-10-24 08:33:08.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773189
Other Info	1729773189, which evaluates to: 2024-10-24 08:33:09.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773191
Other Info	1729773191, which evaluates to: 2024-10-24 08:33:11.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773192
Other Info	1729773192, which evaluates to: 2024-10-24 08:33:12.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773193
Other Info	1729773193, which evaluates to: 2024-10-24 08:33:13.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773196
Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.

URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773197
Other Info	1729773197, which evaluates to: 2024-10-24 08:33:17.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773200
Other Info	1729773200, which evaluates to: 2024-10-24 08:33:20.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773202
Other Info	1729773202, which evaluates to: 2024-10-24 08:33:22.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET

Attack	
Evidence	1729773205
Other Info	1729773205, which evaluates to: 2024-10-24 08:33:25.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773208
Other Info	1729773208, which evaluates to: 2024-10-24 08:33:28.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773210
Other Info	1729773210, which evaluates to: 2024-10-24 08:33:30.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773211
Other Info	1729773211, which evaluates to: 2024-10-24 08:33:31.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/rest/languages
Method	GET
Attack	

Evidence	1729773212
Other Info	1729773212, which evaluates to: 2024-10-24 08:33:32.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773213
Other Info	1729773213, which evaluates to: 2024-10-24 08:33:33.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	1729773217
Other Info	1729773217, which evaluates to: 2024-10-24 08:33:37.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1969196030
Other Info	1969196030, which evaluates to: 2032-05-26 10:53:50.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1970691216
Other Info	1970691216, which evaluates to: 2032-06-12 18:13:36.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773178
Other Info	1729773178, which evaluates to: 2024-10-24 08:32:58.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773181
Other	

Info	1729773181, which evaluates to: 2024-10-24 08:33:01.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773184
Other Info	1729773184, which evaluates to: 2024-10-24 08:33:04.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773185
Other Info	1729773185, which evaluates to: 2024-10-24 08:33:05.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773186
Other Info	1729773186, which evaluates to: 2024-10-24 08:33:06.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773188
Other Info	1729773188, which evaluates to: 2024-10-24 08:33:08.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773189
Other Info	1729773189, which evaluates to: 2024-10-24 08:33:09.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773190
Other Info	1729773190, which evaluates to: 2024-10-24 08:33:10.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773191
Other Info	1729773191, which evaluates to: 2024-10-24 08:33:11.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=

Method	GET
Attack	
Evidence	1729773192
Other Info	1729773192, which evaluates to: 2024-10-24 08:33:12.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773193
Other Info	1729773193, which evaluates to: 2024-10-24 08:33:13.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773195
Other Info	1729773195, which evaluates to: 2024-10-24 08:33:15.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773196
Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773197
Other Info	1729773197, which evaluates to: 2024-10-24 08:33:17.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773198
Other Info	1729773198, which evaluates to: 2024-10-24 08:33:18.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET

Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773200
Other Info	1729773200, which evaluates to: 2024-10-24 08:33:20.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773202
Other Info	1729773202, which evaluates to: 2024-10-24 08:33:22.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773205
Other Info	1729773205, which evaluates to: 2024-10-24 08:33:25.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773206

Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773208
Other Info	1729773208, which evaluates to: 2024-10-24 08:33:28.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773210
Other Info	1729773210, which evaluates to: 2024-10-24 08:33:30.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773212
Other Info	1729773212, which evaluates to: 2024-10-24 08:33:32.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773213
Other Info	1729773213, which evaluates to: 2024-10-24 08:33:33.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/robots.txt
Method	GET
Attack	
Evidence	1729773167
Other Info	1729773167, which evaluates to: 2024-10-24 08:32:47.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/runtime.js
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/sitemap.xml
Method	GET
Attack	
Evidence	1729773167
Other Info	1729773167, which evaluates to: 2024-10-24 08:32:47.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X11E
Method	GET
Attack	
Evidence	1729773178
Other Info	1729773178, which evaluates to: 2024-10-24 08:32:58.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X153.0&sid=6uwmqZN4Fk0g6t6iAAA
Method	GET
Attack	
Evidence	1729773179
Other Info	1729773179, which evaluates to: 2024-10-24 08:32:59.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1Fa&sid=6uwmqZN4Fk0g6t6iAAA
Method	GET
Attack	
Evidence	1729773179
Other Info	1729773179, which evaluates to: 2024-10-24 08:32:59.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1oU
Method	GET
Attack	
Evidence	1729773181
Other Info	1729773181, which evaluates to: 2024-10-24 08:33:01.

URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1pu&sid=3DSYgEnakXREOCMiAAAK
Method	GET
Attack	
Evidence	1729773181
Other Info	1729773181, which evaluates to: 2024-10-24 08:33:01.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2dl
Method	GET
Attack	
Evidence	1729773184
Other Info	1729773184, which evaluates to: 2024-10-24 08:33:04.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2el&sid=BBxgSCkGOqyBiB3CAAAO
Method	GET
Attack	
Evidence	1729773185
Other Info	1729773185, which evaluates to: 2024-10-24 08:33:05.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2Hb
Method	GET
Attack	
Evidence	1729773183
Other Info	1729773183, which evaluates to: 2024-10-24 08:33:03.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2LG&sid=omz-jjhlsZZ9UjWKAAAM
Method	GET
Attack	
Evidence	1729773184
Other Info	1729773184, which evaluates to: 2024-10-24 08:33:04.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2nq&sid=BBxgSCkGOqyBiB3CAAAO
Method	GET
Attack	
Evidence	1729773185
Other Info	1729773185, which evaluates to: 2024-10-24 08:33:05.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2xo
Method	GET
Attack	

Evidence	1729773186
Other Info	1729773186, which evaluates to: 2024-10-24 08:33:06.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2zU&sid=l51dxJElmLxupA_zAAAQ
Method	GET
Attack	
Evidence	1729773186
Other Info	1729773186, which evaluates to: 2024-10-24 08:33:06.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3dO
Method	GET
Attack	
Evidence	1729773189
Other Info	1729773189, which evaluates to: 2024-10-24 08:33:09.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3ha&sid=dPNWGWX_5FqDIQoAAAU
Method	GET
Attack	
Evidence	1729773189
Other Info	1729773189, which evaluates to: 2024-10-24 08:33:09.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3id
Method	GET
Attack	
Evidence	1729773189
Other Info	1729773189, which evaluates to: 2024-10-24 08:33:09.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3LW
Method	GET
Attack	
Evidence	1729773187
Other Info	1729773187, which evaluates to: 2024-10-24 08:33:07.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3N9&sid=93Kuem4lCfMYvZojAAAS
Method	GET
Attack	
Evidence	1729773188
Other Info	1729773188, which evaluates to: 2024-10-24 08:33:08.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3qT&sid=7WQssyELfQQnZAfVAAAV

Method	GET
Attack	
Evidence	1729773190
Other Info	1729773190, which evaluates to: 2024-10-24 08:33:10.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3Z2&sid=93Kuem4lCfMYvZojAAAS
Method	GET
Attack	
Evidence	1729773188
Other Info	1729773188, which evaluates to: 2024-10-24 08:33:08.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4-u&sid=T0vHBI29X79bEp4dAAAh
Method	GET
Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X45v
Method	GET
Attack	
Evidence	1729773190
Other Info	1729773190, which evaluates to: 2024-10-24 08:33:10.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X47i&sid=sv2-me0zONHb0ZvYAAAY
Method	GET
Attack	
Evidence	1729773191
Other Info	1729773191, which evaluates to: 2024-10-24 08:33:11.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4cW&sid=kFdG6Z69jFSb-zruAAAb
Method	GET
Attack	
Evidence	1729773193
Other Info	1729773193, which evaluates to: 2024-10-24 08:33:13.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4fN&sid=DNrwUD1oxbM1En4_AAAa
Method	GET
Attack	
Evidence	1729773193
Other Info	1729773193, which evaluates to: 2024-10-24 08:33:13.

URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4Gm&sid=sv2-me0zONHb0ZvYAAAY
Method	GET
Attack	
Evidence	1729773191
Other Info	1729773191, which evaluates to: 2024-10-24 08:33:11.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4i0
Method	GET
Attack	
Evidence	1729773193
Other Info	1729773193, which evaluates to: 2024-10-24 08:33:13.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4mS.0&sid=6HtrU0YShkXVZujgAAAd
Method	GET
Attack	
Evidence	1729773195
Other Info	1729773195, which evaluates to: 2024-10-24 08:33:15.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4qj
Method	GET
Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4TX
Method	GET
Attack	
Evidence	1729773192
Other Info	1729773192, which evaluates to: 2024-10-24 08:33:12.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4V4&sid=DNrwUD1oxbM1En4_AAAa
Method	GET
Attack	
Evidence	1729773193
Other Info	1729773193, which evaluates to: 2024-10-24 08:33:13.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4vu.0&sid=gbsBqfcQ5j3a-CcXAAAg
Method	GET
Attack	

Evidence	1729773195
Other Info	1729773195, which evaluates to: 2024-10-24 08:33:15.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4xF
Method	GET
Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4xm
Method	GET
Attack	
Evidence	1729773195
Other Info	1729773195, which evaluates to: 2024-10-24 08:33:15.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4Yv
Method	GET
Attack	
Evidence	1729773192
Other Info	1729773192, which evaluates to: 2024-10-24 08:33:12.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X54m&sid=T0vHBI29X79bEp4dAAAh
Method	GET
Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5GB
Method	GET
Attack	
Evidence	1729773195
Other Info	1729773195, which evaluates to: 2024-10-24 08:33:15.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Go.0&sid=m2WRWt8RtfQAW3byAAAk
Method	GET
Attack	
Evidence	1729773195
Other Info	1729773195, which evaluates to: 2024-10-24 08:33:15.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5gU

Method	GET
Attack	
Evidence	1729773197
Other Info	1729773197, which evaluates to: 2024-10-24 08:33:17.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Lc&sid=m2WRWt8RtfQAW3byAAAk
Method	GET
Attack	
Evidence	1729773196
Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5ln
Method	GET
Attack	
Evidence	1729773197
Other Info	1729773197, which evaluates to: 2024-10-24 08:33:17.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5IV&sid=M0wS1MiSUxZiGteJAAAg
Method	GET
Attack	
Evidence	1729773197
Other Info	1729773197, which evaluates to: 2024-10-24 08:33:17.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5M9&sid=zhAVJKUWDk3-nfo3AAAm
Method	GET
Attack	
Evidence	1729773196
Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Ps
Method	GET
Attack	
Evidence	1729773196
Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Q_&sid=zhAVJKUWDk3-nfo3AAAm
Method	GET
Attack	
Evidence	1729773196
Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5qH.0&sid=zooJ_68vIF0MDJL_AAAr
Method	GET
Attack	
Evidence	1729773198
Other Info	1729773198, which evaluates to: 2024-10-24 08:33:18.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5s3&sid=M0wS1MiSUxZiGteJAAAq
Method	GET
Attack	
Evidence	1729773198
Other Info	1729773198, which evaluates to: 2024-10-24 08:33:18.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Ta&sid=8Q8jwNGReb9cQqkiAAAo
Method	GET
Attack	
Evidence	1729773197
Other Info	1729773197, which evaluates to: 2024-10-24 08:33:17.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5wV&sid=zooJ_68vIF0MDJL_AAAr
Method	GET
Attack	
Evidence	1729773198
Other Info	1729773198, which evaluates to: 2024-10-24 08:33:18.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6-7&sid=t1jMuUBt_H-17HfQAAA4
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X64n
Method	GET
Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X668
Method	GET
Attack	

Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X66I&sid=iQ4vstII56-Si-DOAAAU
Method	GET
Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6AV&sid=UBkv501swRZyRT_wAAAv
Method	GET
Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6bX&sid=AjyvkkTuPhRzjqJNAAA1
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Ha&sid=UBkv501swRZyRT_wAAAv
Method	GET
Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6jl&sid=7w4IaLI4thSWFTPAAA0
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6jw&sid=AjyvkkTuPhRzjqJNAAA1
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6NK

Method	GET
Attack	
Evidence	1729773200
Other Info	1729773200, which evaluates to: 2024-10-24 08:33:20.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Oz&sid=k5gPBAoZWfs2COq1AAAy
Method	GET
Attack	
Evidence	1729773200
Other Info	1729773200, which evaluates to: 2024-10-24 08:33:20.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Vi
Method	GET
Attack	
Evidence	1729773200
Other Info	1729773200, which evaluates to: 2024-10-24 08:33:20.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6w6
Method	GET
Attack	
Evidence	1729773202
Other Info	1729773202, which evaluates to: 2024-10-24 08:33:22.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Y4
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6y5
Method	GET
Attack	
Evidence	1729773202
Other Info	1729773202, which evaluates to: 2024-10-24 08:33:22.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6y9
Method	GET
Attack	
Evidence	1729773202
Other Info	1729773202, which evaluates to: 2024-10-24 08:33:22.

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6ZD&sid=7w4laLI4thSWFTPAAA0
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Zu&sid=k5gPBAoZWfs2COq1AAAy
Method	GET
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70e&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70i&sid=pG70fCv62TS_bnVdAAA6
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76j&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76W
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76w&sid=t1jMuUBt_H-17HfQAAA4
Method	GET
Attack	

Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X79E&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7a3
Method	GET
Attack	
Evidence	1729773205
Other Info	1729773205, which evaluates to: 2024-10-24 08:33:25.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7ab
Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7h7&sid=f6WYAAcxTL2jrOgQAABD
Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7jp&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	1729773205
Other Info	1729773205, which evaluates to: 2024-10-24 08:33:25.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7JW&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7kq&sid=5Tpt3grFUbE1G7uHAABF

Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Lh
Method	GET
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7IH
Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Lp
Method	GET
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7oz
Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7QJ&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7RV&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	1729773205
Other Info	1729773205, which evaluates to: 2024-10-24 08:33:25.

URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7sl&sid=s9eC5ytjGehgEjc0AABH
Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Vc&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vP&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vu&sid=TLZ5ec5q09Nkr4e-AABJ
Method	GET
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Xp
Method	GET
Attack	
Evidence	1729773205
Other Info	1729773205, which evaluates to: 2024-10-24 08:33:25.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8-g
Method	GET
Attack	
Evidence	1729773213
Other Info	1729773213, which evaluates to: 2024-10-24 08:33:33.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8-V
Method	GET
Attack	

Evidence	1729773212
Other Info	1729773212, which evaluates to: 2024-10-24 08:33:32.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X81X&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X81Z&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X82g
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X83R&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X84e&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X86N&sid=D-Tb3-ztfeObSOk5AABN
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X87s&sid=aJd7pYHLC5NIA8WvAAA5

Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X88E
Method	GET
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8aM&sid=3xejTHvhOzFtYSLsAABS
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8CT&sid=Kqpv9-4A1-Vx0gzFAABP
Method	GET
Attack	
Evidence	1729773208
Other Info	1729773208, which evaluates to: 2024-10-24 08:33:28.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8fC&sid=XyOKFvgF3cz_7TAaABW
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8kf
Method	GET
Attack	
Evidence	1729773210
Other Info	1729773210, which evaluates to: 2024-10-24 08:33:30.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8LK
Method	GET
Attack	
Evidence	1729773208
Other Info	1729773208, which evaluates to: 2024-10-24 08:33:28.

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8lQ&sid=XyOKFxf3cz_7TAtAABW
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8m1
Method	GET
Attack	
Evidence	1729773210
Other Info	1729773210, which evaluates to: 2024-10-24 08:33:30.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8PB&sid=3xejTHvhOzFtYSLsAABS
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8pN&sid=ik2l1X-zxggfKlb3AABa
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8ru
Method	GET
Attack	
Evidence	1729773210
Other Info	1729773210, which evaluates to: 2024-10-24 08:33:30.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8rv.0&sid=5bEeGa0eqrLb9oUVAABb
Method	GET
Attack	
Evidence	1729773211
Other Info	1729773211, which evaluates to: 2024-10-24 08:33:31.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Ug
Method	GET
Attack	

Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Uj
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8V1&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8vt&sid=DyoaAjMZ0Us9be5NAABc
Method	GET
Attack	
Evidence	1729773211
Other Info	1729773211, which evaluates to: 2024-10-24 08:33:31.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Y-
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8YX&sid=mDB42itAYqYe8PIOAABU
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Zq&sid=LTTUop_00DpH5oBcAABV
Method	GET
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X91-

Method	GET
Attack	
Evidence	1729773211
Other Info	1729773211, which evaluates to: 2024-10-24 08:33:31.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X97c
Method	GET
Attack	
Evidence	1729773212
Other Info	1729773212, which evaluates to: 2024-10-24 08:33:32.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X994
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X99n&sid=DyOaAjMZ0Us9be5NAABc
Method	GET
Attack	
Evidence	1729773211
Other Info	1729773211, which evaluates to: 2024-10-24 08:33:31.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9bu&sid=TBgsZ4VY006w0OvIAABj
Method	GET
Attack	
Evidence	1729773213
Other Info	1729773213, which evaluates to: 2024-10-24 08:33:33.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9PV
Method	GET
Attack	
Evidence	1729773212
Other Info	1729773212, which evaluates to: 2024-10-24 08:33:32.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9UD&sid=TBgsZ4VY006w0OvIAABj
Method	GET
Attack	
Evidence	1729773213
Other Info	1729773213, which evaluates to: 2024-10-24 08:33:33.

URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA0w&sid=U9p8e1L3loEtIIWxAABl
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA3X&sid=U9p8e1L3loEtIIWxAABl
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA4-
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6Z.0&sid=fmfADYbluqmzTerSAABq
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8Q&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAAR&sid=fmfADYbluqmzTerSAABq
Method	GET
Attack	

Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	
Evidence	1729773216
Other Info	1729773216, which evaluates to: 2024-10-24 08:33:36.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/styles.css
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/vendor.js
Method	GET
Attack	
Evidence	1729773168
Other Info	1729773168, which evaluates to: 2024-10-24 08:32:48.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X153&sid=6uwmqZN4Fk0g6t6iAAAI
Method	POST
Attack	
Evidence	1729773178
Other Info	1729773178, which evaluates to: 2024-10-24 08:32:58.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1pt&sid=3DSYgEnakXREOCMiAAAK
Method	POST
Attack	
Evidence	1729773181
Other Info	1729773181, which evaluates to: 2024-10-24 08:33:01.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2ek&sid=BBxgSCKGQqyBiB3CAAQO
Method	POST
Attack	
Evidence	1729773185
Other Info	1729773185, which evaluates to: 2024-10-24 08:33:05.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2LF&sid=omz-jjhlsZZ9UjWKAAM
Method	POST

Attack	
Evidence	1729773184
Other Info	1729773184, which evaluates to: 2024-10-24 08:33:04.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2zT&sid=l51dxJElmLxupA_zAAAQ
Method	POST
Attack	
Evidence	1729773186
Other Info	1729773186, which evaluates to: 2024-10-24 08:33:06.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3hZ&sid=dPNWGWX_5FqDIQoAAAU
Method	POST
Attack	
Evidence	1729773189
Other Info	1729773189, which evaluates to: 2024-10-24 08:33:09.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3N8&sid=93Kuem4lCfMYvZojAAAS
Method	POST
Attack	
Evidence	1729773188
Other Info	1729773188, which evaluates to: 2024-10-24 08:33:08.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3qS&sid=7WQssyELfQQnZAfvAAAV
Method	POST
Attack	
Evidence	1729773189
Other Info	1729773189, which evaluates to: 2024-10-24 08:33:09.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4-t&sid=T0vHBI29X79bEp4dAAAh
Method	POST
Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X47h&sid=sv2-me0zONHb0ZvYAAAY
Method	POST
Attack	
Evidence	1729773191
Other Info	1729773191, which evaluates to: 2024-10-24 08:33:11.
	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4cU&sid=kFdg6Z69jFSb-zruAAAb
Method	POST
Attack	
Evidence	1729773193
Other Info	1729773193, which evaluates to: 2024-10-24 08:33:13.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4mS&sid=6HtrU0YShkXVZujqAAAAd
Method	POST
Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4V3&sid=DNrwUD1oxbM1En4_AAAa
Method	POST
Attack	
Evidence	1729773192
Other Info	1729773192, which evaluates to: 2024-10-24 08:33:12.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4vu&sid=gbsBqfcQ5j3a-CcXAAAq
Method	POST
Attack	
Evidence	1729773194
Other Info	1729773194, which evaluates to: 2024-10-24 08:33:14.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Go&sid=m2WRWt8RtfQAW3byAAAk
Method	POST
Attack	
Evidence	1729773195
Other Info	1729773195, which evaluates to: 2024-10-24 08:33:15.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5IT&sid=M0wS1MiSUxZiGteJAAAq
Method	POST
Attack	
Evidence	1729773198
Other Info	1729773198, which evaluates to: 2024-10-24 08:33:18.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5M8&sid=zhAVJKUWDk3-nfo3AAAq
Method	POST
Attack	
Evidence	1729773196

Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5qH&sid=zooJ_68vIF0MDJI_AAAr
Method	POST
Attack	
Evidence	1729773198
Other Info	1729773198, which evaluates to: 2024-10-24 08:33:18.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5TY&sid=8Q8jwNGReb9cQqkiAAAo
Method	POST
Attack	
Evidence	1729773196
Other Info	1729773196, which evaluates to: 2024-10-24 08:33:16.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6-6&sid=t1jMuUBt_H-17HfQAAA4
Method	POST
Attack	
Evidence	1729773202
Other Info	1729773202, which evaluates to: 2024-10-24 08:33:22.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X66H&sid=iQ4vstII56-Si-DOAAAU
Method	POST
Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6AU&sid=UBkv501swRZyRT_wAAAv
Method	POST
Attack	
Evidence	1729773199
Other Info	1729773199, which evaluates to: 2024-10-24 08:33:19.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6bV&sid=AjyvkkTuPhRzjqJNAAA1
Method	POST
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Oy&sid=k5gPBAAoZWfs2COq1AAAy
Method	POST

Attack	
Evidence	1729773200
Other Info	1729773200, which evaluates to: 2024-10-24 08:33:20.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6ZC&sid=7w4lalL4thSWFTPAAA0
Method	POST
Attack	
Evidence	1729773201
Other Info	1729773201, which evaluates to: 2024-10-24 08:33:21.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70d&sid=aJd7pYHLc5NIA8WvAAA5
Method	POST
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70h&sid=pG70fCv62TS_bnVdAAA6
Method	POST
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X79D&sid=TIzjwAM0cbueouRIAAA9
Method	POST
Attack	
Evidence	1729773203
Other Info	1729773203, which evaluates to: 2024-10-24 08:33:23.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7h6&sid=f6WYAAcxTL2jrOgQAABD
Method	POST
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7kp&sid=5Tpt3grFUbE1G7uHAABF
Method	POST
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7QI&sid=l8yOGAphzNEorr_0AABA
Method	POST
Attack	
Evidence	1729773204
Other Info	1729773204, which evaluates to: 2024-10-24 08:33:24.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7RU&sid=kziBfKaMw6QE3HtAABB
Method	POST
Attack	
Evidence	1729773205
Other Info	1729773205, which evaluates to: 2024-10-24 08:33:25.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7sH&sid=s9eC5ytjGehgEjc0AABH
Method	POST
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vO&sid=L8EUhAXPO7uqlzKfAABI
Method	POST
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vt&sid=TLZ5ec5q09Nkr4e-AABJ
Method	POST
Attack	
Evidence	1729773206
Other Info	1729773206, which evaluates to: 2024-10-24 08:33:26.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X86M&sid=D-Tb3-ztfeObSOk5AABN
Method	POST
Attack	
Evidence	1729773207
Other Info	1729773207, which evaluates to: 2024-10-24 08:33:27.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8CS&sid=Kqpv9-4A1-Vx0gzFAABP
Method	POST
Attack	
Evidence	1729773208

Other Info	1729773208, which evaluates to: 2024-10-24 08:33:28.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8fB&sid=XyOKFxgF3cz_7TAatAABW
Method	POST
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8P8&sid=3xejTHvhOzFtYSLsAABS
Method	POST
Attack	
Evidence	1729773208
Other Info	1729773208, which evaluates to: 2024-10-24 08:33:28.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8pM&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	
Evidence	1729773210
Other Info	1729773210, which evaluates to: 2024-10-24 08:33:30.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8rv&sid=5bEeGa0eqrLb9oUVAABb
Method	POST
Attack	
Evidence	1729773210
Other Info	1729773210, which evaluates to: 2024-10-24 08:33:30.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8vs&sid=DyoeAjMZ0Us9be5NAABc
Method	POST
Attack	
Evidence	1729773211
Other Info	1729773211, which evaluates to: 2024-10-24 08:33:31.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8YW&sid=mDB42itAYqYe8PIOABU
Method	POST

Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Zo&sid=LTTUop_00DpH5oBcAABV
Method	POST
Attack	
Evidence	1729773209
Other Info	1729773209, which evaluates to: 2024-10-24 08:33:29.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9A3&sid=cYgwQHNMQ9yI2t0oAABg
Method	POST
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9II&sid=xf4gl6HZTV4FcQw6AABh
Method	POST
Attack	
Evidence	1729773212
Other Info	1729773212, which evaluates to: 2024-10-24 08:33:32.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9U2&sid=TBgsZ4VY006w0QvIAABj
Method	POST
Attack	
Evidence	1729773213
Other Info	1729773213, which evaluates to: 2024-10-24 08:33:33.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA0v&sid=U9p8e1L3IoEtIIWxAABl
Method	POST
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6Z&sid=fmfADYbluqmzTerSAABq
Method	POST
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?	

URL	EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	
Evidence	1729773215
Other Info	1729773215, which evaluates to: 2024-10-24 08:33:35.
Instances	528
Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.
Reference	https://cwe.mitre.org/data/definitions/200.html
CWE Id	200
WASC Id	13
Plugin Id	10096

Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X11E
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X153.0&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1Fa&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1oU

Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1pu&sid=3DSYgEnakXREOCMiAAAK
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2dl
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2el&sid=BBxgSCkGOqyBiB3CAAAO
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2Hb
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2LG&sid=omz-jjhsZZ9UjWKAAAM
Method	GET
Attack	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2nq&sid=BBxgSCkGOqyBiB3CAAAO
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2xo
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2zU&sid=l51dxJEImLxupA_zAAAO
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3dO
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3ha&sid=-dPNW/GWX_5FqDIQoAAAU
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3id
Method	GET
Attack	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3LW
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3N9&sid=93Kuem4lCfMYvZojAAAS
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3qT&sid=7WQssyELfQQnZAfvAAAV
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3Z2&sid=93Kuem4lCfMYvZojAAAS
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4-u&sid=T0vHBI29X79bEp4dAAAh
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?

URL	EIO=4&transport=polling&t=PA-X45v
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X47i&sid=sv2-me0zONHb0ZvYAAAY
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4cW&sid=kFdG6Z69jFSb-zruAAAb
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4fN&sid=DNrwUD1oxbM1En4_AAAa
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4Gm&sid=sv2-me0zONHb0ZvYAAAY
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4iQ
Method	GET
Attack	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4mS.0&sid=6HtrU0YShkXVZujqAAAd
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4qj
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4TX
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4V4&sid=DNrwUD1oxbM1En4_AAAa
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4vu.0&sid=gbsBqfcQ5j3a-CcXAAAag
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4xF
Method	GET

Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4xm
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4Yv
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X54m&sid=T0vHBI29X79bEp4dAAAh
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5GB
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Go.0&sid=m2WRWt8RtfQAW3byAAAk
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5gU
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Lc&sid=m2WRWt8RtfQAW3byAAAk
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5ln
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5lV&sid=M0wS1MiSUxZiGteJAAAg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5M9&sid=zhAVJKUWDk3-nfo3AAAm
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Ps
Method	GET
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Q_&sid=zhAVJKUWDk3-nfo3AAAm
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5qH.0&sid=zooJ_68vIF0MDJl_AAAr
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5s3&sid=M0wS1MiSUxZiGteJAAAq
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Ta&sid=8Q8jwNGReb9cQqkiAAAo
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5wV&sid=zooJ_68vIF0MDJl_AAAr
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6-7&sid=t1jMuUBt_H-17HfQAAA4

Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X64n
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X668
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X66I&sid=iQ4vstlI56-Si-DOAAAU
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6AV&sid=UBkv501swRZyRT_wAAAv
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6bX&sid=AjyvkkTuPhRzjqJNAAA1
Method	GET
Attack	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Ha&sid=UBkv501swRZyRT_wAAAv
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6jl&sid=7w4lalL4thSWFTPAAAQ
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6jw&sid=AjyvkkTuPhRzjqJNAAA1
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6NK
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Oz&sid=k5gPBaoZWfs2COq1AAAY
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Vi
Method	GET
Attack	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6w6
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Y4
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6y5
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6y9
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6ZD&sid=7w4laLI4thSWFTPA00
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Zu&sid=k5gPBAoZWfs2COq1AAAY
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70e&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70i&sid=pG70fCv62TS_bnVdAAA6
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76j&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76W
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76w&sid=t1jMuUBt_H-17HfQAAA4
Method	GET
Attack	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X79E&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7a3
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7ab
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7h7&sid=f6WYAAcxTL2jrOgQAABD
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7jp&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7JW&sid=TIzjwAM0cbueouRIAAA9
Method	GET

Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7kq&sid=5Tpt3grFUbE1G7uHAABF
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Lh
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Lp
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7oz
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7QJ&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7RV&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7sl&sid=s9eC5ytjGehgEjc0AABH
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Vc&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vP&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vu&sid=TLZ5ec5q09Nkr4e-AABJ
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Xp
Method	GET
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8-g
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8-V
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X81X&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X81Z&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X82g
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X83R&sid=l8yOGAphzNEorr_0AABA

Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X84e&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X86N&sid=D-Tb3-ztfeObSOK5AABN
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X87s&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X88E
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8aM&sid=3xejTHvhOzFtYSLsAABS
Method	GET
Attack	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8CT&sid=Kqpv9-4A1-Vx0gzFAABP
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8fC&sid=XyOKF3cz_7TAAtAABW
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8kf
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8LK
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8lQ&sid=XyOKF3cz_7TAAtAABW
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8m1
Method	GET
Attack	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8PB&sid=3xejTHvhOzFtYSLsAABS
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8ru
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8rv.0&sid=5bEeGa0eqrLb9oUVAABb
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Ug
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Uj
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8V1&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8vt&sid=Dy0aAjMZ0Us9be5NAABc
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Y-
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8YX&sid=mDB42itAYqYe8PIOAABU
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Zq&sid=LTTUop_00DpH5oBcAABV
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X91-
Method	GET
Attack	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X97c
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X994
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X99n&sid=DyOaAjMZ0Us9be5NAABc
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9bu&sid=TBgsZ4VY006w0OvIAABj
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9PV
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9UD&sid=TBgsZ4VY006w0OvIAABj
Method	GET

Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA0w&sid=U9p8e1L3loEtIIWxAABl
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA3X&sid=U9p8e1L3loEtIIWxAABl
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA4-
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6Z.0&sid=fmfADYbluqzmzTerSAABq
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8Q&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAAR&sid=fmfADYbluqzmzTerSAABq
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X153&sid=6uwmqZN4Fk0g6t6iAAAi
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1pt&sid=3DSYgEnakXREOCMiAAAK
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2ek&sid=BBxgSCkGOqyBiB3CAAQO
Method	POST
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2LF&sid=omz-ijhlsZZ9UjWKAAM
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2zT&sid=I51dxJElmLxupA_zAAAQ
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3hZ&sid=-dPNWGWX_5FqDIQoAAAU
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3N8&sid=93Kuem4lCfMYvZojAAAS
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3qS&sid=7WQssyELfQQnZAFvAAAV
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4-t&sid=T0vHBI29X79bEp4dAAAh

Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X47h&sid=sv2-me0zONHb0ZvYAAAY
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4cU&sid=kFdG6Z69jFSb-zruAAAb
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4mS&sid=6HtrU0YShkXVZujqAAAd
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4V3&sid=DNrwUD1oxbM1En4_AAAa
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4vu&sid=gbsBgfcQ5j3a-CcXAAAg
Method	POST
Attack	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Go&sid=m2WRWt8RtfQAW3byAAAk
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5IT&sid=M0wS1MiSUxZiGteJAAAg
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5M8&sid=zhAVJKUWDk3-nfo3AAAm
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5qH&sid=zooJ_68vIF0MDJI_AAAr
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5TY&sid=8Q8jwNGReb9cQqkiAAAo
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6-6&sid=t1jMuUBt_H-17HfQAAA4
Method	POST
Attack	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X66H&sid=iQ4vstlI56-Si-DOAAAu
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6AU&sid=UBkv501swRZyRT_wAAAv
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6bV&sid=AjyvkkTuPhRzjqJNAAA1
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Oy&sid=k5gPBaoZWfs2COq1AAAy
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6ZC&sid=7w4laLI4thSWFTPAAA0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?	

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70d&sid=aJd7pYHLc5NIA8WvAAA5
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70h&sid=pG70fCv62TS_bnVdAAA6
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X79D&sid=TIzjwAM0cbueouRIAAA9
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7h6&sid=f6WYAAcxTL2jrOgQAABD
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7kp&sid=5Tpt3grFUbE1G7uHAABF
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7QI&sid=l8yOGAphzNEorr_0AABA
Method	POST
Attack	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7RU&sid=kziBfKaMw6QEp3HtAABB
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7sH&sid=s9eC5ytjGehgEjc0AABH
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vO&sid=L8EUhAXPO7uqlzKfAABl
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vt&sid=TLZ5ec5q09Nkr4e-AABJ
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X86M&sid=D-Tb3-ztfeObSOk5AABN
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8CS&sid=Kqpv9-4A1-Vx0gzFAABP
Method	POST

Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8fB&sid=XyOKFxf3cz_7TAatAABW
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8P8&sid=3xejTHvhOzFtYSLsAABS
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8pM&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8rv&sid=5bEeGa0eqrLb9oUVAABb
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8vs&sid=DyoaAjMZ0Us9be5NAAABc
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8YW&sid=mDB42itAYqYe8PIOAABU
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Zo&sid=LTTUop_00DpH5oBcAABV
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9A3&sid=cYgwQHNMQ9y12t0oAABg
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9Il&sid=xf4gl6HZTV4FcQw6AABh
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9U2&sid=TBgsZ4VY006w0OvIAABj
Method	POST
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA0v&sid=U9p8e1L3loEtIIWxAABl
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6Z&sid=fmfADYbluqmzTerSAABq
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	181
Solution	<p>Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.</p> <p>If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.</p>
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security-Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	db

Other Info	The following pattern was used: \bDB\b and was detected 2 times, the first in the element starting with: "}catch(e){O.set(a,b,c)}else c=void 0;return c}n.extend({hasData:function(a){return O.hasData(a) N.hasData(a)},data:function(a," see evidence field for the suspicious comment/snippet.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected in the element starting with: "!function(a,b){\"object\"==typeof module&&\"object\"==typeof module.exports?module.exports=a.document?b(a,!0):function(a){if(!a.docu", see evidence field for the suspicious comment/snippet.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/main.js
Method	GET
Attack	
Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected in the element starting with: "\"use strict\";(self.webpackChunkfrontend=self.webpackChunkfrontend []).push([[179],[4550:(tt,K,c)=>{c.d(K,{e:()=>s});var S=c(234", see evidence field for the suspicious comment /snippet.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/vendor.js
Method	GET
Attack	
Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected in the element starting with: "(self.webpackChunkfrontend=self.webpackChunkfrontend []).push([[736],[9187:(At,ae,d)=> {\"use strict\";d.d(ae,{Xy:()=>J,ne:()=>Be,\" see evidence field for the suspicious comment /snippet.
Instances	4
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	10027

Informational	Modern Web Application
Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/
Method	GET

Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other	No links have been found while there are scripts, which is an indication that this is a modern

Info	web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/assets/public/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:39:13
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:55:18
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/styles.css
Method	GET
Attack	

Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/build/routes/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/assets/public/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/assets/public/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/assets/public/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/assets/public/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:280:10
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:286:9
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:328:13
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:365:14
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other	No links have been found while there are scripts, which is an indication that this is a modern

Info	web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:376:14
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:421:3
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/layer.js:95:5
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.

URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/favicon_js.ico
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets

URL	/public/runtime.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/assets/public/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/index.js:145:39
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/main.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/polyfills.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/runtime.js
Method	GET

Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/styles.css
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/serve-index/vendor.js
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/
Method	GET
Attack	
Evidence	ftp
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/sitemap.xml
Method	GET
Attack	
Evidence	<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
Instances	50
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	10109

Informational	Re-examine Cache-control Directives
Description	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com
Method	GET

Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Challenges/?name=Score%20Board
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/api/Quantities/
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:39:13
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/build/routes/fileServer.js:55:18
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:280:10
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/app/node_modules/express/lib/router/index.js:286:9
Method	GET

Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:328:13
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:365:14
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:376:14
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/index.js:421:3
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/express/lib/router/layer.js:95:5
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/app/node_modules/serve-index/index.js:145:39
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/assets/i18n/en.json

Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/acquisitions.md
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/announcement_encrypted.md
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/legal.md
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/ftp/quarantine
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-configuration
Method	GET

Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/admin/application-version
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/languages
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/products/search?q=
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/robots.txt
Method	GET
Attack	
Evidence	max-age=14400
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/sitemap.xml
Method	GET
Attack	
Evidence	public, max-age=0
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X11E
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X153.0&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	

Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1Fa&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1oU
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X1pu&sid=3DSYgEnakXREOCMiAAAK
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2dl
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2el&sid=BBxgSCkGOqyBiB3CAAAO
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2Hb
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2LG&sid=omz-jjhlsZZ9UjWKAAAM

Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2nq&sid=BBxgSCkGOqyBiB3CAAAQ
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2xo
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X2zU&sid=I51dxJEImLxupA_zAAAQ
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3dO
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3ha&sid=dPNW/GWX_5FqDIQoAAAU
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3id
Method	GET
Attack	
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3LW
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3N9&sid=93Kuem4lCfMYvZojAAAS
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3qT&sid=7WQssyELfQQnZAfvAAAV
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X3Z2&sid=93Kuem4lCfMYvZojAAAS
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4-u&sid=T0vHBI29X79bEp4dAAAh
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X45v
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X47i&sid=sv2-me0zONHb0ZvYAAAY
Method	GET
Attack	

Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4cW&sid=kFdG6Z69jFSb-zruAAAb
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4fN&sid=DNrwUD1oxbM1En4_AAAa
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4Gm&sid=sv2-me0zONHb0ZvYAAAY
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4iQ
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4mS.0&sid=6HtrU0YShkXVZujqAAAd
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4qj
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4TX

Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4V4&sid=DNrwUD1oxbM1En4_AAAa
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4vu.0&sid=gbsBqfcQ5j3a-CcXAAAg
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4xF
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4xm
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X4Yv
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X54m&sid=T0vHBI29X79bEp4dAAAh
Method	GET
Attack	
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5GB
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Go.0&sid=m2WRWt8RtfQAW3byAAAk
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5gU
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Lc&sid=m2WRWt8RtfQAW3byAAAk
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5ln
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5IV&sid=M0wS1MiSUxZiGteJAAaQ
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5M9&sid=zhAVJKUWDk3-nfo3AAAm
Method	GET
Attack	

Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Ps
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Q_&sid=zhAVJKUWDk3-nfo3AAAm
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5qH.0&sid=zooJ_68vIF0MDJl_AAAr
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5s3&sid=M0wS1MiSUxZiGteJAAAq
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5Ta&sid=8Q8jwNGReb9cQqkiAAAo
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X5wV&sid=zooJ_68vIF0MDJl_AAAr
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6-7&sid=t1jMuUBt_H-17HfQAAA4

Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X64n
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X668
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X66I&sid=iQ4vstlI56-Si-DOAAAu
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6AV&sid=UBkv501swRZyRT_wAAAv
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6bX&sid=AjyvkkTuPhRzjqJNAAA1
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Ha&sid=UBkv501swRZyRT_wAAAv
Method	GET
Attack	
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6jl&sid=7w4laLI4thSWETPAAA0
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6jw&sid=AjyvkkTuPhRzjqJNAAA1
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6NK
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Oz&sid=k5gPBaoZWfs2COq1AAAy
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Vi
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6w6
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Y4
Method	GET
Attack	

Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6y5
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6y9
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6ZD&sid=7w4laLI4thSWFTPAAA0
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X6Zu&sid=k5gPBAoZWfs2COq1AAAy
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70e&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X70i&sid=pG70fCv62TS_bnVdAAA6
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76j&sid=aJd7pYHLc5NIA8WvAAA5

Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76W
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X76w&sid=t1jMuUBt_H-17HfQAAA4
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X79E&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7a3
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7ab
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7h7&sid=f6WYAAcxTL2jrOgQAABD
Method	GET
Attack	
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7jp&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7JW&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7kq&sid=5Tpt3grFUbE1G7uHAABF
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Lh
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Lp
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7QJ&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	

Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7RV&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7sl&sid=s9eC5ytjGehgEjc0AABH
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Vc&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vP&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7vu&sid=TLZ5ec5q09Nkr4e-AABJ
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X7Xp
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8-g

Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8-V
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X81X&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X81Z&sid=kziBfKaMw6QEp3HtAABB
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X82g
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X83R&sid=l8yOGAphzNEorr_0AABA
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X84e&sid=TIzjwAM0cbueouRIAAA9
Method	GET
Attack	
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X86N&sid=D-Tb3-ztfeObSOk5AABN
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X87s&sid=aJd7pYHLc5NIA8WvAAA5
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X88E
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8aM&sid=3xejTHvhOzFtYSLsAABS
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8CT&sid=Kqpv9-4A1-Vx0gzFAABP
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8fC&sid=XyOKFxfG3cz_7TAaABW
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8kf
Method	GET
Attack	

Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8LK
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8IQ&sid=XyOKFxf3cz_7TAtAABW
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8m1
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8PB&sid=3xejTHvhOzFtYSLsAABS
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8ru
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8rv.0&sid=5bEeGa0eqrLb9oUVAABb
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Ug

Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Uj
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8V1&sid=L8EUhAXPO7uqlzKfAABl
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8vt&sid=DyoaAjMZ0Us9be5NAABc
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Y-
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8YX&sid=mDB42itAYqYe8PIOAABU
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8Zq&sid=LTTUop_00DpH5oBcAABV
Method	GET
Attack	
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X91-
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X97c
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X994
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X99n&sid=Dy0aAjMZ0Us9be5NAABc
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9bu&sid=TBgsZ4VY006w0OvIAABj
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9PV
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X9UD&sid=TBgsZ4VY006w0OvIAABj
Method	GET
Attack	

Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA0w&sid=U9p8e1L3loEtIIWxAABl
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA3X&sid=U9p8e1L3loEtIIWxAABl
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA4-
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6Z.0&sid=fmfADYbluqmzTerSAABq
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8Q&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAAR&sid=fmfADYbluqmzTerSAABq

Method	GET
Attack	
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	
Evidence	
Other Info	
Instances	157
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control https://grayduck.mn/2021/09/13/cache-control-recommendations/
CWE Id	525
WASC Id	13
Plugin Id	10015

Informational	Retrieved from Cache
Description	The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61721
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61726
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61728

Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61729
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61731
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61732
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61734
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61736
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61738
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61741
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.

URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61743
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61745
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61748
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61752
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.css
Method	GET
Attack	
Evidence	Age: 61755
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Age: 66356
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Age: 66361
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET

Attack	
Evidence	Age: 66363
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Age: 66364
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Age: 66366
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Age: 66367
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Age: 66369
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Age: 66371
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Age: 66373
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	

Evidence	Age: 66375
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Age: 66378
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Age: 66380
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Age: 66383
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Age: 66387
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js
Method	GET
Attack	
Evidence	Age: 66390
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69236
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69241
Other	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in

Info	use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69243
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69244
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69246
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69247
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69249
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69251
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69253
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js

Method	GET
Attack	
Evidence	Age: 69255
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69258
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69260
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69263
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69267
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js
Method	GET
Attack	
Evidence	Age: 69270
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
Instances	45
Solution	<p>Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:</p> <p>Cache-Control: no-cache, no-store, must-revalidate, private</p> <p>Pragma: no-cache</p> <p>Expires: 0</p>

	This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.
Reference	https://tools.ietf.org/html/rfc7234 https://tools.ietf.org/html/rfc7231 https://www.rfc-editor.org/rfc/rfc9110.html
CWE Id	
WASC Id	
Plugin Id	10050

Informational	User Agent Fuzzer
Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets
Method	GET

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n
Method	GET

Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/i18n
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/assets/public/images/products
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/rest/languages
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET

Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA6f
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.i0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET

Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XAEG&sid=igOkPIL9HSFhLWJkAABr
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=websocket&sid=6uwmqZN4Fk0g6t6iAAAI
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other	

Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa

Method	POST
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-X8wH&sid=ik2l1X-zxggfKlb3AABa
Method	POST
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
	https://owasp-juice-shop-practice.j0n-harr150n.com/socket.io/?

URL	EIO=4&transport=polling&t=PA-XA8P&sid=igOkPIL9HSFhLWJkAABr
Method	POST
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
Instances	121
Solution	
Reference	https://owasp.org/wstg
CWE Id	
WASC Id	
Plugin Id	10104