**Text Reference** Section 2.4

To learn how qualitative and quantitative observations of a chemical reaction are used to formulate a hypothesis.

### BACKGROUND

You and your friend's feelings about a movie you've just seen may be very different. You may disagree about whether you liked the movie, or about the movie's intended meaning. Although you both have observed the same movie, your interpretations of the movie may differ. Distinguishing between observation and interpretation is very important in chemistry. An *observation* is a statement of fact, based on what you detect by your senses. An *interpretation* is your judgment or opinion about what you have observed. A statement such as "the liquid is clear and colorless" is an observation. It would be an interpretation to say, without further testing, that the clear and colorless liquid is water.

The purpose of this experiment is to help you distinguish observation from interpretation while examining a chemical reaction. Try to make as many observations of the reaction as possible. Remember that there are two types of observations: A *quantitative* observation is an observation that involves a measurement; a *qualitative* observation is a general description and does not involve a measurement. "The liquid is hot" is a qualitative observation. "The temperature of the liquid is 95.0 °C" is a quantitative observation.

# MATERIALS (PER PAIR)

safety goggles 1 100-mL beaker 1 thermometer 1 glass stirring rod

1 plastic spoon

1 magnifying glass copper(II) chloride dihydrate, CuCl<sub>2</sub> • 2H<sub>2</sub>O T I aluminum foil, 8 cm × 8 cm distilled water

#### SAFETY FIRST!

In this lab, the solution you are working with may become quite hot following the addition of aluminum foil. Observe all precautions, especially the ones listed below. If you see a safety icon beside a step in the procedure, refer to the list below for its meaning.



Caution: Wear safety goggles. (All steps.)



**Caution:** Copper(II) chloride is an irritant. Avoid skin contact with this chemical. (All steps.)



**Caution:** Mercury is extremely toxic by skin absorption, ingestion, and by inhalation of vapor. If you break a mercury thermometer, report it immediately to your teacher. (Step 4.) Copper chloride is toxic by ingestion and inhalation. (Step 1.)



**Note:** Return or dispose of all materials according to the instructions of your teacher. (Step 5.)

#### **PROCEDURE**

As you perform the experiment, record your observations in Data Table 1.



1. Obtain and describe a sample of copper(II) chloride dihydrate, CuCl<sub>2</sub> • 2H<sub>2</sub>O crystals.





- 2. Fill the 100-mL beaker about one-fourth full with distilled water. Without stirring, add 1 level teaspoonful of crystals to the water. Record your observations of both the crystals and the water.
- **3.** Use the glass stirring rod to stir the mixture until the crystals are completely dissolved. Record your observations of the solution.



4. Place the thermometer in the copper(II) chloride solution and record the temperature. **CAUTION:** Observe the mixture from the side; do not look directly down into the beaker. Place a loosely crumpled ball of aluminum in the solution and record your observations. Stir the mixture occasionally and observe for at least 10 minutes. Record any change in temperature.



**5.** Follow your teacher's instructions for proper disposal of the materials.

Name	esect.	Class	Date	
OBSERVATIONS				

DATA TABLE 1: OBSERVATIONS					
System	Observations				
dry copper(II) chloride dihydrate					
match	u expect your observations or your interpretations to most closely				
copper(II) chloride in water	in signi reministrative				
stirred copper(II) chloride in water					
copper(II) chloride solution plus aluminum foil					
initial temperature:	obseivations was made during this lab, develop a hypothesis about				
final temperature:	en absolutio metal was soded to me swidton or capper(II) cinua				

## **ANALYSES AND CONCLUSIONS**

- 1. Check your observations. Cross out any that are interpretations rather than observations.
- 2. List each of your observations in one of four following sections. Number your observations consecutively. Circle the number of any observation that is quantitative.

1.	observations of the dry crystals	
	Symples of the Symples	And the language of the second

- b. observations of the wet crystals before stirring
- c. observations of the solution before addition of aluminum

Prentice Hall, Inc. All rights reserved.

initial temp?

Nam	ne	Paru	Class	Date				
	the solution	n	occurs when the aluminum					
final temp?				NATIONS	DATA LABLE 1-OBSEE			
			Observations		System			
					dry copper(II) chloride			
		ect your observations or y lassmates? Explain.	our interpretations to most	closely match				
				valer ·	coppertiti chloride in v			
-								
-					The William Control			
-				3102	in water.			
601	NC FURTUE							
601	NG FURTHE	K						
Deve	lop a Hypothe	esis						
Base	Based on the observations you made during this lab, develop a hypothesis about what happened when aluminum metal was added to the solution of copper(II) chloride.							
парр	renea when an	ammam metar was added	to the solution of copper(i	i) cinoride.				
					255.000 25300000			
				£morco3.	MUJURE CACIANA			
<u></u>			and the state of t	a nut aputa toman	acodisvesoo			
		iumber your	of four following sections: I	servations in one o	2. List each of your of observed			
Desig	gn an Experim	ent			quantimitye.			
		nent to test your hypothes our teacher, perform the	is. If resources are available experiment.	and you have				
<u> </u>					nts reser			
			ore stirring	the wet crystals before	Prentice Hall, Inc. All rights reserved			
					Hall, In			
					Prentice			
			muniquie la nabibbe	remediation before	to engitavisario e			