

## 1-SELECT \* FROM usuarios

The screenshot shows the phpMyAdmin interface with the 'usuarios' table selected. The SQL query 'SELECT \* FROM usuarios;' is entered in the query box. The results are displayed in a table with 10 rows and 5 columns: id, nombre, correo, and memb\_id. The table is titled 'Mostrando filas 0 - 9 (total de 10, La consulta tardó 0,0003 segundos.)'.

	id	nombre	correo	memb_id
<input type="checkbox"/>	1	Weriche	weriche@gmail.com	1
<input type="checkbox"/>	2	Grefitas	grefitas@gmail.com	4
<input type="checkbox"/>	3	reidy	jijia123@gmail.com	3
<input type="checkbox"/>	4	vixy	carlsjr@gmail.com	3
<input type="checkbox"/>	5	Merry	merry@gmail.com	1
<input type="checkbox"/>	6	Logitech	android@gmail.com	2
<input type="checkbox"/>	7	Shoyo	unorreoxd@gmail.com	4
<input type="checkbox"/>	8	Achel	acheluwukawai@gmail.com	3
<input type="checkbox"/>	9	macos	maquinos123@gmail.com	3
<input type="checkbox"/>	10	omal	omaroki@gmail.com	1

## 2-SELECT nombre FROM usuarios

The screenshot shows the phpMyAdmin interface with the 'usuarios' table selected. The SQL query 'SELECT nombre FROM usuarios;' is entered in the query box. The results are displayed in a table with 10 rows and 1 column: nombre. The table is titled 'Mostrando filas 0 - 9 (total de 10, La consulta tardó 0,0003 segundos.)'.

	nombre
<input type="checkbox"/>	Weriche
<input type="checkbox"/>	Grefitas
<input type="checkbox"/>	reidy
<input type="checkbox"/>	vixy
<input type="checkbox"/>	Merry
<input type="checkbox"/>	Logitech
<input type="checkbox"/>	Shoyo
<input type="checkbox"/>	Achel
<input type="checkbox"/>	macos
<input type="checkbox"/>	omal

### 3-SELECT \* FROM usuarios WHERE memb\_id=1

The screenshot shows the phpMyAdmin interface with a SQL query executed. The query is `SELECT * FROM usuarios WHERE memb_id=1;`. The result shows 2 rows of data. A tooltip is visible over the table header, providing instructions on how to sort and filter the data.

	id	nombre	correo	memb_id
<input type="checkbox"/>	1	Weriche	weriche@gmail.com	1
<input type="checkbox"/>	5	Merry	merry@gmail.com	1

### 4-SELECT \* FROM usuarios WHERE nombre LIKE 'A%'

The screenshot shows the phpMyAdmin interface with a SQL query executed. The query is `SELECT * FROM usuarios WHERE nombre LIKE 'A%';`. The result shows 1 row of data. The interface includes various options for displaying and saving the query results.

	id	nombre	correo	memb_id
<input type="checkbox"/>	8	Achel	acheluwukawai@gmail.com	3

## 5-SELECT \* FROM canciones WHERE fecha>2024-01-01


The screenshot shows the phpMyAdmin interface with the 'canciones' table selected. The SQL query executed is `SELECT * FROM canciones WHERE fecha > '2024-01-01';`. The result shows 1 row with the following data:

id	nombre	genero_id	duracion	fecha	activo	foto
5	Lose My Breath	2	00:02:52	2024-05-09	1	<a href="https://www.google.com/url?sa=i&amp;url=https%3A%2F%2F...">https://www.google.com/url?sa=i&amp;url=https%3A%2F%2F...</a>

## 6-SELECT \* FROM canciones WHERE genero\_id=1 AND genero\_id=2

The screenshot shows the phpMyAdmin interface with the 'canciones' table selected. The SQL query executed is `SELECT * FROM canciones WHERE genero_id=1 AND genero_id=2;`. The result shows an empty set of values, as indicated by the message: "MySQL ha devuelto un conjunto de valores vacío (es decir: cero columnas). (La consulta tardó 0,0002 segundos.)"

## 7-SELECT \* FROM canciones WHERE nombre LIKE '%come%'



The screenshot shows the phpMyAdmin interface with the 'canciones' table selected. The SQL query `SELECT * FROM canciones WHERE nombre LIKE '%come%';` has been executed, resulting in an empty set. The interface includes a sidebar with a database tree, a top navigation bar, and a main content area with various toolbars and options.

Mostrar ventana de consultas SQL

MySQL ha devuelto un conjunto de valores vacío (es decir: cero columnas). (La consulta tardó 0,0004 segundos)

```
SELECT * FROM canciones WHERE nombre LIKE '%come%';
```

Perfilando [ Editar en línea ] [ Editar ] [ Explicar SQL ] [ Crear código PHP ] [ Actualizar ]

id	nombre	genero_id	duracion	fecha	activo	foto
----	--------	-----------	----------	-------	--------	------

Operaciones sobre los resultados de la consulta


Crear vista

Guardar esta consulta en favoritos

Etiqueta:  ☐ Permitir que todo usuario pueda acceder a este favorito

Guardar esta consulta en favoritos

## 8-SELECT count(\*) FROM favoritos WHERE canciones\_id=1



The screenshot shows the phpMyAdmin interface with the 'favoritos' table selected. The SQL query `SELECT count(*) FROM favoritos WHERE canciones_id=1;` has been executed, resulting in a single row with the value 0. The interface includes a sidebar with a database tree, a top navigation bar, and a main content area with various toolbars and options.

Mostrar ventana de consultas SQL

La selección actual no contiene una columna única. La edición de la grilla y los enlaces de copiado, eliminación y edición no están disponibles.

Mostrando filas 0 - 0 (total de 1, La consulta tardó 0,0003 segundos)

```
SELECT count(*) FROM favoritos WHERE canciones_id=1;
```

Perfilando [ Editar en línea ] [ Editar ] [ Explicar SQL ] [ Crear código PHP ] [ Actualizar ]

Mostrar todo | Número de filas: 25 | Filtrar filas:

Opciones extra

count(\*)

0

Mostrar todo | Número de filas: 25 | Filtrar filas:

Operaciones sobre los resultados de la consulta

Imprimir Copiar al portapapeles Exportar Mostrar gráfico Crear vista

Guardar esta consulta en favoritos

Etiqueta:  ☐ Permitir que todo usuario pueda acceder a este favorito

Guardar esta consulta en favoritos