

To what extent does HK fit the patterns of decreasing distance from the Peak Land Value Intersection?

Candidate Number: kcv157

Contents

Introduction.....	3
Defining PLVI.....	3
Aim.....	4
Methodology	9
Sampling Methods.....	9
Statistics	12
Method to analyse data.....	13
Data presentation and Analysis.....	16
Northern Transect.....	16
Eastern Transect:	20
Southern Transect:.....	24
West Transect:.....	28
Combined Transects:.....	32
Conclusion	35
Evaluation	36
Appendix.....	37

Introduction

The Peak Land Value Intersection (PLVI) is the highest point on the urban-land value surface. Normally, the further away you are from the PLVI, the cheaper the land value would be, as the accessibility to services will decrease, in accordance with the Bid Rent Theory. This essay will investigate this phenomenon, so the research question of this essay is “To what extent does HK fit the patterns of decreasing distance from the Peak Land Value Intersection?” “The land value of HK is impossible to directly measure. Due to this, we would be using a proxy indicator, the land height to do so. A proxy indicator indirectly approximates something that cannot be directly. The land in the CBD is limited and expensive due to the lack of space, so developers build taller buildings to make more space, utilizing it more.

The alternate hypothesis is that the number of floors of buildings in HK will decrease with increasing distance from the PLVI, while the null hypothesis is that the number of floors of buildings in HK will not decrease with increasing distance from the PLVI. The essay will compare the results from the fieldwork from the figures learnt from the unit of Urban Environments.

Defining PLVI

Although the IFC2 is the second tallest building in Hong Kong, it is considered as the PLVI as it is in Central, the CBD of HK, while the tallest building, ICC is not. The differences between the two skyscrapers are compared below:



Figure 1: the IFC and its surroundings

(Hong Kong's IFC2, home to Akin Gump's new office in the city)




Figure 2: ICC and its surroundings (ICC Tower)

Aim

The aim of the investigation is to prove the alternate hypothesis by investigating the relationship between PLVI and the different urban models listed here. The urban land use models support that the CBD has the highest land value. However, the models differ from the null hypothesis because they believe that accessibility of services decreasing due to distance can be countered. The Hoyt model suggests that areas closer to the CBD have cheaper land rent due to having older buildings. The multiple nuclei model suggests that some areas far from the CBD have high rent due to multiple nuclei of goods and services.

Kwun Tong Line	
Tung Chung Line	
Tsuen Wan Line	
Island Line	
Tuen Ma Line	




Figure 3: Hand drawn map of HK Island and Kowloon




Figure 4, Population density of Hong Kong (*Population and Marine Recreation Issues*)




Figure 5: The Burgess Model (*Burgess model*)





Figure 6: The Hoyt Model (Hoyt Model)

Figure 7: Bid rent theory model (*Bid Rent1*)




Figure 8: Multiple Nuclei Model (*Harris & Ullman's Multiple Nuclei Model*)




Figure 9: Core and Frame Model (*Core Frame1*)

Methodology

The dependent variable will be the number of floors in a building, and the independent variable will be the distance the building is from the PLVI. Buildings are located with Google Maps, while floors are counted by human observation

Sampling Methods

Stratified sampling will be used to determine the proportional height of the buildings. Stratified sampling can reduce the sample size while still providing an accurate and fair representation of the building size. Four transects are created in the cardinal points from the PLVI, with the height of four buildings being measured every 200m. To ensure a large sample size, systematic sampling will be utilized with 4 buildings within 25m of a point measured every 200m. 25m is chosen as it includes the overall width of the standard road, 20.5m(*Internal Transport Facilities*))

Commented [SYSS1]: https://www.pland.gov.hk/pland_en/tech_doc/hkpsg/full/pdf/ch8.pdf




Figure 10: how floors are counted (Made by candidate)




Figure 11: spacing and inclusion (Stratified sampling) (Made by candidate)




Figure 12: Map of the transects chosen (Edited from Google Maps)

Errors	Justification of Errors
Government Buildings	No incentive for extra height, not for commercial purposes
Schools	Cannot be over “24m above ground level” (<i>Education Regulations (Cap. 279 sub. leg. A)</i>)
Institutional Land Use	
Museums	No incentive to build higher, no commercial value
Elderly Care Homes	
Hospitals	
Religious Buildings	
Historical sites,	
Cemeteries	

Commented [SYSS2]: https://www.elegislation.gov.hk/hk/cap279A?SEARCH_WITHIN_CAP_TXT=24m

Transport Land Use	Cannot measure the number of stories
Construction Sites	
Recreational land use	

Figure 13: Table of errors that are excluded from the final data

Statistics

Extreme anomalies will influence correlations, and outliers must be removed for an accurate representation of the correlation. The upper and lower ranges, as well as outliers, are determined using a 2-standard deviation. To find the ranges, subtract or add the average by two times the standard deviation. Standard deviation is useful because it provides an unbiased, fixed number for judging ranges and considers all observations.

The formula for the standard deviation is as follows:

$$\sigma = \sqrt{\frac{\sum (x_i - \mu)^2}{N}}$$

σ = population standard deviation

N = the size of the population

x_i = each value from the population

μ = the population mean

Figure 14: Standard deviation formula (*Standard deviation formula*)




Figure 15: Standard deviation chart (*Standard deviation diagram*)

Refer to the data table in the appendix to find the results.

Method to analyse data

Data analysis is done using the Spearman's Rank Correlation Coefficient, which shows the strength of the correlation in data.

The greater the correlation between the two variables, the closer the correlation coefficient is to 1. A correlation coefficient less than 0.5 indicates that there is no clear relationship between the distance from the PLVI and the number of floor levels, whereas a correlation coefficient greater than 0.85 implies a strong correlation.

The Spearman's Rank Correlation Coefficient is superior to the Pearson Rank Coefficient among the Rank Correlation coefficients. The Pearson's correlation does not account for extreme anomalies, whereas the Spearman's correlation does. The Spearman's Rank Correlation Coefficient is also non-linear, parametric, and does not require normal distributions.

Interval	Distance from PLVI (metres)	Number of floors	Average number of floors at transect point (RAW) (4 sig. no.)	Average number of floors at transect point (excluding errors)	Average number of floors at transect point (excluding errors and outliers)	Rank for distance from PLVI	Rank for average number of floors (excluding errors and outliers)	Difference in Ranking (d)	Difference in ranking squared (d ²)
E1a (NE)	200	88	22	88.00	0.00	1.00	30.00	29.00	841
E1b (SE)		0							
E1c (SW)		0							
E1d (NW)		0							
E2a (NE)	400	0	0	0.00	0.00	2.00	30.00	28.00	784
E2b (SE)		0							
E2c (SW)		0							
E2d (NW)		0							
E3a (NE)	600	0	0	0.00	0.00	3.00	30.00	27.00	729
E3b (SE)		0							
E3c (SW)		0							
E3d (NW)		0							
E4a (NE)	800	0	0	0.00	0.00	4.00	30.00	26.00	676
E4b (SE)		0							
E4c (SW)		0							
E4d (NW)		0							
E5a (NE)	1000	0	0	0.00	0.00	5.00	30.00	25.00	625
E5b (SE)		0							
E5c (SW)		0							
E5d (NW)		0							
E6a (NE)	1200	0	1	4.00	0.00	6.00	30.00	24.00	576
E6b (SE)		0							
E6c (SW)		0							
E6d (NW)		4							




Figure 16: Table of Spearman's Rank Correlation Coefficient

$$r_s = 1 - \frac{6 \sum D^2}{n(n^2 - 1)}$$

Figure 1

Figure 17: Formula for Spearman's Rank Correlation Coefficient (*Spearman's Rank correlation*)

The statistical significance of the data is also determined using the T-Test. It is deemed not statistically significant if the T-Value of the data does not surpass the critical value of the table at a 95% confidence interval, and only if it does will it be deemed significant.

$$t = \frac{r\sqrt{n-2}}{\sqrt{1-r^2}}$$

Figure 19: formula for T value (*T-value*)

After substituting the r from the Spearman's Rank Correlation Coefficient, a comparison is made between it and the critical value of 95%. If it is above that, it is statistically significant while if it is lower it is not.

Data presentation and Analysis

Northern Transect

Chun Hing Building



Distance from PLVI:
2km

Number of Floors:
13

Residential +
Commercial Land use

Lai Shing Building



Distance from PLVI:
3.6km

Number of Floors:
17

Residential +
Commercial Land use

Cheung Sha Wan Plaza



Distance from PLVI:
7.6km

No. of Floors:
8

Commercial Land
use

Photos taken by candidate




Figure 20: Graph of raw data of Northern Transect




Figure 21: Graph of processed data of Northern Transect

Average floors for whole transect	7.382
Average floors excluding errors and outliers	12.71
Standard Deviation	7.63
Upper range	22
Lower range	0.5
R value	-0.33197
T value	-1.72406
Critical value	2.064
Is R value reliable?	No

Figure 22: Table for information of Northern Transect




Figure 23: Map of data points of Northern Transect (Edited from Google Maps)

$0 \leq x \leq 10$	$10 < x \leq 20$	$20 < x \leq 30$	$30 < x \leq 40$	$40 < x \leq 50$	PLVI

The graph shows that there is a weak positive correlation between the distance from PLVI and the number of floors. As seen in figure 22, the T-test score failed, so there is no statistical significance to the correlation, which means that H_1 cannot be accepted.

The relationship between the distance from PLVI and land value is positive. This may be explained by the multi nuclei model for land value, as Tsim Sa Tsui can be considered a secondary business district, as it is like most characteristics of Central, which can be seen in points 14-16. In addition, urban redevelopment schemes in the Mong Kok and Yau Ma Tei areas; or in points 18-22, can explain the increase of building heights in these locations. However, in the end of figure 21, points 36-38 we can see that the building height is lower. This is because of urban decay, as most of the buildings there are industrial buildings, so development is minimal there.

Eastern Transect:

Riviera Mansion



Distance from PLVI:
3.2 km

No. of Floors:
14

Residential Land
use

Kailey Court



Distance from PLVI:
4.8km

No. of Floors:
24

Commercial + Residential
Land use

K11 Atelier



Distance from PLVI:
6.6km

No. of Floors:
28

Commercial Land
use

Photos taken by candidate




Figure 25: Graph of raw data of Eastern Transect




Figure 26: Graph of processed data of Eastern Transect

Average floors for whole transect	10.79
Average floors excluding errors and outliers	11.49
Standard Deviation	9.47
Upper range	43.7
Lower range	1
R value	0.00376
T value	0.0160
Critical value	2.09
Is R value reliable?	No

Figure 27: Table for information of Eastern Transect




Figure 28: Map of data points of Eastern Transect (Edited from Google Maps)

$0 \leq x \leq 10$	$10 < x \leq 20$	$20 < x \leq 30$	$30 < x \leq 40$	$40 < x \leq 50$	PLVI

The graph shows that there is a strong positive correlation between the distance from PLVI and the number of floors. As seen in figure 27, the T-test score failed, so there is no statistical significance to the correlation, which means that H_1 cannot be accepted.

The relationship between the distance from PLVI and land value is positive. This may be explained by the Hoyt model for land value, as the points 30-32 in figure 26 has low- medium class residential buildings, even though it is extremely far away from the PLVI. Also, for points 2-7, there are little to no buildings in that area, as the government regulations causes the area close to the water to be clear to maintain buildings values in other areas. In addition, for points 8-10, the buildings are outliers as they are too high, which may affect the correlation of the graph, leading to strong correlation.

Southern Transect:

Sbi Centre



Distance from PLVI:
0.6km

No. of Floors:
18

Commercial Land
use

Man Hing Commercial Centre



Distance from PLVI:
1.2km

No. of Floors:
23

Commercial Land
use

Shelly Court



Distance from PLVI:
1.8km

No. of Floors:
12

Residential Land
use

Photos taken by candidate




Figure 29: Graph of raw data of Southern Transect




Figure 30: Graph of processed data of Southern Transect

Average floors for whole transect	19.125
Average floors excluding errors and outliers	19.90
Standard Deviation	8.78
Upper range	38
Lower range	7
R value	-0.51667
T value	-1.59658
Critical value	2.365
Is R value reliable?	No

Figure 31: Table for information of Southern Transect




Figure 32: Map of data points of Southern Transect (Edited from Google Maps)

The graph shows that there is a weak positive correlation between the distance from PLVI and the number of floors. As seen in figure 31, the T-test score failed, so there is no statistical significance to the correlation, which means that H_1 cannot be accepted.

The relationship between the distance from PLVI and land value is positive. This may be explained by the Hoyt model, as the points 9-10 in figure 30 has low- medium class residential buildings with high floors. In addition, as figure 32 shows, the Southern Transect has high relief, which causes buildings to be naturally higher to make use of most of the land that can be developed. However, points 7-8 have low building height, which can be related to urban decay, as these buildings can be seen to be older.

West Transect:

Hang Seng Bank Head Office



Distance from PLVI:
0.4km

No. of Floors:
25

Commercial Land
use

Lucky commercial centre



Distance from PLVI:
1.6km

No. of Floors:
23

Commercial Land
use

Bohemian House



Distance from PLVI:
2.2km

No. of Floors:
27

Commercial + Residential
Land use

Photos taken by candidate




Figure 33: Graph of raw data of Western Transect




Figure 34: Graph of processed data of Western Transect

Average floors for whole transect	15.4
Average floors excluding errors and outliers	18.2
Standard Deviation	6.373634307
Upper range	26.3
Lower range	10.5
R value	0.0176
T value	0.0609
Critical value	2.18
Is R value reliable?	No

Figure 35: Table for information of Western Transect




Figure 36: Map of data points of Western Transect (Edited from Google Maps)

$0 \leq x \leq 10$	$10 < x \leq 20$	$20 < x \leq 30$	$30 < x \leq 40$	$40 < x \leq 50$	PLVI

The graph shows that there is a weak positive correlation between the distance from PLVI and the number of floors. As seen in figure 35, the T-test score failed, so there is no statistical significance to the correlation, which means that H_1 cannot be accepted.

The relationship between the distance from PLVI and land value is positive. This may be explained by the Hoyt model, as the points 11-15 in figure 34 has a lot of high commercial buildings. In addition, points 8-10 are industrial buildings and low-class residential buildings, so a dip in the building height can be attributed to urban decay. There are also some errors in the early points of the transect have some redevelopment, leading to a lot of construction sites, so the building height in points 2-4 are lower.

Combined Transects:




Figure 37: Graph of processed data of Combined Transects

Average floors	10.8
Average floors excluding errors and outliers	13.6
Standard Deviation	4.51
Upper range	18.1
Lower range	9.11
R value	-0.305
T value	-1.89
Critical value	2.03
Is R value reliable?	No, reject H_1 , accept H_0

Figure 38: Table for information of Combined Transects




Figure 39: Map of data points of Combined Transects (Edited from Google Maps)

$0 \leq x \leq 10$	$10 < x \leq 20$	$20 < x \leq 30$	$30 < x \leq 40$	$40 < x \leq 50$	PLVI

The graph shows that there is a weak negative correlation between the distance from PLVI and the number of floors. As seen in figure 35, the T-test score failed, so there is no statistical significance to the correlation, which means that H_1 cannot be accepted.

As the distance from the PLVI grows, the building height decreases, proving H_1 . The west, south, and east transects conform to the Hoyt Model, which states that some land use grow outwards in sectors which follow main roads. The Northern Transect conforms to the Multiple Nuclei Model, which has several secondary business districts for their region. As such, some areas can have different land use compared to the Burgess model. Even though they do not individually follow the Burgess model, the final graph still follows it. The increase in building

height in points 18-25 can be explained by urban redevelopment programs, which may increase the floor height of buildings

To lessen the effects of urban decline in low-income housing districts close to the Central CBD, the Hong Kong government has been implementing urban redevelopment programs. Destroying outdated structures and replacing them with taller residential or even commercial structures is another way the government has been combating urban decay in Sham Shui Po and Kwai Chung. Outliers in the data may result from this.

Conclusion

The goal of the IA is to determine if Hong Kong's land-use pattern is consistent with the trend of falling land values and building height predicted by the bid-rent theory and other urban land-use models, as shown by the PLVI, IFC. The alternative hypothesis proposes that there is a negative correlation between the variables, whilst the null hypothesis asserts that there is no significant link between the number of floors and distance from the PLVI. The T-test indicates that the findings are statistically insignificant, even though the overall correlation is negative ($R = 0.08$), which leads the research to support the null hypothesis.

The physical and human barriers that affect the data are a significant factor. The PLVI (2IFC) and the CBD, Central, are situated on Hong Kong Island and are divided from the Asian mainland by Victoria Harbour. The South of the CBD is the mountainous centre of Hong Kong Island, which renders it difficult to construct skyscrapers. Since the bid rent theory model does not account for terrain, this has an influence on it.

The substantial number of populations is another factor. Due to its high population density (16,038 people per square kilometre), Hong Kong Island is one of the least accessible islands in the world, which forces businesses to use vertical expansion. Due to the high number of floors some low-income residential buildings have as a result, there is no relationship between the number of floors and income, making the bid rent theory invalid in this situation.

Finally, the correlation won't be perfect due to the growth of new towns and tall, affluent residential estates on rural-urban fringes.

Since the multiple nuclei model by Harris and Ullman and the bid rent theory are more accurate representations of Hong Kong's urban structure than just a circular pattern (the concentric zone model), alternative urban models become much more plausible.

Evaluation

The investigation had some issues that prevented the findings from being accurately indicative of the relationship between building height and distance from PLVI. Due to the nature of the cardinal directions from the CBD, the Northern and Eastern Transects (7.6km and 7km, respectively) are noticeably longer than the Southern and Western Transects (2km and 3km, respectively). The edge of the city borders, which extend until Kennedy Town, limit the west and the south, respectively. The length of each transect will be controlled if I do another investigation because there was no attempt to tackle this issue in this one.

Another significant issue is that there are not enough transects being used to cover the entire CBD of Hong Kong. It may be more accurate if the number of transects were expanded to include the four ordinal directions (NW, NE, SW, and SE), but this is outside the scope of the time and labour available.

The stratified and systematic sampling is employed was also a problem in this investigation. There were many structures on congested main highways that were missed since just 4 buildings were selected per 200m. To have the best representation of the height of buildings at a specific distance from the PLVI, I would change it to include more buildings or reduce the distance between the data points.

Appendix

References:

*Bid Rent*¹. 31 Oct. 2022.

Burgess Model. 31 Oct. 2022.

*Core Frame*¹. 31 Oct. 2022.

“Education Regulations (Cap. 279 Sub. Leg. A).” 28 July 2022.

Harris & Ullman’s Multiple Nuclei Model. 31 Oct. 2022.

Hong Kong’s IFC2, Home to Akin Gump’s New Office in the City. 31 Oct. 2022.

Hoyt Model. 31 Oct. 2022.

ICC Tower. 31 Oct. 2022.

“Internal Transport Facilities.” Planning Department, Aug. 2021.

Population and Marine Recreation Issues. Hong Kong, 31 Oct. 2022.

Spearman’s Rank Correlation. 31 Oct. 2022.

Standard Deviation Diagram. 31 Oct. 2022.

T-Value. 31 Oct. 2022.

Interval	Distance from PLVI (metres)	Address	Building name	Number of floors	Average number of floors at transect point (RAW) (4 sig. no.)	Average number of floors at transect point (excluding errors)	Average number of floors at transect point (excluding errors and outlier)	Comments	Rank for distance from PLVI	Rank for average number of floors (excluding errors and outlier)	Difference in Ranking (d)	difference in ranking squared (d^2)
N1a (NE)	200		sea	0	0.000	0.000	0.000				0.00	0
N1b (SE)			sea	0								
N1c (SW)			sea	0								
N1d (NW)			sea	0								
N2a (NE)	400		sea	0	0.000	0.000	0.000				0.00	0
N2b (SE)			sea	0								
N2c (SW)			sea	0								
N2d (NW)			sea	0								
N3a (NE)	600		sea	0	0.000	0.000	0.000				0.00	0
N3b (SE)			sea	0								
N3c (SW)			sea	0								
N3d (NW)			sea	0								
N4a (NE)	800		sea	0	0.000	0.000	0.000				0.00	0
N4b (SE)			sea	0								
N4c (SW)			sea	0								
N4d (NW)			sea	0								
N5a (NE)	1000		sea	0	0.000	0.000	0.000				0.00	0
N5b (SE)			sea	0								
N5c (SW)			sea	0								
N5d (NW)			sea	0								
N6a (NE)	1200		sea	0	0.000	0.000	0.000				0.00	0
N6b (SE)			sea	0								
N6c (SW)			sea	0								
N6d (NW)			sea	0								
N7a (NE)	1400		Hong Kong cultural center	0	1.000	0.000	0.000		1	29.50	-28.50	812.25
N7b (SE)			Kowloon public pier	2								
N7c (SW)			Kowloon public pier	2								
N7d (NW)			Cultural center outdoor plaza	0								

N8a (NE)	1600		Hong Kong Space Museum		0.000	0.000	0.000	2	29.50	-27.50	756.25
N8b (SE)			Hong Kong Space Museum								
N8c (SW)			Hong Kong Space Museum								
N8d (NW)			N/A	0							
N9a (NE)	1800		Far East Mansion	17	4.25	17.000	17.000	3	7.5	-4.5	20.25
N9b (SE)			N/A	0							
N9c (SW)			N/A	0							
N9d (NW)			N/A	0							
N10a (NE)	2000		Cheong Hing building	13	15.00	15.000	15.000	4	13	-9	81
N10b (SE)			Mirador Mansion	17							
N10c (SW)			Harilela Mansion	13							
N10d (NW)			Tsim Sha Tsui Mansion	17							
N11a (NE)	2200		N/A	0	3.50	14.000	14.000	5	15	-10	100
N11b (SE)			Burlington Arcade	14							
N11c (SW)			N/A	0							
N11d (NW)			N/A	0							
N12a (NE)	2400		Miraplace 1	9	2.250	9.000	9.000	6	23	-17	289
N12b (SE)			N/A	0							
N12c (SW)			N/A	0							
N12d (NW)			N/A	0							
N13a (NE)	2600		Mercantile House	6	3.75	7.500	7.500	7	25	-18	324
N13b (SE)			Kun Lock Building	9							
N13c (SW)			N/A	0							
N13d (NW)			N/A	0							
N14a (NE)	2800		Prudential Hotel	18	10.00	13.33	13.33	8	17	-9	81
N14b (SE)			N/A	0							
N14c (SW)			Cumberland House	11							
N14d (NW)			JD Mall	11							
N15a (NE)	3000		Kim Tak Building	15	16.75	16.750	16.750	9	9.5	-0.5	0.25
N15b (SE)			Pak Lok Mansions	18							
N15c (SW)			Buckingham Building	13							
N15d (NW)			Crason Commercial Centre	21							
N16a (NE)	3200		N/A	0	10.00	20.00	20.00	10	4.5	5.5	30.25

N16b (SE)		Eaton HK	21								
N16c (SW)		Honour House	19								
N16d (NW)		N/A	0								
N17a (NE)	3400	Man Hoo Court	19	7.75	15.50	15.50		11	11	0	0
N17b (SE)		Tsang Cheung House	12								
N17c (SW)		N/A	0								
N17d (NW)		N/A	0								
N18a (NE)	3600	Tougha Mansion	10	16.75	16.750	16.750		12	9.5	2.5	6.25
N18b (SE)		Tai Shing Commercial Yaumati Building	23								
N18c (SW)		Prospect Building	17								
N18d (NW)		Lai Shing Building	17								
N19a (NE)	3800	Cheung Hing Building	17	20.00	20.000	20.000		13	4.5	8.5	72.25
N19b (SE)		Ka Wing Building	19								
N19c (SW)		Bell House	22								
N19d (NW)		Bell House	22								
N20a (NE)	4000	Chow Tai Fook Commercial Centre	24	20.25	20.250	20.250		14	3	11	121
N20b (SE)		Wo Foo Commercial Building	26								
N20c (SW)		Ko's House	12								
N20d (NW)		Attilio Building	19								
N21a (NE)	4200	Good Hope Building	23	19.250	24.67	24.67		15	1	14	196
N21b (SE)		Hollywood Plaza	22								
N21c (SW)		Sun Hing Building	29								
N21d (NW)		Standard Chartered Mongkok Branch	3								
N22a (NE)	4400	Wai Fung Plaza	19	19.00	19.00	19.00		16	6	10	100
N22b (SE)		Rex House	16								
N22c (SW)		Wu Sang House	26								
N22d (NW)		HSBC Building Mong Kok	15								
N23a (NE)	4600	n/a	0	10.25	20.50	20.50		17	2	15	225
N23b (SE)		TOP shopping mall	15								
N23c (SW)		Silvercorp international tower	26								

N23d (NW)			n/a	0							
N24a (NE)	4800		n/a	0	0.00	0.000	0.000	18	29.5	-11.5	132.25
N24b (SE)			n/a	0							
N24c (SW)			n/a	0							
N24d (NW)			n/a	0							
N25a (NE)	5000		MK police station	10	6.00	14.00	14.00	19	15	4	16
N25b (SE)			n/a	0							
N25c (SW)			n/a	0							
N25d (NW)			Honland building	14							
N26a (NE)	5200		n/a	0	8.50	17.00	17.00	20	7.5	12.5	156.25
N26b (SE)			n/a	0							
N26c (SW)			Lee Tat Building	12							
N26d (NW)			Summit Insurance	22							
N27a (NE)	5400		Cheung Hong Mansion	14	14.00	14.00	14.00	21	14	7	49
N27b (SE)			Hang Shing Building	12							
N27c (SW)			Cheung Fung Commercial Building	15							
N27d (NW)			Hung Wan Building	15							
N28a (NE)	5600		Hip Kwan House	23	11.50	15.33	15.33	22	12	10	100
N28b (SE)			Cheung Ming building	9							
N28c (SW)			Maple Street Playground	0							
N28d (NW)			Cheng Fai Building	14							
N29a (NE)	5800		Tak Wong Building	12	9.00	9.00	9.00	23	22	1	1
N29b (SE)			BOC Cheung Sha Wan building	7							
N29c (SW)			Tsik Sin Building	12							
N29d (NW)			Cheung Lee Building	5							
N30a (NE)	6000		Chong Fat Building	13	3.25	13.00	13.00	24	18	6	36
N30b (SE)			N/A	0							
N30c (SW)			N/A	0							
N30d (NW)			N/A	0							
N31a (NE)	6200		Sham Shui Po telephone exchange	9	4.75	6.33	6.33	25	26	-1	1
N31b (SE)			CLP power HK limited	9							

N31c (SW)		Yee Ching Court reading centre	1								
N31d (NW)		N/A	0								
N32a (NE)		N/A	0								
N32b (SE)		N/A	0	3.25	13.00	13.00		26	18	8	64
N32c (SW)		Lai Kok Estate Lai Ho House	13								
N32d (NW)	6400	N/A	0								
N33a (NE)		N/A	0								
N33b (SE)		N/A	0								
N33c (SW)		Cheung Sha Wan Estate Ancillary Facilities Block	7	1.75				27	29.5	-2.5	6.25
N33d (NW)	6600	Cheung Sha Wan playground	0		0.00	0.00					
N34a (NE)		N/A	0								
N34b (SE)		N/A	0	1.75				28	29.5	-1.5	2.25
N34c (SW)		N/A	0								
N34d (NW)	6800	SKH Kei Fook Primary school	7		0.00	0.00					
N35a (NE)		Cheung Sha Wan Sports Centre	2								
N35b (SE)		N/A	0	0.50				29	29.5	-0.5	0.25
N35c (SW)		N/A	0								
N35d (NW)	7000	N/A	0		0.00	0.00					
N36a (NE)		Lai Sun Shopping Arcade	11								
N36b (SE)		N/A	0	5.50						10	100
N36c (SW)		N/A	0								
N36d (NW)	7200	Hung Cheong Factory Building	11		11.00	11.00		30	20		
N37a (NE)		Clifford Centre	31								
N37b (SE)		Tin On Industrial Building	10								
N37c (SW)		Gee Hing Chang Industrial Building	11	22.00		10.50				10	100
N37d (NW)	7400	Laws Commercial Plaza	36		22.00			31	21		
N38a (NE)		Manley Centre	9	9.00						10	100
N38b (SE)	7600	Cheung Sha Wan Plaza	8		9.00	9.00		32	22		

N38c (SW)			Cheung Sha Wan Plaza	8								
N38d (NW)			Li Fung Tower	11								
											Sum of d2:	4079
				#N/A	7.382		12.71				R-value	0.2523826979
											T-value	1.42860447
Interval	Distance from PLVI (metres)	Address	Building name	Number of floors	Average number of floors at transect point (RAW) (4 sig. no.)	Average number of floors at transect point (excluding errors)	Average number of floors at transect point (excluding errors and outliers)	Rank for distance from PLVI	Rank for average number of floors (excluding errors and outliers	Difference in Ranking (d)	Difference in ranking squared (d^2)	
E1a (NE)	200		2 International Finance Center	88	22	88.00	0.00	1.00	30.00	29.00	841	
E1b (SE)			Apple IFC mall	0								
E1c (SW)			Four Seasons Hong Kong	0								
E1d (NW)			N/A	0								
E2a (NE)	400		N/A	0	0	0.00	0.00	2.00	30.00	28.00	784	
E2b (SE)			N/A	0								
E2c (SW)			N/A	0								
E2d (NW)			N/A	0								
E3a (NE)	600		City Gallery	0	0	0.00	0.00	3.00	30.00	27.00	729	
E3b (SE)			N/A	0								
E3c (SW)			N/A	0								
E3d (NW)			N/A	0								
E4a (NE)	800		N/A	0	0	0.00	0.00	4.00	30.00	26.00	676	
E4b (SE)			N/A	0								
E4c (SW)			N/A	0								
E4d (NW)			N/A	0								
E5a (NE)	1000		N/A	0	0	0.00	0.00	5.00	30.00	25.00	625	
E5b (SE)			N/A	0								
E5c (SW)			N/A	0								
E5d (NW)			N/A	0								
E6a (NE)	1200		N/A	0	1	4.00	0.00	6.00	30.00	24.00	576	
E6b (SE)			N/A	0								

E6c (SW)			N/A	0							
E6d (NW)			Fenwick Pier Building	4							
E7a (NE)	1400		N/A	0	0	0.00	0.00	7.00	30.00	23.00	529
E7b (SE)			N/A	0							
E7c (SW)			N/A	0							
E7d (NW)			N/A	0							
E8a (NE)	1600		0, 1-5, 5-10, 10-15, 15-20, 20-25, 25-30, 30+	0	19.5	39.00	0.00	8.00	30.00	22.00	484
E8b (SE)			Kwong Wan Fire Station	0							
E8c (SW)			Wanchai Tower	32							
E8d (NW)			Grand Hyatt	46							
E9a (NE)	1800		Harbour Center	33	34	45.33	25.00	9.00	3.00	-6.00	36
E9b (SE)			St. Regis Hong Kong	25							
E9c (SW)			Central Plaza	78							
E9d (NW)			N/A	0							
E10a (NE)	2000		Sun Hung Kai Center	53	43.666666 67	43.67	0.00	10.00	30.00	20.00	400
E10b (SE)			Causeway Center Block C	39							
E10c (SW)			Causeway Center Block A	39							
E10d (NW)			Wan Chai swimming pool/Harbour road sports center	0							
E11a (NE)	2200		AXA Center	24	9.25	18.50	18.50	11.00	15.00	4.00	16
E11b (SE)			City Center Building	13							
E11c (SW)			N/A	0							
E11d (NW)			N/A	0							
E12a (NE)	2400		The Sun Group Center	24	11.25	22.50	22.50	12.00	7.00	-5.00	25
E12b (SE)			Center Point	21							
E12c (SW)			N/A	0							
E12d (NW)			N/A	0							
E13a (NE)	2600		N/A	0	0	0.00	0.00	13.00	30.00	17.00	289
E13b (SE)			N/A	0							
E13c (SW)			N/A	0							
E13d (NW)			N/A	0							

E14a (NE)	2800		Bank of Communicati ons Tower	33	8.25	33.00	0.00	14.00	30.00	16.00	256
E14b (SE)			N/A	0							
E14c (SW)			N/A	0							
E14d (NW)			N/A	0							
E15a (NE)	3000		Sino Plaza	30	15.25	30.50	0.00	15.00	30.00	15.00	225
E15b (SE)			COFCO Tower (Top Glory Tower)	31							
E15c (SW)			N/A	0							
E15d (NW)			N/A	0							
E16a (NE)	3200		The Excelsior	0	3.5	14.00	14.00	16.00	18.00	2.00	4
E16b (SE)			Riviera Mansion	14							
E16c (SW)			N/A	0							
E16d (NW)			N/A	0							
E17a (NE)	3400		Highland Mansion	13	6.75	13.50	13.50	17.00	19.00	2.00	4
E17b (SE)			Victoria Park Mansion	14							
E17c (SW)			N/A	0							
E17d (NW)			N/A	0							
E18a (NE)	3600		The Park Lane Hong Kong	28	16	32.00	28.00	18.00	2.00	-16.00	256
E18b (SE)			Windsor House Shopping Center	36							
E18c (SW)			N/A	0							
E18d (NW)			N/A	0							
E19a (NE)	3800		N/A	0	0	0.00	0.00	19.00	30.00	11.00	121
E19b (SE)			N/A	0							
E19c (SW)			N/A	0							
E19d (NW)			N/A	0							
E20a (NE)	4000		Hong Kong Central Library	0	0	0.00	0.00	20.00	30.00	10.00	100
E20b (SE)			N/A	0							
E20c (SW)			N/A	0							
E20d (NW)			N/A	0							
E21a (NE)	4200		Queen's College	0	0	0.00	0.00	21.00	30.00	9.00	81
E21b (SE)			N/A	0							
E21c (SW)			N/A	0							

E21d (NW)			N/A	0							
E22a (NE)	4400		Viking Garden Block B	25	7.25	25.00	14.50	22.00	17.00	-5.00	25
E22b (SE)			FTU Employment Development Service Center	4							
E22c (SW)			N/A	0							
E22d (NW)			N/A	0							
E23a (NE)	4600		Kam Kee Building	21	21.25	21.25	21.25	23.00	8.50	-14.50	210
E23b (SE)			Parkview Center	27							
E23c (SW)			Ernest Court	12							
E23d (NW)			31-33 King's Road	25							
E24a (NE)	4800		Bank of Communications King's Road Sub-branch	1	11.5	15.33	15.33	24.00	16.00	-8.00	64
E24b (SE)			Cheong Shing Mansion	21							
E24c (SW)			Kailey Court	24							
E24d (NW)			N/A	0							
E25a (NE)	5000		Sing Pao Building	26	20	26.66	23.00	25.00	5.50	-19.50	380
E25b (SE)			Carson Mansion	34							
E25c (SW)			Yuet Ming Building	20							
E25d (NW)			N/A	0							
E26a (NE)	5200		Princess Mansion	22	21.25	21.25	21.25	26.00	8.50	-17.50	306
E26b (SE)			Rialto Mansion	19							
E26c (SW)			Greenwich Center	24							
E26d (NW)			Fortress Tower	20							
E27a (NE)	5400		State Theatre Building (in construction)	0	14	18.67	18.67	27.00	14.00	-13.00	169
E27b (SE)			Empire Apartments	13							
E27c (SW)			Winner House	19							
E27d (NW)			Continental Mansion	24							
E28a (NE)	5600		N/A	0	5	20.00	20.00	28.00	11.50	-16.50	272
E28b (SE)			China Harbour Building	20							
E28c (SW)			Two Chinachem Exchange Square (in construction)	0							

E28d (NW)			N/A	0							
E29a (NE)	5800		Kiu Kwan Mansion	21	11.75	23.50	23.50	29.00	4.00	-25.00	625
E29b (SE)			Metropole Building	26							
E29c (SW)			N/A	0							
E29d (NW)			N/A	0							
E30a (NE)	6000		Kingsfield Mansion	12	22.25	20.25	19.67	30.00	13.00	-17.00	289
E30b (SE)			Tung Po Building	24							
E30c (SW)			HKU School of Professional and Continuing Education - Island East Campus	23							
E30d (NW)			Ying Wah Court	30							
E31a (NE)	6200		N/A	0	11.5	23.00	23.00	31.00	5.50	-25.50	650
E31b (SE)			Healthy Gardens Block A	23							
E31c (SW)			Healthy Gardens Block B	23							
E31d (NW)			N/A	0							
E32a (NE)	6400		Elegance House	11	11.75	24.50	11.00	32.00	20.00	-12.00	144
E32b (SE)			La Place De Victoria	36							
E32c (SW)			N/A	0							
E32d (NW)			N/A	0							
E33a (NE)	6600		K11 Atelier	28	14.25	28.50	28.50	33.00	1.00	-32.00	1024
E33b (SE)			Technology Plaza	29							
E33c (SW)			N/A	0							
E33d (NW)			N/A	0							
E34a (NE)	6800		Model Housing Estate Block C Mansion	20	5	20.00	20.00	34.00	11.50	-22.50	506
E34b (SE)			N/A	0							
E34c (SW)			N/A	0							
E34d (NW)			N/A	0							
E35a (NE)	7000		King's View Court Block A	28	10.5	21.00	21.00	35.00	10.00	-25.00	625
E35b (SE)			North Point Government Primary School	0							
E35c (SW)			Ritz Garden Apartments	14							

E35d (NW)			N/A	0							
				Average =	10.79047619	19.80	11.49				12348
										Sum d^2 =	
				SD:	9.47						
				LOWER RANGE							
				UPPER RANGE							
					29.74					R-value	-0.729411764
										T-value	-6.125281793

Interval	Distance from PLVI (metres)	Address	Building name	Number of floors	Average number of floors at transect point (RAW) (4 sig. no.)	Average number of floors at transect point (excluding errors and outliers)	Average number of floors at transect point (excluding errors and outliers)	Comments	Rank for distance from PLVI	Rank for average number of floors (excluding errors and outliers)	Difference in Ranking	difference in ranking d/2
S1a (NE)	200	8 Finance Street	IFC mall	38	9.500	38.000	38.00		1	2	1	1.00
S1b (SE)			error	0								
S1c (SW)			error	0								
S1d (NW)			error	0								
S2a (NE)	400	8 Finance Street	IFC 1	88	35.500	47.333	27.00		2	1	-1	1.00
S2b (SE)			Hang seng bank head office	27								
S2c (SW)			error	0								
S2d (NW)			southland building	27								
S3a (NE)	600	2 Connaught Place, Central Harbor View Street	wing on house	31	38.000	38.000	26.67		3	2	-1	1.00
S3b (SE)			central man yee building	31								
S3c (SW)			Bank of China Tower	72								
S3d (NW)			sbi centre	18								
S4a (NE)	800	8 Connaught Road Central	world wide house	27	12.750	25.500	25.50		4	4	0	0.00
S4b (SE)			wheelock house	24								
S4c (SW)			error (demolished)	0								

S4d (NW)			error	0								
S5a (NE)		39-41 Des Voeux Road Central	LHT tower	28								
S5b (SE)		33 Des Voeux Road Central	china building	21								
S5c (SW)		30-32 Des Voeux Road Central	entertainme nt building shopping arcade	32	26.250	26.250	26.25		5	3	-2	4.00
S5d (NW)	1000	34-38 Des Voeux Road Central	Hing wai building	24								
S6a (NE)		83 Des Voeux Road Central	Man hing commercial building	23								
S6b (SE)			error	0								
S6c (SW)		Queen's Road Central, Central	HQueen's	24	18.000	24.000	24.00		6	6	0	0.00
S6d (NW)	1200	84-86 Des Voeux Rd Central, Central	Wah Kwong Regent Centre	25								
S7a (NE)		10-16 Cochrane St, Central	Cheung Hing Commercial Building	9								
S7b (SE)			Merlin Building	4	7.000	9.333	9.33		7	9	2	4.00
S7c (SW)		83 Wellington Street	Lyndhurst building	15								
S7d (NW)	1400		error	0								
S8a (NE)			The Uptown	6								
S8b (SE)		30 Hollywoo d Rd, Central	Yuppie Tel	23	9.750	9.750	9.75		8	8	0	0.00
S8c (SW)		32 Hollywoo d Rd, Central	18-18a Shelley street	5								
S8d (NW)	1600		shelley street 11	5								
S9a (NE)			shelley court	12								
S9b (SE)		27 Shelley Street	daisy court	28								
S9c (SW)		No 2 Prince's Terrace	error	0	10.000	20.000	20.00		9	7	-2	4.00
S9d (NW)	1800	No 1 Prince's Terrace	error	0								

S10a (NE)		52 Robinson Rd, Mid-level	Vantage Park Block 1	29	24.500	24.500	24.50		10	5	-5	25.00
S10b (SE)			East sun mansion	20								
S10c (SW)		Vantage Park Block 2, Conduit Road, Mid-level	Conduit Tower	35								
S10d (NW)	2000		Cimbria	14								
				Average	19.125	26.27	19.90				Sum d^2	37.00
											r-value	0.5595238095
											t-value	1.653624786
											Absolute t-value	1.653624786
Interval	Distance from PLVI (metres)	Address	Building name	Number of floors	Average number of floors at transect point (RAW) (4 sig. no.)	Average number of floors at transect point (excluding errors)	Average number of floors at transect point (excluding errors and outliers)	Comments	Rank for distance from PLVI	Rank for average number of floors (excluding errors and outliers)	Difference in Ranking (d)	difference in ranking squared (d^2)
W1a (NE)	200	83 Des Voeux Road Central, Hong Kong	Error (vacant land)	0	0	0	0		1	15	-14	196
W1b (SE)		Level 15 & 16 Nexus Building, 41 Connaught Road Central, Hong Kong	Error (vacant land)	0								
W1c (SW)		Queen's Road Central, Central, Hong Kong	Error (vacant land)	0								
W1d (NW)		Queen's Road Central, Central, Hong Kong	Error (carpark)	0								
W2a (NE)	400	151 Des Voeux Rd Central, Central, Hong Kong	Dah Sing Life Building 大新人壽大廈	35	20	25.67	21		2	7.5	-5.5	30.25
W2b (SE)		Hong Kong, 德	Hang Send Bank - Head Office	25								

		輔道中 130-132	恆生銀行 - 總行										
W2c (SW)		140-142 Des Voeux Rd Central	Central Market 中 環街市 (error gov building lol)	3									
W2d (NW)		161-167 Des Voeux Rd Central	章記大廈 Central 88 中環 88	17									
W3a (NE)	600	Wing On Centre, 211 Des Voeux Rd Central, Sheung Wan, Hong Kong	Hong Kong Trade Centre 香港 貿易中心	23	20.25	20.25	20.25		3	9	-6		36
W3b (SE)		210 Des Voeux Rd Central, Sheung Wan	Amtel Building 安 泰大廈	19									
W3c (SW)		Ka Wah Bank Centre, 232 Des Voeux Rd Central, Sheung Wan, Hong Kong	General Commercial Building 通 用商業大 廈	14									
W3d (NW)		Wing On Centre, 211 Des Voeux Rd Central, Sheung Wan, Hong Kong	Nan Fung Place 南豐 place	25									
W4a (NE)	800	287-291 Des Voeux Rd Central, Sheung Wan	Error (Wing On Centre, not within 25m)	0	11.75	23.5	23.5		4	2	2		4
W4b (SE)		Main Road	Error (constructio n site)	0									
W4c (SW)		300 Des Voeux Rd Central, Sheung Wan	Tung Hip Commercial Building 東 協商業大 廈	27									

W4d (NW)		China Merchant s Building, 152-155 Connaug ht Rd Central, Sheung Wan, Hong Kong	Tung Ning Building 東 寧大廈	20								
W5a (NE)	1000	Highway	Error (constructio n site)	0	12.5	25	25		5	1	4	16
W5b (SE)		3 Connaug ht Rd W, Sheung Wan	FWD financial centre 富衛 金融中心	28								
W5c (SW)		8-14 Connaug ht Rd W, Sheung Wan	Error (Sheung wan post office, not within 25m)	0								
W5d (NW)		Main Road	香港康諾 維港大廈	22								
W6a (NE)	1200	Highway (Rumsey Street Elyove)	Wayson commercial building 威 勝商業大 廈	21	18.5	18.5	18.5		6	10	-4	16
W6b (SE)		45-47 Connaug ht Rd W, Sheung Wan	Pak Wing Building 栢 榮大廈	19								
W6c (SW)		8 Des Voeux Rd W	Cheong Loong building 昌 隆大廈	12								
W6d (NW)		Highway	香港康諾 維港大廈	22								
W7a (NE)	1400	Open Space	No. 9 Des voeux road west 德輔 道西九號	30	26.25	26.25	21		7	7.5	-0.5	0.25
W7b (SE)		60-64 Des Voeux Rd W, Sheung Wan	ibis hong kong central and sheung wan	33								
W7c (SW)		Hong Kong, 德 輔道西 88	western center 西區 中心大廈 (beside hsbc atm)	21								
W7d (NW)		59-61 Des Voeux Rd W, Sheung Wan	Des voeux building 德 輔大廈	21								
W8a (NE)	1600	205A- 205C Hollywoo	Luen wai commercial building 聯	17	14.25	14.25	14.25		8	13	-5	25

		d Rd, Tai Ping Shan	威商業大廈										
W8b (SE)		Hong Kong, 德輔道西 144	廣柱林大廈	11									
W8c (SW)		160 Des Voeux Rd W, Sai Ying Pun	Hcl building 海昌隆大廈	6									
W8d (NW)		139-145 Des Voeux Rd W, Sai Ying Pun	Lucky commercial centre 樂基商業中心	23									
W9a (NE)	1800	152 Connaught Rd W, Sai Ying Pun	Kam Kwan Building (金坤大廈)	22	14.5	14.5	14.5		9	12	-3		9
W9b (SE)		Sai Ying Pun, Des Voeux Rd W, 224-226 號 Sai Ying Pun, Des Voeux Rd W, 224-226 號	Luen Tak Building (聯德大廈)	14									
W9c (SW)		Hong Kong, 德輔道西 228	Mui Fong Apartments (梅芳大廈)	14									
W9d (NW)		14 Centre St, Sai Ying Pun, Hong Kong	Wing Fat Mansion (永發樓)	8									
W10a (NE)	2000	273 Des Voeux Rd W, Sai Ying Pun	Tak Mei House (德美樓)	6	10.5	10.5	10.5		10	14	-4		16
W10b (SE)		280 Des Voeux Rd W, Sai Ying Pun	Ching Tak Building (正德大廈)	16									
W10c (SW)		280 Des Voeux Rd W, Sai Ying Pun	Benon Tower(寶龍大廈)	14									
W10d (NW)		273 Des Voeux Rd W, Sai Ying Pun	Kaza @ Sai Ying Pun	6									
W11a (NE)	2200	343 Des Voeux Rd W, Sai Wan	Tin Hing Building (天興大廈)	14	17	22.67	22.67		11	4	7		49

W11b (SE)		322 Des Voeux Rd W Sai Wan	Error (construction site)	0									
W11c (SW)		332 Des Voeux Rd W, Sai Wan	Liang Ga Building (良基大廈)	27									
W11d (NW)		343 Des Voeux Rd W, Sai Wan	Bohemian House (臻璠)	27									
W12a (NE)	2400	347-349 Des Voeux Rd W, Sai Wan	Kwan Yick Building Phase 2 均益大廈 第2期	22	21.25	21.25	15		12	11	1		1
W12b (SE)		402-404 號 Des Voeux Rd W, Sai Wan	Chung Ah Mansion 中亞大樓	14									
W12c (SW)		406-408D Des Voeux Rd W, Sai Wan	Lucky Building 幸運樓	9									
W12d (NW)		353-367 Des Voeux Rd W, Sai Wan	Upton 維港峰	40									
W13a (NE)	2600	Highway (transport system)	Hong Kong Plaza	43	21.75	29	22		13	5.5	7.5		56.25
W13b (SE)		430-440A Des Voeux Rd W, Sai Wan	Pacific Plaza 太平洋廣場	27									
W13c (SW)		430-440A Des Voeux Rd W, Sai Wan	Yip Cheong Building 業昌大廈	17									
W13d (NW)		Highway (transport system)	Error (vacant land)	0									
W14a (NE)	2800	Highway	Error (vacant land)	0	11	22	22		14	5.5	8.5		72.25
W14b (SE)		458 Des Voeux Rd W, Sai Wan	新美樓商場 Mei Sun Lau Shopping Arcade	23									
W14c (SW)		Highway	Hong Kong Industrial Building 香港工業大廈	21									
W14d (NW)		Highway (transport system)	Error (vacant land)	0									
W15a (NE)	3000	533-543 Queen's	Sum Way Mansion 三匯大廈	23	11.5	23	23		15	3	12		144

		Rd W, Sai Wan										
W15b (SE)		608-616 Queen's Rd W, Sai Wan	Chester Court 澤安 閣	23								
W15c (SW)		Highway	Error (vacant land)	0								
W15d (NW)		highway	Error (vacant land)	0								
				Average	15.4	19.756	18.211333		n :15	Sum d^2=	671	
				SD	6.3736343 07					R-value	0.19821428 5	-
				2SD	12.747268 61							
				Upper	28.147268 61					T-value	0.72913882 28	-
				Lower	2.6527313 85							
										Absolute T-Value	0.72913882 28	

Distance	Rank	RAW	Processed	RANK Dist	RANK	RANK Diff	RANK ^ 2	
200		0	0	1	17	19.5	-18.5	342.25
400		0	0	2	15	14	-12	144
600		0	0	3	14	12	-9	81
800		0	0	4	9	4	0	0
1000		0	0	5	7.5	2	3	9
1200		0	0	6	13.33333	10	-4	16
1400		0	0	7	16.75	17.5	-10.5	110.25
1600		0	0	8	20	23.5	-15.5	240.25
1800	1	4.25	17	9	15.5	16	-7	49
2000	2	15	15	10	16.75	17.5	-7.5	56.25
2200	3	3.5	14	11	20	23.5	-12.5	156.25
2400	4	2.25	9	12	20.25	25	-13	169
2600	5	3.75	7.5	13	19.25	22	-9	81
2800	6	10	13.33333	14	19	21	-7	49
3000	7	16.75	16.75	15	20.5	26	-11	121
3200	8	10	20	16	14	12	4	16
3400	9	7.75	15.5	17	17	19.5	-2.5	6.25
3600	10	16.75	16.75	18	14	12	6	36
3800	11	20	20	19	15.33333	15	4	16
4000	12	20.25	20.25	20	9	4	16	256
4200	13	19.25	19.25	21	13	8.5	12.5	156.25
4400	14	19	19	22	6.333333	1	21	441

4600	15	10.25	20.5	23	13	8.5	14.5	210.25
4800		0	0	24	11	7	17	289
5000	16	6	14	25	10.5	6	19	361
5200	17	8.5	17	26	9	4	22	484
5400	18	14	14					
5600	19	11.5	15.33333					
5800	20	9	9					
6000	21	3.25	13					
6200	22	4.75	6.333333					
6400	23	3.25	13					
6600		1.75	0					
6800		1.75	0					
7000		0.5	0					
7200	24	5.5	11					
7400	25	22	10.5					
7600	26	9	9					
7.632309								

Total d^2	3896
R Value	-0.33197
T Value	-1.72406
Crit T	2.064
Signif.	NO

Distance	Rank	RAW	Processed	RANK Dist	RANK	RANK Diff	RANK ^ 2		
200		22	0	1	25	17.5	-16.5	272.25	
400		0	0	2	18.5	5	-3	9	
600		0	0	3	22.5	13	-10	100	
800		0	0	4	14	3	1	1	
1000		0	0	5	13.5	2	3	9	
1200		1	0	6	28	19	-13	169	
1400		0	0	7	25	17.5	-10.5	110.25	
1600		19.5	0	8	21.25	11.5	-3.5	12.25	
1800	1	34	25	9	15.33333	4	5	25	
2000	43.666			0	10	23	14.5	-4.5	20.25
2200	2	9.25	18.5	11	21.25	11.5	-0.5	0.25	
2400	3	11.25	22.5	12	18.66667	6	6	36	
2600		0	0	13	20	8.5	4.5	20.25	
2800		8.25	0	14	23.5	16	-2	4	
3000		15.25	0	15	19.66667	7	8	64	
3200		4	3.5	14	16	23	14.5	1.5	2.25
3400	5	6.75	13.5	17	11	1	16	256	
3600	6	16	28	18	28.5	20	-2	4	
3800		0	0	19	20	8.5	10.5	110.25	
4000		0	0	20	21	10	10	100	
4200		0	0						
4400		7	7.25	25					
							Total d^2	1325	
							R Value	0.003759	

Total d^2	1325
R Value	0.003759

4600	8	21.25	21.25
4800	9	11.5	15.33333
5000	10	20	23
5200	11	21.25	21.25
5400	12	14	18.66667
5600	13	5	20
5800	14	11.75	23.5
6000	15	22.25	19.66667
6200	16	11.5	23
6400	17	11.75	11
6600	18	14.25	28.5
6800	19	5	20
7000	20	10.5	21

T Value	0.01595
Crit T	2.086
Signif.	NO

Distance	Rank	RAW	Processed	RANK Dist		RANK	RANK Diff	RANK ^ 2	
200		9.5	0	1	27	9	-8	64	
400	1	35.5	27	2	18	3	-1	1	
600	2	38	18	3	25.5	8	-5	25	
800	3	12.75	25.5	4	24.33333	7	-3	9	
1000	4	26.25	24.33333	5	24	6	-1	1	
1200	5	18	24	6	9.333333	1	5	25	
1400	6	7	9.333333	7	9.75	2	5	25	
1600	7	9.75	9.75	8	20	4	4	16	
1800	8	10	20	9	21	5	4	16	
2000	9	24.5	21				Total d^2		182

8.777606

Total d^2	182
R Value	-0.51667
T Value	-1.59658
Crit T	2.365
Signif.	NO

Distance	Rank	RAW	Processed	RANK Dist	RANK	RANK Diff	RANK ^ 2	
200		0	0	1	21	7.5	-6.5	42.25
400	1	20	21	2	20.25	6	-4	16
600	2	20.25	20.25	3	23.5	13	-10	100
800	3	11.75	23.5	4	25	14	-10	100
1000	4	12.5	25	5	18.5	5	0	0
1200	5	18.5	18.5	6	21	7.5	-1.5	2.25
1400	6	26.25	21	7	14.25	2	5	25
1600	7	14.25	14.25	8	14.5	3	5	25
1800	8	14.5	14.5	9	10.5	1	8	64
2000	9	10.5	10.5	10	22.66667	11	-1	1

2200	10	17	22.66667	11	15	4	7	49
2400	11	21.25	15	12	22	9.5	2.5	6.25
2600	12	21.75	22	13	22	9.5	3.5	12.25
2800	13	11	22	14	23	12	2	4
3000	14	11.5	23					

Total d^2	447
R Value	0.017582
T Value	0.060917
Crit T	2.179
Signif.	NO

Distance	Rank Dist	North	East	South	West	Average	RANK Dist	RANK K	RANK Diff	RANK ^ 2		
200		0	0	0	0	0	1	24	34	-33	1089	
400	1	0	0	27	21	24	2	19.125	22	-20	400	
600	2	0	0	18	20.25	19.125	3	24.5	35	-32	1024	
800	3	0	0	25.5	23.5	24.5	4	24.6666	36	-32	1024	
1000	4	0	0	24.3333	3	24.6666	5	21.25	31	-26	676	
1200	5	0	0	24	18.5	21.25	6	15.1666	7	9	-3	9
1400	6	0	0	9.33333	3	15.1666	7	12	4.5	2.5	6.25	
1600	7	0	0	9.75	14.25	12	8	19.125	22	-14	196	
1800	8	17	25	20	14.5	19.125	9	15.5	11.5	-2.5	6.25	
2000	9	15	0	21	10.5	15.5	10	18.3888	9	19	-9	81
2200	10	14	18.5		22.6666	18.3888	11	15.5	11.5	-0.5	0.25	
2400	11	9	22.5		15	15.5	12	14.75	8	4	16	
2600	12	7.5	0		22	14.75	13	17.6666	7	17.5	-4.5	20.25
2800	13	13.3333	3	0	22	17.6666	14	19.875	25	-11	121	
3000	14	16.75	0		23	19.875	15	17	16	-1	1	
3200	15	20	14			17	16	14.5	6	10	100	
3400	16	15.5	13.5			14.5	17	22.375	33	-16	256	
3600	17	16.75	28			22.375	18	20	26.5	-8.5	72.25	
3800	18	20	0			20	19	20.25	28	-9	81	
4000	19	20.25	0			20.25	20	19.25	24	-4	16	
4200	20	19.25	0			19.25	21	22	32	-11	121	
4400	21	19	25			22	22	20.875	29	-7	49	
4600	22	20.5	21.25			20.875	23	15.3333	3	10	13	169
4800	23	0	15.3333	3		15.3333	24	18.5	20	4	16	
5000	24	14	23			18.5	25	19.125	22	3	9	
5200	25	17	21.25			19.125	26	16.3333	3	14.5	11.5	132.25

			18.6666		16.3333	2	17.6666						
5400	26	14	7		3	7	7	17.5	9.5	90.25			
		15.3333			17.6666	2							
5600	27	3	20		7	8	16.25	13	15	225			
						2	16.3333						
5800	28	9	23.5		16.25	9	3	14.5	14.5	210.25			
			19.6666		16.3333	3	14.6666						
6000	29	13	7		3	0	7	7	23	529			
		6.33333			14.6666	3							
6200	30	3	23		7	1	12	4.5	26.5	702.25			
						3							
6400	31	13	11		12	2	28.5	37	-5	25			
						3							
6600	32	0	28.5		28.5	3	20	26.5	6.5	42.25			
						3							
6800	33	0	20		20	4	21	30	4	16			
						3							
7000	34	0	21		21	5	11	3	32	1024			
						3							
7200	35	11			11	6	10.5	2	34	1156			
						3							
7400	36	10.5			10.5	7	9	1	36	1296			
7600	37	9			9								

Total d^2	11007.5
R Value	-0.30482
T Value	-1.89348
Crit T	2.030108
Signif.	NO