

9c64dfbe-64b8-47c0-8b68-db10a7f9efce

id	age	sex	dataset	cp	trestbps	chol	fbs	restecg	thalch
1	63	Male	Cleveland	typical angina	145	233	TRUE	lv hypertrophy	150
2	67	Male	Cleveland	asymptomatic	160	286	FALSE	lv hypertrophy	108
3	67	Male	Cleveland	asymptomatic	120	229	FALSE	lv hypertrophy	129
4	37	Male	Cleveland	non-anginal	130	250	FALSE	normal	187
5	41	Female	Cleveland	atypical angina	130	204	FALSE	lv hypertrophy	172
6	56	Male	Cleveland	atypical angina	120	236	FALSE	normal	178
7	62	Female	Cleveland	asymptomatic	140	268	FALSE	lv hypertrophy	160
8	57	Female	Cleveland	asymptomatic	120	354	FALSE	normal	163
9	63	Male	Cleveland	asymptomatic	130	254	FALSE	lv hypertrophy	147
10	53	Male	Cleveland	asymptomatic	140	203	TRUE	lv hypertrophy	155
11	57	Male	Cleveland	asymptomatic	140	192	FALSE	normal	148
12	56	Female	Cleveland	atypical angina	140	294	FALSE	lv hypertrophy	153
13	56	Male	Cleveland	non-anginal	130	256	TRUE	lv hypertrophy	142
14	44	Male	Cleveland	atypical angina	120	263	FALSE	normal	173
15	52	Male	Cleveland	non-anginal	172	199	TRUE	normal	162
16	57	Male	Cleveland	non-anginal	150	168	FALSE	normal	174
17	48	Male	Cleveland	atypical angina	110	229	FALSE	normal	168
18	54	Male	Cleveland	asymptomatic	140	239	FALSE	normal	160
19	48	Female	Cleveland	non-anginal	130	275	FALSE	normal	139
20	49	Male	Cleveland	atypical angina	130	266	FALSE	normal	171
21	64	Male	Cleveland	typical angina	110	211	FALSE	lv hypertrophy	144
22	58	Female	Cleveland	typical angina	150	283	TRUE	lv hypertrophy	162
23	58	Male	Cleveland	atypical angina	120	284	FALSE	lv hypertrophy	160
24	58	Male	Cleveland	non-anginal	132	224	FALSE	lv hypertrophy	173
25	60	Male	Cleveland	asymptomatic	130	206	FALSE	lv hypertrophy	132
26	50	Female	Cleveland	non-anginal	120	219	FALSE	normal	158
27	58	Female	Cleveland	non-anginal	120	340	FALSE	normal	172
28	66	Female	Cleveland	typical angina	150	226	FALSE	normal	114
29	43	Male	Cleveland	asymptomatic	150	247	FALSE	normal	171
30	40	Male	Cleveland	asymptomatic	110	167	FALSE	lv hypertrophy	114
31	69	Female	Cleveland	typical angina	140	239	FALSE	normal	151
32	60	Male	Cleveland	asymptomatic	117	230	TRUE	normal	160
33	64	Male	Cleveland	non-anginal	140	335	FALSE	normal	158
34	59	Male	Cleveland	asymptomatic	135	234	FALSE	normal	161
35	44	Male	Cleveland	non-anginal	130	233	FALSE	normal	179
36	42	Male	Cleveland	asymptomatic	140	226	FALSE	normal	178
37	43	Male	Cleveland	asymptomatic	120	177	FALSE	lv hypertrophy	120
38	57	Male	Cleveland	asymptomatic	150	276	FALSE	lv hypertrophy	112
39	55	Male	Cleveland	asymptomatic	132	353	FALSE	normal	132
40	61	Male	Cleveland	non-anginal	150	243	TRUE	normal	137
41	65	Female	Cleveland	asymptomatic	150	225	FALSE	lv hypertrophy	114
42	40	Male	Cleveland	typical angina	140	199	FALSE	normal	178
43	71	Female	Cleveland	atypical angina	160	302	FALSE	normal	162
44	59	Male	Cleveland	non-anginal	150	212	TRUE	normal	157
45	61	Female	Cleveland	asymptomatic	130	330	FALSE	lv hypertrophy	169
46	58	Male	Cleveland	non-anginal	112	230	FALSE	lv hypertrophy	165
47	51	Male	Cleveland	non-anginal	110	175	FALSE	normal	123
48	50	Male	Cleveland	asymptomatic	150	243	FALSE	lv hypertrophy	128
49	65	Female	Cleveland	non-anginal	140	417	TRUE	lv hypertrophy	157
50	53	Male	Cleveland	non-anginal	130	197	TRUE	lv hypertrophy	152
51	41	Female	Cleveland	atypical angina	105	198	FALSE	normal	168
52	65	Male	Cleveland	asymptomatic	120	177	FALSE	normal	140

53	44 Male	Cleveland	asymptomatic	112	290 FALSE	lv hypertrophy	153
54	44 Male	Cleveland	atypical angina	130	219 FALSE	lv hypertrophy	188
55	60 Male	Cleveland	asymptomatic	130	253 FALSE	normal	144
56	54 Male	Cleveland	asymptomatic	124	266 FALSE	lv hypertrophy	109
57	50 Male	Cleveland	non-anginal	140	233 FALSE	normal	163
58	41 Male	Cleveland	asymptomatic	110	172 FALSE	lv hypertrophy	158
59	54 Male	Cleveland	non-anginal	125	273 FALSE	lv hypertrophy	152
60	51 Male	Cleveland	typical angina	125	213 FALSE	lv hypertrophy	125
61	51 Female	Cleveland	asymptomatic	130	305 FALSE	normal	142
62	46 Female	Cleveland	non-anginal	142	177 FALSE	lv hypertrophy	160
63	58 Male	Cleveland	asymptomatic	128	216 FALSE	lv hypertrophy	131
64	54 Female	Cleveland	non-anginal	135	304 TRUE	normal	170
65	54 Male	Cleveland	asymptomatic	120	188 FALSE	normal	113
66	60 Male	Cleveland	asymptomatic	145	282 FALSE	lv hypertrophy	142
67	60 Male	Cleveland	non-anginal	140	185 FALSE	lv hypertrophy	155
68	54 Male	Cleveland	non-anginal	150	232 FALSE	lv hypertrophy	165
69	59 Male	Cleveland	asymptomatic	170	326 FALSE	lv hypertrophy	140
70	46 Male	Cleveland	non-anginal	150	231 FALSE	normal	147
71	65 Female	Cleveland	non-anginal	155	269 FALSE	normal	148
72	67 Male	Cleveland	asymptomatic	125	254 TRUE	normal	163
73	62 Male	Cleveland	asymptomatic	120	267 FALSE	normal	99
74	65 Male	Cleveland	asymptomatic	110	248 FALSE	lv hypertrophy	158
75	44 Male	Cleveland	asymptomatic	110	197 FALSE	lv hypertrophy	177
76	65 Female	Cleveland	non-anginal	160	360 FALSE	lv hypertrophy	151
77	60 Male	Cleveland	asymptomatic	125	258 FALSE	lv hypertrophy	141
78	51 Female	Cleveland	non-anginal	140	308 FALSE	lv hypertrophy	142
79	48 Male	Cleveland	atypical angina	130	245 FALSE	lv hypertrophy	180
80	58 Male	Cleveland	asymptomatic	150	270 FALSE	lv hypertrophy	111
81	45 Male	Cleveland	asymptomatic	104	208 FALSE	lv hypertrophy	148
82	53 Female	Cleveland	asymptomatic	130	264 FALSE	lv hypertrophy	143
83	39 Male	Cleveland	non-anginal	140	321 FALSE	lv hypertrophy	182
84	68 Male	Cleveland	non-anginal	180	274 TRUE	lv hypertrophy	150
85	52 Male	Cleveland	atypical angina	120	325 FALSE	normal	172
86	44 Male	Cleveland	non-anginal	140	235 FALSE	lv hypertrophy	180
87	47 Male	Cleveland	non-anginal	138	257 FALSE	lv hypertrophy	156
88	53 Female	Cleveland	non-anginal	128	216 FALSE	lv hypertrophy	115
89	53 Female	Cleveland	asymptomatic	138	234 FALSE	lv hypertrophy	160
90	51 Female	Cleveland	non-anginal	130	256 FALSE	lv hypertrophy	149
91	66 Male	Cleveland	asymptomatic	120	302 FALSE	lv hypertrophy	151
92	62 Female	Cleveland	asymptomatic	160	164 FALSE	lv hypertrophy	145
93	62 Male	Cleveland	non-anginal	130	231 FALSE	normal	146
94	44 Female	Cleveland	non-anginal	108	141 FALSE	normal	175
95	63 Female	Cleveland	non-anginal	135	252 FALSE	lv hypertrophy	172
96	52 Male	Cleveland	asymptomatic	128	255 FALSE	normal	161
97	59 Male	Cleveland	asymptomatic	110	239 FALSE	lv hypertrophy	142
98	60 Female	Cleveland	asymptomatic	150	258 FALSE	lv hypertrophy	157
99	52 Male	Cleveland	atypical angina	134	201 FALSE	normal	158
100	48 Male	Cleveland	asymptomatic	122	222 FALSE	lv hypertrophy	186
101	45 Male	Cleveland	asymptomatic	115	260 FALSE	lv hypertrophy	185
102	34 Male	Cleveland	typical angina	118	182 FALSE	lv hypertrophy	174
103	57 Female	Cleveland	asymptomatic	128	303 FALSE	lv hypertrophy	159
104	71 Female	Cleveland	non-anginal	110	265 TRUE	lv hypertrophy	130
105	49 Male	Cleveland	non-anginal	120	188 FALSE	normal	139

106	54 Male	Cleveland	atypical angina	108	309 FALSE	normal	156
107	59 Male	Cleveland	asymptomatic	140	177 FALSE	normal	162
108	57 Male	Cleveland	non-anginal	128	229 FALSE	lv hypertrophy	150
109	61 Male	Cleveland	asymptomatic	120	260 FALSE	normal	140
110	39 Male	Cleveland	asymptomatic	118	219 FALSE	normal	140
111	61 Female	Cleveland	asymptomatic	145	307 FALSE	lv hypertrophy	146
112	56 Male	Cleveland	asymptomatic	125	249 TRUE	lv hypertrophy	144
113	52 Male	Cleveland	typical angina	118	186 FALSE	lv hypertrophy	190
114	43 Female	Cleveland	asymptomatic	132	341 TRUE	lv hypertrophy	136
115	62 Female	Cleveland	non-anginal	130	263 FALSE	normal	97
116	41 Male	Cleveland	atypical angina	135	203 FALSE	normal	132
117	58 Male	Cleveland	non-anginal	140	211 TRUE	lv hypertrophy	165
118	35 Female	Cleveland	asymptomatic	138	183 FALSE	normal	182
119	63 Male	Cleveland	asymptomatic	130	330 TRUE	lv hypertrophy	132
120	65 Male	Cleveland	asymptomatic	135	254 FALSE	lv hypertrophy	127
121	48 Male	Cleveland	asymptomatic	130	256 TRUE	lv hypertrophy	150
122	63 Female	Cleveland	asymptomatic	150	407 FALSE	lv hypertrophy	154
123	51 Male	Cleveland	non-anginal	100	222 FALSE	normal	143
124	55 Male	Cleveland	asymptomatic	140	217 FALSE	normal	111
125	65 Male	Cleveland	typical angina	138	282 TRUE	lv hypertrophy	174
126	45 Female	Cleveland	atypical angina	130	234 FALSE	lv hypertrophy	175
127	56 Female	Cleveland	asymptomatic	200	288 TRUE	lv hypertrophy	133
128	54 Male	Cleveland	asymptomatic	110	239 FALSE	normal	126
129	44 Male	Cleveland	atypical angina	120	220 FALSE	normal	170
130	62 Female	Cleveland	asymptomatic	124	209 FALSE	normal	163
131	54 Male	Cleveland	non-anginal	120	258 FALSE	lv hypertrophy	147
132	51 Male	Cleveland	non-anginal	94	227 FALSE	normal	154
133	29 Male	Cleveland	atypical angina	130	204 FALSE	lv hypertrophy	202
134	51 Male	Cleveland	asymptomatic	140	261 FALSE	lv hypertrophy	186
135	43 Female	Cleveland	non-anginal	122	213 FALSE	normal	165
136	55 Female	Cleveland	atypical angina	135	250 FALSE	lv hypertrophy	161
137	70 Male	Cleveland	asymptomatic	145	174 FALSE	normal	125
138	62 Male	Cleveland	atypical angina	120	281 FALSE	lv hypertrophy	103
139	35 Male	Cleveland	asymptomatic	120	198 FALSE	normal	130
140	51 Male	Cleveland	non-anginal	125	245 TRUE	lv hypertrophy	166
141	59 Male	Cleveland	atypical angina	140	221 FALSE	normal	164
142	59 Male	Cleveland	typical angina	170	288 FALSE	lv hypertrophy	159
143	52 Male	Cleveland	atypical angina	128	205 TRUE	normal	184
144	64 Male	Cleveland	non-anginal	125	309 FALSE	normal	131
145	58 Male	Cleveland	non-anginal	105	240 FALSE	lv hypertrophy	154
146	47 Male	Cleveland	non-anginal	108	243 FALSE	normal	152
147	57 Male	Cleveland	asymptomatic	165	289 TRUE	lv hypertrophy	124
148	41 Male	Cleveland	non-anginal	112	250 FALSE	normal	179
149	45 Male	Cleveland	atypical angina	128	308 FALSE	lv hypertrophy	170
150	60 Female	Cleveland	non-anginal	102	318 FALSE	normal	160
151	52 Male	Cleveland	typical angina	152	298 TRUE	normal	178
152	42 Female	Cleveland	asymptomatic	102	265 FALSE	lv hypertrophy	122
153	67 Female	Cleveland	non-anginal	115	564 FALSE	lv hypertrophy	160
154	55 Male	Cleveland	asymptomatic	160	289 FALSE	lv hypertrophy	145
155	64 Male	Cleveland	asymptomatic	120	246 FALSE	lv hypertrophy	96
156	70 Male	Cleveland	asymptomatic	130	322 FALSE	lv hypertrophy	109
157	51 Male	Cleveland	asymptomatic	140	299 FALSE	normal	173
158	58 Male	Cleveland	asymptomatic	125	300 FALSE	lv hypertrophy	171

159	60 Male	Cleveland	asymptomatic	140	293 FALSE	lv hypertrophy	170
160	68 Male	Cleveland	non-anginal	118	277 FALSE	normal	151
161	46 Male	Cleveland	atypical angina	101	197 TRUE	normal	156
162	77 Male	Cleveland	asymptomatic	125	304 FALSE	lv hypertrophy	162
163	54 Female	Cleveland	non-anginal	110	214 FALSE	normal	158
164	58 Female	Cleveland	asymptomatic	100	248 FALSE	lv hypertrophy	122
165	48 Male	Cleveland	non-anginal	124	255 TRUE	normal	175
166	57 Male	Cleveland	asymptomatic	132	207 FALSE	normal	168
167	52 Male	Cleveland	non-anginal	138	223 FALSE	normal	169
168	54 Female	Cleveland	atypical angina	132	288 TRUE	lv hypertrophy	159
169	35 Male	Cleveland	asymptomatic	126	282 FALSE	lv hypertrophy	156
170	45 Female	Cleveland	atypical angina	112	160 FALSE	normal	138
171	70 Male	Cleveland	non-anginal	160	269 FALSE	normal	112
172	53 Male	Cleveland	asymptomatic	142	226 FALSE	lv hypertrophy	111
173	59 Female	Cleveland	asymptomatic	174	249 FALSE	normal	143
174	62 Female	Cleveland	asymptomatic	140	394 FALSE	lv hypertrophy	157
175	64 Male	Cleveland	asymptomatic	145	212 FALSE	lv hypertrophy	132
176	57 Male	Cleveland	asymptomatic	152	274 FALSE	normal	88
177	52 Male	Cleveland	asymptomatic	108	233 TRUE	normal	147
178	56 Male	Cleveland	asymptomatic	132	184 FALSE	lv hypertrophy	105
179	43 Male	Cleveland	non-anginal	130	315 FALSE	normal	162
180	53 Male	Cleveland	non-anginal	130	246 TRUE	lv hypertrophy	173
181	48 Male	Cleveland	asymptomatic	124	274 FALSE	lv hypertrophy	166
182	56 Female	Cleveland	asymptomatic	134	409 FALSE	lv hypertrophy	150
183	42 Male	Cleveland	typical angina	148	244 FALSE	lv hypertrophy	178
184	59 Male	Cleveland	typical angina	178	270 FALSE	lv hypertrophy	145
185	60 Female	Cleveland	asymptomatic	158	305 FALSE	lv hypertrophy	161
186	63 Female	Cleveland	atypical angina	140	195 FALSE	normal	179
187	42 Male	Cleveland	non-anginal	120	240 TRUE	normal	194
188	66 Male	Cleveland	atypical angina	160	246 FALSE	normal	120
189	54 Male	Cleveland	atypical angina	192	283 FALSE	lv hypertrophy	195
190	69 Male	Cleveland	non-anginal	140	254 FALSE	lv hypertrophy	146
191	50 Male	Cleveland	non-anginal	129	196 FALSE	normal	163
192	51 Male	Cleveland	asymptomatic	140	298 FALSE	normal	122
193	43 Male	Cleveland	asymptomatic	132	247 TRUE	lv hypertrophy	143
194	62 Female	Cleveland	asymptomatic	138	294 TRUE	normal	106
195	68 Female	Cleveland	non-anginal	120	211 FALSE	lv hypertrophy	115
196	67 Male	Cleveland	asymptomatic	100	299 FALSE	lv hypertrophy	125
197	69 Male	Cleveland	typical angina	160	234 TRUE	lv hypertrophy	131
198	45 Female	Cleveland	asymptomatic	138	236 FALSE	lv hypertrophy	152
199	50 Female	Cleveland	atypical angina	120	244 FALSE	normal	162
200	59 Male	Cleveland	typical angina	160	273 FALSE	lv hypertrophy	125
201	50 Female	Cleveland	asymptomatic	110	254 FALSE	lv hypertrophy	159
202	64 Female	Cleveland	asymptomatic	180	325 FALSE	normal	154
203	57 Male	Cleveland	non-anginal	150	126 TRUE	normal	173
204	64 Female	Cleveland	non-anginal	140	313 FALSE	normal	133
205	43 Male	Cleveland	asymptomatic	110	211 FALSE	normal	161
206	45 Male	Cleveland	asymptomatic	142	309 FALSE	lv hypertrophy	147
207	58 Male	Cleveland	asymptomatic	128	259 FALSE	lv hypertrophy	130
208	50 Male	Cleveland	asymptomatic	144	200 FALSE	lv hypertrophy	126
209	55 Male	Cleveland	atypical angina	130	262 FALSE	normal	155
210	62 Female	Cleveland	asymptomatic	150	244 FALSE	normal	154
211	37 Female	Cleveland	non-anginal	120	215 FALSE	normal	170

212	38 Male	Cleveland	typical angina	120	231 FALSE	normal	182
213	41 Male	Cleveland	non-anginal	130	214 FALSE	lv hypertrophy	168
214	66 Female	Cleveland	asymptomatic	178	228 TRUE	normal	165
215	52 Male	Cleveland	asymptomatic	112	230 FALSE	normal	160
216	56 Male	Cleveland	typical angina	120	193 FALSE	lv hypertrophy	162
217	46 Female	Cleveland	atypical angina	105	204 FALSE	normal	172
218	46 Female	Cleveland	asymptomatic	138	243 FALSE	lv hypertrophy	152
219	64 Female	Cleveland	asymptomatic	130	303 FALSE	normal	122
220	59 Male	Cleveland	asymptomatic	138	271 FALSE	lv hypertrophy	182
221	41 Female	Cleveland	non-anginal	112	268 FALSE	lv hypertrophy	172
222	54 Female	Cleveland	non-anginal	108	267 FALSE	lv hypertrophy	167
223	39 Female	Cleveland	non-anginal	94	199 FALSE	normal	179
224	53 Male	Cleveland	asymptomatic	123	282 FALSE	normal	95
225	63 Female	Cleveland	asymptomatic	108	269 FALSE	normal	169
226	34 Female	Cleveland	atypical angina	118	210 FALSE	normal	192
227	47 Male	Cleveland	asymptomatic	112	204 FALSE	normal	143
228	67 Female	Cleveland	non-anginal	152	277 FALSE	normal	172
229	54 Male	Cleveland	asymptomatic	110	206 FALSE	lv hypertrophy	108
230	66 Male	Cleveland	asymptomatic	112	212 FALSE	lv hypertrophy	132
231	52 Female	Cleveland	non-anginal	136	196 FALSE	lv hypertrophy	169
232	55 Female	Cleveland	asymptomatic	180	327 FALSE	st-t abnormality	117
233	49 Male	Cleveland	non-anginal	118	149 FALSE	lv hypertrophy	126
234	74 Female	Cleveland	atypical angina	120	269 FALSE	lv hypertrophy	121
235	54 Female	Cleveland	non-anginal	160	201 FALSE	normal	163
236	54 Male	Cleveland	asymptomatic	122	286 FALSE	lv hypertrophy	116
237	56 Male	Cleveland	asymptomatic	130	283 TRUE	lv hypertrophy	103
238	46 Male	Cleveland	asymptomatic	120	249 FALSE	lv hypertrophy	144
239	49 Female	Cleveland	atypical angina	134	271 FALSE	normal	162
240	42 Male	Cleveland	atypical angina	120	295 FALSE	normal	162
241	41 Male	Cleveland	atypical angina	110	235 FALSE	normal	153
242	41 Female	Cleveland	atypical angina	126	306 FALSE	normal	163
243	49 Female	Cleveland	asymptomatic	130	269 FALSE	normal	163
244	61 Male	Cleveland	typical angina	134	234 FALSE	normal	145
245	60 Female	Cleveland	non-anginal	120	178 TRUE	normal	96
246	67 Male	Cleveland	asymptomatic	120	237 FALSE	normal	71
247	58 Male	Cleveland	asymptomatic	100	234 FALSE	normal	156
248	47 Male	Cleveland	asymptomatic	110	275 FALSE	lv hypertrophy	118
249	52 Male	Cleveland	asymptomatic	125	212 FALSE	normal	168
250	62 Male	Cleveland	atypical angina	128	208 TRUE	lv hypertrophy	140
251	57 Male	Cleveland	asymptomatic	110	201 FALSE	normal	126
252	58 Male	Cleveland	asymptomatic	146	218 FALSE	normal	105
253	64 Male	Cleveland	asymptomatic	128	263 FALSE	normal	105
254	51 Female	Cleveland	non-anginal	120	295 FALSE	lv hypertrophy	157
255	43 Male	Cleveland	asymptomatic	115	303 FALSE	normal	181
256	42 Female	Cleveland	non-anginal	120	209 FALSE	normal	173
257	67 Female	Cleveland	asymptomatic	106	223 FALSE	normal	142
258	76 Female	Cleveland	non-anginal	140	197 FALSE	st-t abnormality	116
259	70 Male	Cleveland	atypical angina	156	245 FALSE	lv hypertrophy	143
260	57 Male	Cleveland	atypical angina	124	261 FALSE	normal	141
261	44 Female	Cleveland	non-anginal	118	242 FALSE	normal	149
262	58 Female	Cleveland	atypical angina	136	319 TRUE	lv hypertrophy	152
263	60 Female	Cleveland	typical angina	150	240 FALSE	normal	171
264	44 Male	Cleveland	non-anginal	120	226 FALSE	normal	169

265	61 Male	Cleveland	asymptomatic	138	166 FALSE	lv hypertrophy	125
266	42 Male	Cleveland	asymptomatic	136	315 FALSE	normal	125
267	52 Male	Cleveland	asymptomatic	128	204 TRUE	normal	156
268	59 Male	Cleveland	non-anginal	126	218 TRUE	normal	134
269	40 Male	Cleveland	asymptomatic	152	223 FALSE	normal	181
270	42 Male	Cleveland	non-anginal	130	180 FALSE	normal	150
271	61 Male	Cleveland	asymptomatic	140	207 FALSE	lv hypertrophy	138
272	66 Male	Cleveland	asymptomatic	160	228 FALSE	lv hypertrophy	138
273	46 Male	Cleveland	asymptomatic	140	311 FALSE	normal	120
274	71 Female	Cleveland	asymptomatic	112	149 FALSE	normal	125
275	59 Male	Cleveland	typical angina	134	204 FALSE	normal	162
276	64 Male	Cleveland	typical angina	170	227 FALSE	lv hypertrophy	155
277	66 Female	Cleveland	non-anginal	146	278 FALSE	lv hypertrophy	152
278	39 Female	Cleveland	non-anginal	138	220 FALSE	normal	152
279	57 Male	Cleveland	atypical angina	154	232 FALSE	lv hypertrophy	164
280	58 Female	Cleveland	asymptomatic	130	197 FALSE	normal	131
281	57 Male	Cleveland	asymptomatic	110	335 FALSE	normal	143
282	47 Male	Cleveland	non-anginal	130	253 FALSE	normal	179
283	55 Female	Cleveland	asymptomatic	128	205 FALSE	st-t abnormality	130
284	35 Male	Cleveland	atypical angina	122	192 FALSE	normal	174
285	61 Male	Cleveland	asymptomatic	148	203 FALSE	normal	161
286	58 Male	Cleveland	asymptomatic	114	318 FALSE	st-t abnormality	140
287	58 Female	Cleveland	asymptomatic	170	225 TRUE	lv hypertrophy	146
288	58 Male	Cleveland	atypical angina	125	220 FALSE	normal	144
289	56 Male	Cleveland	atypical angina	130	221 FALSE	lv hypertrophy	163
290	56 Male	Cleveland	atypical angina	120	240 FALSE	normal	169
291	67 Male	Cleveland	non-anginal	152	212 FALSE	lv hypertrophy	150
292	55 Female	Cleveland	atypical angina	132	342 FALSE	normal	166
293	44 Male	Cleveland	asymptomatic	120	169 FALSE	normal	144
294	63 Male	Cleveland	asymptomatic	140	187 FALSE	lv hypertrophy	144
295	63 Female	Cleveland	asymptomatic	124	197 FALSE	normal	136
296	41 Male	Cleveland	atypical angina	120	157 FALSE	normal	182
297	59 Male	Cleveland	asymptomatic	164	176 TRUE	lv hypertrophy	90
298	57 Female	Cleveland	asymptomatic	140	241 FALSE	normal	123
299	45 Male	Cleveland	typical angina	110	264 FALSE	normal	132
300	68 Male	Cleveland	asymptomatic	144	193 TRUE	normal	141
301	57 Male	Cleveland	asymptomatic	130	131 FALSE	normal	115
302	57 Female	Cleveland	atypical angina	130	236 FALSE	lv hypertrophy	174
303	38 Male	Cleveland	non-anginal	138	175 FALSE	normal	173
304	28 Male	Cleveland	atypical angina	130	132 FALSE	lv hypertrophy	185
305	29 Male	Hungary	atypical angina	120	243 FALSE	normal	160
306	29 Male	Hungary	atypical angina	140	FALSE	normal	170
307	30 Female	Hungary	typical angina	170	237 FALSE	st-t abnormality	170
308	31 Female	Hungary	atypical angina	100	219 FALSE	st-t abnormality	150
309	32 Female	Hungary	atypical angina	105	198 FALSE	normal	165
310	32 Male	Hungary	atypical angina	110	225 FALSE	normal	184
311	32 Male	Hungary	atypical angina	125	254 FALSE	normal	155
312	33 Male	Hungary	non-anginal	120	298 FALSE	normal	185
313	34 Female	Hungary	atypical angina	130	161 FALSE	normal	190
314	34 Male	Hungary	atypical angina	150	214 FALSE	st-t abnormality	168
315	34 Male	Hungary	atypical angina	98	220 FALSE	normal	150
316	35 Female	Hungary	typical angina	120	160 FALSE	st-t abnormality	185
317	35 Female	Hungary	asymptomatic	140	167 FALSE	normal	150

318	35 Male	Hungary	atypical angina	120	308 FALSE	lv hypertrophy	180
319	35 Male	Hungary	atypical angina	150	264 FALSE	normal	168
320	36 Male	Hungary	atypical angina	120	166 FALSE	normal	180
321	36 Male	Hungary	non-anginal	112	340 FALSE	normal	184
322	36 Male	Hungary	non-anginal	130	209 FALSE	normal	178
323	36 Male	Hungary	non-anginal	150	160 FALSE	normal	172
324	37 Female	Hungary	atypical angina	120	260 FALSE	normal	130
325	37 Female	Hungary	non-anginal	130	211 FALSE	normal	142
326	37 Female	Hungary	asymptomatic	130	173 FALSE	st-t abnormality	184
327	37 Male	Hungary	atypical angina	130	283 FALSE	st-t abnormality	98
328	37 Male	Hungary	non-anginal	130	194 FALSE	normal	150
329	37 Male	Hungary	asymptomatic	120	223 FALSE	normal	168
330	37 Male	Hungary	asymptomatic	130	315 FALSE	normal	158
331	38 Female	Hungary	atypical angina	120	275	normal	129
332	38 Male	Hungary	atypical angina	140	297 FALSE	normal	150
333	38 Male	Hungary	non-anginal	145	292 FALSE	normal	130
334	39 Female	Hungary	non-anginal	110	182 FALSE	st-t abnormality	180
335	39 Male	Hungary	atypical angina	120	FALSE	st-t abnormality	146
336	39 Male	Hungary	atypical angina	120	200 FALSE	normal	160
337	39 Male	Hungary	atypical angina	120	204 FALSE	normal	145
338	39 Male	Hungary	atypical angina	130	FALSE	normal	120
339	39 Male	Hungary	atypical angina	190	241 FALSE	normal	106
340	39 Male	Hungary	non-anginal	120	339 FALSE	normal	170
341	39 Male	Hungary	non-anginal	160	147 TRUE	normal	160
342	39 Male	Hungary	asymptomatic	110	273 FALSE	normal	132
343	39 Male	Hungary	asymptomatic	130	307 FALSE	normal	140
344	40 Male	Hungary	atypical angina	130	275 FALSE	normal	150
345	40 Male	Hungary	atypical angina	140	289 FALSE	normal	172
346	40 Male	Hungary	non-anginal	130	215 FALSE	normal	138
347	40 Male	Hungary	non-anginal	130	281 FALSE	normal	167
348	40 Male	Hungary	non-anginal	140	FALSE	normal	188
349	41 Female	Hungary	atypical angina	110	250 FALSE	st-t abnormality	142
350	41 Female	Hungary	atypical angina	125	184 FALSE	normal	180
351	41 Female	Hungary	atypical angina	130	245 FALSE	normal	150
352	41 Male	Hungary	atypical angina	120	291 FALSE	st-t abnormality	160
353	41 Male	Hungary	atypical angina	120	295 FALSE	normal	170
354	41 Male	Hungary	atypical angina	125	269 FALSE	normal	144
355	41 Male	Hungary	asymptomatic	112	250 FALSE	normal	142
356	42 Female	Hungary	non-anginal	115	211 FALSE	st-t abnormality	137
357	42 Male	Hungary	atypical angina	120	196 FALSE	normal	150
358	42 Male	Hungary	atypical angina	120	198 FALSE	normal	155
359	42 Male	Hungary	atypical angina	150	268 FALSE	normal	136
360	42 Male	Hungary	non-anginal	120	228 FALSE	normal	152
361	42 Male	Hungary	non-anginal	160	147 FALSE	normal	146
362	42 Male	Hungary	asymptomatic	140	358 FALSE	normal	170
363	43 Female	Hungary	typical angina	100	223 FALSE	normal	142
364	43 Female	Hungary	atypical angina	120	201 FALSE	normal	165
365	43 Female	Hungary	atypical angina	120	215 FALSE	st-t abnormality	175
366	43 Female	Hungary	atypical angina	120	249 FALSE	st-t abnormality	176
367	43 Female	Hungary	atypical angina	120	266 FALSE	normal	118
368	43 Female	Hungary	atypical angina	150	186 FALSE	normal	154
369	43 Female	Hungary	non-anginal	150	FALSE	normal	175
370	43 Male	Hungary	atypical angina	142	207 FALSE	normal	138

371	44 Female	Hungary	asymptomatic	120	218 FALSE	st-t abnormality	115
372	44 Male	Hungary	atypical angina	120	184 FALSE	normal	142
373	44 Male	Hungary	atypical angina	130	215 FALSE	normal	135
374	44 Male	Hungary	asymptomatic	150	412 FALSE	normal	170
375	45 Female	Hungary	atypical angina	130	237 FALSE	normal	170
376	45 Female	Hungary	atypical angina	180	FALSE	normal	180
377	45 Female	Hungary	asymptomatic	132	297 FALSE	normal	144
378	45 Male	Hungary	atypical angina	140	224 TRUE	normal	122
379	45 Male	Hungary	non-anginal	135	FALSE	normal	110
380	45 Male	Hungary	asymptomatic	120	225 FALSE	normal	140
381	45 Male	Hungary	asymptomatic	140	224 FALSE	normal	144
382	46 Female	Hungary	asymptomatic	130	238 FALSE	normal	90
383	46 Male	Hungary	atypical angina	140	275 FALSE	normal	165
384	46 Male	Hungary	non-anginal	120	230 FALSE	normal	150
385	46 Male	Hungary	non-anginal	150	163	normal	116
386	46 Male	Hungary	asymptomatic	110	238 FALSE	st-t abnormality	140
387	46 Male	Hungary	asymptomatic	110	240 FALSE	st-t abnormality	140
388	46 Male	Hungary	asymptomatic	180	280 FALSE	st-t abnormality	120
389	47 Female	Hungary	atypical angina	140	257 FALSE	normal	135
390	47 Female	Hungary	non-anginal	130	FALSE	normal	145
391	47 Male	Hungary	typical angina	110	249 FALSE	normal	150
392	47 Male	Hungary	atypical angina	160	263 FALSE	normal	174
393	47 Male	Hungary	asymptomatic	140	276 TRUE	normal	125
394	48 Female	Hungary	atypical angina		308 FALSE	st-t abnormality	
395	48 Female	Hungary	atypical angina	120	TRUE	st-t abnormality	148
396	48 Female	Hungary	atypical angina	120	284 FALSE	normal	120
397	48 Female	Hungary	non-anginal	120	195 FALSE	normal	125
398	48 Female	Hungary	asymptomatic	108	163 FALSE	normal	175
399	48 Female	Hungary	asymptomatic	120	254 FALSE	st-t abnormality	110
400	48 Female	Hungary	asymptomatic	150	227 FALSE	normal	130
401	48 Male	Hungary	atypical angina	100	FALSE	normal	100
402	48 Male	Hungary	atypical angina	130	245 FALSE	normal	160
403	48 Male	Hungary	atypical angina	140	238 FALSE	normal	118
404	48 Male	Hungary	non-anginal	110	211 FALSE	normal	138
405	49 Female	Hungary	atypical angina	110	FALSE	normal	160
406	49 Female	Hungary	atypical angina	110	FALSE	normal	160
407	49 Female	Hungary	atypical angina	124	201 FALSE	normal	164
408	49 Female	Hungary	non-anginal	130	207 FALSE	st-t abnormality	135
409	49 Male	Hungary	atypical angina	100	253 FALSE	normal	174
410	49 Male	Hungary	non-anginal	140	187 FALSE	normal	172
411	49 Male	Hungary	asymptomatic	120	297	normal	132
412	49 Male	Hungary	asymptomatic	140	FALSE	normal	130
413	50 Female	Hungary	atypical angina	110	202 FALSE	normal	145
414	50 Female	Hungary	asymptomatic	120	328 FALSE	normal	110
415	50 Male	Hungary	atypical angina	120	168 FALSE	normal	160
416	50 Male	Hungary	atypical angina	140	216 FALSE	normal	170
417	50 Male	Hungary	atypical angina	170	209 FALSE	st-t abnormality	116
418	50 Male	Hungary	asymptomatic	140	129 FALSE	normal	135
419	50 Male	Hungary	asymptomatic	150	215 FALSE	normal	140
420	51 Female	Hungary	atypical angina	160	194 FALSE	normal	170
421	51 Female	Hungary	non-anginal	110	190 FALSE	normal	120
422	51 Female	Hungary	non-anginal	130	220 FALSE	normal	160
423	51 Female	Hungary	non-anginal	150	200 FALSE	normal	120

424	51 Male	Hungary	atypical angina	125	188 FALSE	normal	145
425	51 Male	Hungary	atypical angina	130	224 FALSE	normal	150
426	51 Male	Hungary	asymptomatic	130	179 FALSE	normal	100
427	52 Female	Hungary	atypical angina	120	210 FALSE	normal	148
428	52 Female	Hungary	atypical angina	140	FALSE	normal	140
429	52 Female	Hungary	non-anginal	125	272 FALSE	normal	139
430	52 Female	Hungary	asymptomatic	130	180 FALSE	normal	140
431	52 Male	Hungary	atypical angina	120	284 FALSE	normal	118
432	52 Male	Hungary	atypical angina	140	100 FALSE	normal	138
433	52 Male	Hungary	atypical angina	160	196 FALSE	normal	165
434	52 Male	Hungary	non-anginal	140	259 FALSE	st-t abnormality	170
435	53 Female	Hungary	atypical angina	113	468	normal	127
436	53 Female	Hungary	atypical angina	140	216 FALSE	normal	142
437	53 Female	Hungary	non-anginal	120	274 FALSE	normal	130
438	53 Male	Hungary	atypical angina	120	FALSE	normal	132
439	53 Male	Hungary	atypical angina	140	320 FALSE	normal	162
440	53 Male	Hungary	non-anginal	120	195 FALSE	normal	140
441	53 Male	Hungary	asymptomatic	124	260 FALSE	st-t abnormality	112
442	53 Male	Hungary	asymptomatic	130	182 FALSE	normal	148
443	53 Male	Hungary	asymptomatic	140	243 FALSE	normal	155
444	54 Female	Hungary	atypical angina	120	221 FALSE	normal	138
445	54 Female	Hungary	atypical angina	120	230 TRUE	normal	140
446	54 Female	Hungary	atypical angina	120	273 FALSE	normal	150
447	54 Female	Hungary	atypical angina	130	253 FALSE	st-t abnormality	155
448	54 Female	Hungary	atypical angina	140	309	st-t abnormality	140
449	54 Female	Hungary	atypical angina	150	230 FALSE	normal	130
450	54 Female	Hungary	atypical angina	160	312 FALSE	normal	130
451	54 Male	Hungary	typical angina	120	171 FALSE	normal	137
452	54 Male	Hungary	atypical angina	110	208 FALSE	normal	142
453	54 Male	Hungary	atypical angina	120	238 FALSE	normal	154
454	54 Male	Hungary	atypical angina	120	246 FALSE	normal	110
455	54 Male	Hungary	atypical angina	160	195 FALSE	st-t abnormality	130
456	54 Male	Hungary	atypical angina	160	305 FALSE	normal	175
457	54 Male	Hungary	non-anginal	120	217 FALSE	normal	137
458	54 Male	Hungary	non-anginal	150	FALSE	normal	122
459	54 Male	Hungary	asymptomatic	150	365 FALSE	st-t abnormality	134
460	55 Female	Hungary	atypical angina	110	344 FALSE	st-t abnormality	160
461	55 Female	Hungary	atypical angina	122	320 FALSE	normal	155
462	55 Female	Hungary	atypical angina	130	394 FALSE	lv hypertrophy	150
463	55 Male	Hungary	atypical angina	120	256 TRUE	normal	137
464	55 Male	Hungary	atypical angina	140	196 FALSE	normal	150
465	55 Male	Hungary	atypical angina	145	326 FALSE	normal	155
466	55 Male	Hungary	non-anginal	110	277 FALSE	normal	160
467	55 Male	Hungary	non-anginal	120	220 FALSE	lv hypertrophy	134
468	55 Male	Hungary	asymptomatic	120	270 FALSE	normal	140
469	55 Male	Hungary	asymptomatic	140	229 FALSE	normal	110
470	56 Female	Hungary	non-anginal	130	219	st-t abnormality	164
471	56 Male	Hungary	atypical angina	130	184 FALSE	normal	100
472	56 Male	Hungary	non-anginal	130	FALSE	normal	114
473	56 Male	Hungary	non-anginal	130	276 FALSE	normal	128
474	56 Male	Hungary	asymptomatic	120	85 FALSE	normal	140
475	57 Female	Hungary	typical angina	130	308 FALSE	normal	98
476	57 Female	Hungary	asymptomatic	180	347 FALSE	st-t abnormality	126

477	57 Male	Hungary	atypical angina	140	260 TRUE	normal	140
478	58 Male	Hungary	atypical angina	130	230 FALSE	normal	150
479	58 Male	Hungary	atypical angina	130	251 FALSE	normal	110
480	58 Male	Hungary	non-anginal	140	179 FALSE	normal	160
481	58 Male	Hungary	asymptomatic	135	222 FALSE	normal	100
482	59 Female	Hungary	atypical angina	130	188 FALSE	normal	124
483	59 Male	Hungary	atypical angina	140	287 FALSE	normal	150
484	59 Male	Hungary	non-anginal	130	318 FALSE	normal	120
485	59 Male	Hungary	non-anginal	180	213 FALSE	normal	100
486	59 Male	Hungary	asymptomatic	140	FALSE	normal	140
487	60 Male	Hungary	non-anginal	120	246 FALSE	lv hypertrophy	135
488	61 Female	Hungary	asymptomatic	130	294 FALSE	st-t abnormality	120
489	61 Male	Hungary	asymptomatic	125	292 FALSE	st-t abnormality	115
490	62 Female	Hungary	typical angina	160	193 FALSE	normal	116
491	62 Male	Hungary	atypical angina	140	271 FALSE	normal	152
492	31 Male	Hungary	asymptomatic	120	270 FALSE	normal	153
493	33 Female	Hungary	asymptomatic	100	246 FALSE	normal	150
494	34 Male	Hungary	typical angina	140	156 FALSE	normal	180
495	35 Male	Hungary	atypical angina	110	257 FALSE	normal	140
496	36 Male	Hungary	atypical angina	120	267 FALSE	normal	160
497	37 Male	Hungary	asymptomatic	140	207 FALSE	normal	130
498	38 Male	Hungary	asymptomatic	110	196 FALSE	normal	166
499	38 Male	Hungary	asymptomatic	120	282 FALSE	normal	170
500	38 Male	Hungary	asymptomatic	92	117 FALSE	normal	134
501	40 Male	Hungary	asymptomatic	120	466	normal	152
502	41 Male	Hungary	asymptomatic	110	289 FALSE	normal	170
503	41 Male	Hungary	asymptomatic	120	237	normal	138
504	43 Male	Hungary	asymptomatic	150	247 FALSE	normal	130
505	46 Male	Hungary	asymptomatic	110	202 FALSE	normal	150
506	46 Male	Hungary	asymptomatic	118	186 FALSE	normal	124
507	46 Male	Hungary	asymptomatic	120	277 FALSE	normal	125
508	47 Male	Hungary	non-anginal	140	193 FALSE	normal	145
509	47 Male	Hungary	asymptomatic	150	226 FALSE	normal	98
510	48 Male	Hungary	asymptomatic	106	263 TRUE	normal	110
511	48 Male	Hungary	asymptomatic	120	260 FALSE	normal	115
512	48 Male	Hungary	asymptomatic	160	268 FALSE	normal	103
513	49 Female	Hungary	non-anginal	160	180 FALSE	normal	156
514	49 Male	Hungary	non-anginal	115	265 FALSE	normal	175
515	49 Male	Hungary	asymptomatic	130	206 FALSE	normal	170
516	50 Female	Hungary	non-anginal	140	288 FALSE	normal	140
517	50 Male	Hungary	asymptomatic	145	264 FALSE	normal	150
518	51 Female	Hungary	asymptomatic	160	303 FALSE	normal	150
519	52 Male	Hungary	asymptomatic	130	225 FALSE	normal	120
520	54 Male	Hungary	asymptomatic	125	216 FALSE	normal	140
521	54 Male	Hungary	asymptomatic	125	224 FALSE	normal	122
522	55 Male	Hungary	asymptomatic	140	201 FALSE	normal	130
523	57 Male	Hungary	atypical angina	140	265 FALSE	st-t abnormality	145
524	58 Male	Hungary	non-anginal	130	213 FALSE	st-t abnormality	140
525	59 Female	Hungary	asymptomatic	130	338 TRUE	st-t abnormality	130
526	60 Male	Hungary	asymptomatic	100	248 FALSE	normal	125
527	63 Male	Hungary	asymptomatic	150	223 FALSE	normal	115
528	65 Male	Hungary	asymptomatic	140	306 TRUE	normal	87
529	32 Male	Hungary	asymptomatic	118	529 FALSE	normal	130

530	38 Male	Hungary	asymptomatic	110	FALSE	normal	150
531	39 Male	Hungary	asymptomatic	110	280 FALSE	normal	150
532	40 Female	Hungary	asymptomatic	150	392 FALSE	normal	130
533	43 Male	Hungary	typical angina	120	291 FALSE	st-t abnormality	155
534	45 Male	Hungary	asymptomatic	130	219 FALSE	st-t abnormality	130
535	46 Male	Hungary	asymptomatic	120	231 FALSE	normal	115
536	46 Male	Hungary	asymptomatic	130	222 FALSE	normal	112
537	48 Male	Hungary	asymptomatic	122	275 TRUE	st-t abnormality	150
538	48 Male	Hungary	asymptomatic	160	193 FALSE	normal	102
539	48 Male	Hungary	asymptomatic	160	329 FALSE	normal	92
540	48 Male	Hungary	asymptomatic	160	355 FALSE	normal	99
541	50 Male	Hungary	asymptomatic	130	233 FALSE	normal	121
542	52 Male	Hungary	asymptomatic	120	182 FALSE	normal	150
543	52 Male	Hungary	asymptomatic	170	FALSE	normal	126
544	53 Male	Hungary	asymptomatic	120	246 FALSE	normal	116
545	54 Male	Hungary	non-anginal	120	237 FALSE	normal	150
546	54 Male	Hungary	asymptomatic	130	242 FALSE	normal	91
547	54 Male	Hungary	asymptomatic	130	603 TRUE	normal	125
548	54 Male	Hungary	asymptomatic	140	FALSE	normal	118
549	54 Male	Hungary	asymptomatic	200	198 FALSE	normal	142
550	55 Male	Hungary	asymptomatic	140	268 FALSE	normal	128
551	56 Male	Hungary	asymptomatic	150	213 TRUE	normal	125
552	57 Male	Hungary	asymptomatic	150	255 FALSE	normal	92
553	58 Male	Hungary	non-anginal	160	211 TRUE	st-t abnormality	92
554	58 Male	Hungary	asymptomatic	130	263 FALSE	normal	140
555	41 Male	Hungary	asymptomatic	130	172 FALSE	st-t abnormality	130
556	43 Male	Hungary	asymptomatic	120	175 FALSE	normal	120
557	44 Male	Hungary	atypical angina	150	288 FALSE	normal	150
558	44 Male	Hungary	asymptomatic	130	290 FALSE	normal	100
559	46 Male	Hungary	typical angina	140	272 TRUE	normal	175
560	47 Female	Hungary	non-anginal	135	248 TRUE	normal	170
561	48 Female	Hungary	asymptomatic	138	214 FALSE	normal	108
562	49 Male	Hungary	asymptomatic	130	341 FALSE	normal	120
563	49 Male	Hungary	asymptomatic	140	234 FALSE	normal	140
564	51 Male	Hungary	non-anginal	135	160 FALSE	normal	150
565	52 Male	Hungary	asymptomatic	112	342 FALSE	st-t abnormality	96
566	52 Male	Hungary	asymptomatic	130	298 FALSE	normal	110
567	52 Male	Hungary	asymptomatic	140	404 FALSE	normal	124
568	52 Male	Hungary	asymptomatic	160	246 FALSE	st-t abnormality	82
569	53 Male	Hungary	non-anginal	145	518 FALSE	normal	130
570	53 Male	Hungary	asymptomatic	180	285 FALSE	st-t abnormality	120
571	54 Male	Hungary	asymptomatic	140	216 FALSE	normal	105
572	55 Male	Hungary	typical angina	140	295 FALSE		136
573	55 Male	Hungary	atypical angina	160	292 TRUE	normal	143
574	55 Male	Hungary	asymptomatic	145	248 FALSE	normal	96
575	56 Female	Hungary	atypical angina	120	279 FALSE	normal	150
576	56 Male	Hungary	asymptomatic	150	230 FALSE	st-t abnormality	124
577	56 Male	Hungary	asymptomatic	170	388 FALSE	st-t abnormality	122
578	58 Male	Hungary	atypical angina	136	164 FALSE	st-t abnormality	99
579	59 Male	Hungary	asymptomatic	130	FALSE	normal	125
580	59 Male	Hungary	asymptomatic	140	264 TRUE	lv hypertrophy	119
581	65 Male	Hungary	asymptomatic	170	263 TRUE	normal	112
582	66 Male	Hungary	asymptomatic	140	FALSE	normal	94

583	41 Male	Hungary	asymptomatic	120	336 FALSE	normal	118
584	43 Male	Hungary	asymptomatic	140	288 FALSE	normal	135
585	44 Male	Hungary	asymptomatic	135	491 FALSE	normal	135
586	47 Female	Hungary	asymptomatic	120	205 FALSE	normal	98
587	47 Male	Hungary	asymptomatic	160	291 FALSE	st-t abnormality	158
588	49 Male	Hungary	asymptomatic	128	212 FALSE	normal	96
589	49 Male	Hungary	asymptomatic	150	222 FALSE	normal	122
590	50 Male	Hungary	asymptomatic	140	231 FALSE	st-t abnormality	140
591	50 Male	Hungary	asymptomatic	140	341 FALSE	st-t abnormality	125
592	52 Male	Hungary	asymptomatic	140	266 FALSE	normal	134
593	52 Male	Hungary	asymptomatic	160	331 FALSE	normal	94
594	54 Female	Hungary	non-anginal	130	294 FALSE	st-t abnormality	100
595	56 Male	Hungary	asymptomatic	155	342 TRUE	normal	150
596	58 Female	Hungary	atypical angina	180	393 FALSE	normal	110
597	65 Male	Hungary	asymptomatic	130	275 FALSE	st-t abnormality	115
598	32 Male	Switzerland	typical angina	95	0	normal	127
599	34 Male	Switzerland	asymptomatic	115	0		154
600	35 Male	Switzerland	asymptomatic		0	normal	130
601	36 Male	Switzerland	asymptomatic	110	0	normal	125
602	38 Female	Switzerland	asymptomatic	105	0	normal	166
603	38 Female	Switzerland	asymptomatic	110	0 FALSE	normal	156
604	38 Male	Switzerland	non-anginal	100	0	normal	179
605	38 Male	Switzerland	non-anginal	115	0 FALSE	normal	128
606	38 Male	Switzerland	asymptomatic	135	0	normal	150
607	38 Male	Switzerland	asymptomatic	150	0	normal	120
608	40 Male	Switzerland	asymptomatic	95	0	st-t abnormality	144
609	41 Male	Switzerland	asymptomatic	125	0	normal	176
610	42 Male	Switzerland	asymptomatic	105	0	normal	128
611	42 Male	Switzerland	asymptomatic	145	0 FALSE	normal	99
612	43 Male	Switzerland	asymptomatic	100	0	normal	122
613	43 Male	Switzerland	asymptomatic	115	0 FALSE	normal	145
614	43 Male	Switzerland	asymptomatic	140	0 FALSE	st-t abnormality	140
615	45 Male	Switzerland	non-anginal	110	0	normal	138
616	46 Male	Switzerland	asymptomatic	100	0	st-t abnormality	133
617	46 Male	Switzerland	asymptomatic	115	0 FALSE	normal	113
618	47 Male	Switzerland	non-anginal	110	0	normal	120
619	47 Male	Switzerland	non-anginal	155	0 FALSE	normal	118
620	47 Male	Switzerland	asymptomatic	110	0	st-t abnormality	149
621	47 Male	Switzerland	asymptomatic	160	0 FALSE	normal	124
622	48 Male	Switzerland	asymptomatic	115	0	normal	128
623	50 Female	Switzerland	asymptomatic	160	0	normal	110
624	50 Male	Switzerland	asymptomatic	115	0 FALSE	normal	120
625	50 Male	Switzerland	asymptomatic	120	0 FALSE	st-t abnormality	156
626	50 Male	Switzerland	asymptomatic	145	0	normal	139
627	51 Female	Switzerland	asymptomatic	120	0	normal	127
628	51 Male	Switzerland	asymptomatic	110	0	normal	92
629	51 Male	Switzerland	asymptomatic	120	0 TRUE	normal	104
630	51 Male	Switzerland	asymptomatic	130	0	normal	170
631	51 Male	Switzerland	asymptomatic	130	0	st-t abnormality	163
632	51 Male	Switzerland	asymptomatic	140	0 FALSE	normal	60
633	51 Male	Switzerland	asymptomatic	95	0	normal	126
634	52 Male	Switzerland	asymptomatic	130	0	normal	120
635	52 Male	Switzerland	asymptomatic	135	0	normal	128

636	52 Male	Switzerland	asymptomatic	165	0	normal	122
637	52 Male	Switzerland	asymptomatic	95	0	normal	82
638	53 Male	Switzerland	atypical angina	120	0 FALSE	normal	95
639	53 Male	Switzerland	atypical angina	130	0	st-t abnormality	120
640	53 Male	Switzerland	non-anginal	105	0 FALSE	normal	115
641	53 Male	Switzerland	non-anginal	160	0	lv hypertrophy	122
642	53 Male	Switzerland	asymptomatic	120	0	normal	120
643	53 Male	Switzerland	asymptomatic	125	0	normal	120
644	53 Male	Switzerland	asymptomatic	130	0 FALSE	lv hypertrophy	135
645	53 Male	Switzerland	asymptomatic	80	0	normal	141
646	54 Male	Switzerland	asymptomatic	120	0 FALSE	normal	155
647	54 Male	Switzerland	asymptomatic	130	0	normal	110
648	54 Male	Switzerland	asymptomatic	180	0	normal	150
649	55 Male	Switzerland	atypical angina	140	0	st-t abnormality	150
650	55 Male	Switzerland	asymptomatic	115	0	normal	155
651	55 Male	Switzerland	asymptomatic	120	0 FALSE	st-t abnormality	92
652	55 Male	Switzerland	asymptomatic	140	0 FALSE	normal	83
653	56 Male	Switzerland	non-anginal	120	0 FALSE	normal	97
654	56 Male	Switzerland	non-anginal	125	0	normal	98
655	56 Male	Switzerland	non-anginal	155	0 FALSE	st-t abnormality	99
656	56 Male	Switzerland	asymptomatic	115	0	st-t abnormality	82
657	56 Male	Switzerland	asymptomatic	120	0 FALSE	st-t abnormality	100
658	56 Male	Switzerland	asymptomatic	120	0 FALSE	st-t abnormality	148
659	56 Male	Switzerland	asymptomatic	125	0 TRUE	normal	103
660	56 Male	Switzerland	asymptomatic	140	0	normal	121
661	57 Male	Switzerland	non-anginal	105	0	normal	148
662	57 Male	Switzerland	asymptomatic	110	0	st-t abnormality	131
663	57 Male	Switzerland	asymptomatic	140	0 FALSE	normal	120
664	57 Male	Switzerland	asymptomatic	140	0	normal	100
665	57 Male	Switzerland	asymptomatic	160	0	normal	98
666	57 Male	Switzerland	asymptomatic	95	0	normal	182
667	58 Male	Switzerland	asymptomatic	115	0	normal	138
668	58 Male	Switzerland	asymptomatic	130	0 FALSE	st-t abnormality	100
669	58 Male	Switzerland	asymptomatic	170	0	st-t abnormality	105
670	59 Male	Switzerland	non-anginal	125	0	normal	175
671	59 Male	Switzerland	asymptomatic	110	0	normal	94
672	59 Male	Switzerland	asymptomatic	120	0 FALSE	normal	115
673	59 Male	Switzerland	asymptomatic	125	0	normal	119
674	59 Male	Switzerland	asymptomatic	135	0 FALSE	normal	115
675	60 Male	Switzerland	non-anginal	115	0	normal	143
676	60 Male	Switzerland	asymptomatic	125	0	normal	110
677	60 Male	Switzerland	asymptomatic	130	0	st-t abnormality	130
678	60 Male	Switzerland	asymptomatic	135	0 FALSE	normal	63
679	60 Male	Switzerland	asymptomatic	160	0 FALSE	st-t abnormality	99
680	60 Male	Switzerland	asymptomatic	160	0	normal	149
681	61 Male	Switzerland	non-anginal	200	0	st-t abnormality	70
682	61 Male	Switzerland	asymptomatic	105	0	normal	110
683	61 Male	Switzerland	asymptomatic	110	0	normal	113
684	61 Male	Switzerland	asymptomatic	125	0 FALSE	normal	105
685	61 Male	Switzerland	asymptomatic	130	0 FALSE	lv hypertrophy	115
686	61 Male	Switzerland	asymptomatic	130	0	normal	77
687	61 Male	Switzerland	asymptomatic	150	0 FALSE	normal	105
688	61 Male	Switzerland	asymptomatic	150	0 FALSE	normal	117

689	61 Male	Switzerland	asymptomatic	160	0 TRUE	st-t abnormality	145
690	62 Female	Switzerland	typical angina	140	0	normal	143
691	62 Female	Switzerland	asymptomatic	120	0	st-t abnormality	123
692	62 Male	Switzerland	typical angina	120	0	lv hypertrophy	134
693	62 Male	Switzerland	non-anginal	160	0 FALSE	normal	72
694	62 Male	Switzerland	asymptomatic	115	0	normal	128
695	62 Male	Switzerland	asymptomatic	115	0	normal	72
696	62 Male	Switzerland	asymptomatic	150	0	st-t abnormality	78
697	63 Male	Switzerland	asymptomatic	100	0	normal	109
698	63 Male	Switzerland	asymptomatic	140	0	lv hypertrophy	149
699	63 Male	Switzerland	asymptomatic	150	0 FALSE	normal	86
700	63 Male	Switzerland	asymptomatic	150	0	st-t abnormality	154
701	63 Male	Switzerland	asymptomatic	185	0 FALSE	normal	98
702	64 Female	Switzerland	asymptomatic	200	0 FALSE	normal	140
703	64 Female	Switzerland	asymptomatic	95	0	normal	145
704	64 Male	Switzerland	asymptomatic	110	0	normal	114
705	65 Male	Switzerland	asymptomatic	115	0 FALSE	normal	93
706	65 Male	Switzerland	asymptomatic	145	0	st-t abnormality	67
707	65 Male	Switzerland	asymptomatic	155	0	normal	154
708	65 Male	Switzerland	asymptomatic	160	0 TRUE	st-t abnormality	122
709	66 Female	Switzerland	asymptomatic	155	0	normal	90
710	66 Male	Switzerland	asymptomatic	150	0 FALSE	normal	108
711	67 Male	Switzerland	typical angina	145	0 FALSE	lv hypertrophy	125
712	68 Male	Switzerland	asymptomatic	135	0 FALSE	st-t abnormality	120
713	68 Male	Switzerland	asymptomatic	145	0	normal	136
714	69 Male	Switzerland	asymptomatic	135	0 FALSE	normal	130
715	69 Male	Switzerland	asymptomatic		0 FALSE	st-t abnormality	
716	70 Male	Switzerland	asymptomatic	115	0 FALSE	st-t abnormality	92
717	70 Male	Switzerland	asymptomatic	140	0 TRUE	normal	157
718	72 Male	Switzerland	non-anginal	160	0	lv hypertrophy	114
719	73 Female	Switzerland	non-anginal	160	0 FALSE	st-t abnormality	121
720	74 Male	Switzerland	atypical angina	145	0	st-t abnormality	123
721	63 Male	VA Long Beach	asymptomatic	140	260 FALSE	st-t abnormality	112
722	44 Male	VA Long Beach	asymptomatic	130	209 FALSE	st-t abnormality	127
723	60 Male	VA Long Beach	asymptomatic	132	218 FALSE	st-t abnormality	140
724	55 Male	VA Long Beach	asymptomatic	142	228 FALSE	st-t abnormality	149
725	66 Male	VA Long Beach	non-anginal	110	213 TRUE	lv hypertrophy	99
726	66 Male	VA Long Beach	non-anginal	120	0 FALSE	st-t abnormality	120
727	65 Male	VA Long Beach	asymptomatic	150	236 TRUE	st-t abnormality	105
728	60 Male	VA Long Beach	non-anginal	180	0 FALSE	st-t abnormality	140
729	60 Male	VA Long Beach	non-anginal	120	0	normal	141
730	60 Male	VA Long Beach	atypical angina	160	267 TRUE	st-t abnormality	157
731	56 Male	VA Long Beach	atypical angina	126	166 FALSE	st-t abnormality	140
732	59 Male	VA Long Beach	asymptomatic	140	0 FALSE	st-t abnormality	117
733	62 Male	VA Long Beach	asymptomatic	110	0 FALSE	normal	120
734	63 Male	VA Long Beach	non-anginal		0 FALSE	lv hypertrophy	
735	57 Male	VA Long Beach	asymptomatic	128	0 TRUE	st-t abnormality	148
736	62 Male	VA Long Beach	asymptomatic	120	220 FALSE	st-t abnormality	86
737	63 Male	VA Long Beach	asymptomatic	170	177 FALSE	normal	84
738	46 Male	VA Long Beach	asymptomatic	110	236 FALSE	normal	125
739	63 Male	VA Long Beach	asymptomatic	126	0 FALSE	st-t abnormality	120
740	60 Male	VA Long Beach	asymptomatic	152	0 FALSE	st-t abnormality	118
741	58 Male	VA Long Beach	asymptomatic	116	0 FALSE	normal	124

742	64 Male	VA Long Beach	asymptomatic	120	0 TRUE	st-t abnormality	106
743	63 Male	VA Long Beach	non-anginal	130	0 FALSE	st-t abnormality	111
744	74 Male	VA Long Beach	non-anginal		0 FALSE	normal	
745	52 Male	VA Long Beach	non-anginal	128	0 FALSE	st-t abnormality	180
746	69 Male	VA Long Beach	asymptomatic	130	0 TRUE	st-t abnormality	129
747	51 Male	VA Long Beach	asymptomatic		0 TRUE	st-t abnormality	
748	60 Male	VA Long Beach	asymptomatic	130	186 TRUE	st-t abnormality	140
749	56 Male	VA Long Beach	asymptomatic	120	100 FALSE	normal	120
750	55 Male	VA Long Beach	non-anginal		228 FALSE	st-t abnormality	
751	54 Male	VA Long Beach	asymptomatic		0 FALSE	st-t abnormality	
752	77 Male	VA Long Beach	asymptomatic	124	171 FALSE	st-t abnormality	110
753	63 Male	VA Long Beach	asymptomatic	160	230 TRUE	normal	105
754	55 Male	VA Long Beach	non-anginal	0	0 FALSE	normal	155
755	52 Male	VA Long Beach	non-anginal	122	0 FALSE	normal	110
756	64 Male	VA Long Beach	asymptomatic	144	0 FALSE	st-t abnormality	122
757	60 Male	VA Long Beach	asymptomatic		281 FALSE	st-t abnormality	
758	60 Male	VA Long Beach	asymptomatic	120	0 FALSE	normal	133
759	58 Male	VA Long Beach	asymptomatic		203 TRUE	normal	
760	59 Male	VA Long Beach	asymptomatic	154	0 FALSE	st-t abnormality	131
761	61 Male	VA Long Beach	non-anginal	120	0 FALSE	normal	80
762	40 Male	VA Long Beach	asymptomatic	125	0 TRUE	normal	165
763	61 Male	VA Long Beach	asymptomatic		0 TRUE	st-t abnormality	86
764	41 Male	VA Long Beach	asymptomatic	104	0 FALSE	st-t abnormality	111
765	57 Male	VA Long Beach	asymptomatic		277 TRUE	st-t abnormality	
766	63 Male	VA Long Beach	asymptomatic	136	0 FALSE	normal	84
767	59 Male	VA Long Beach	asymptomatic	122	233 FALSE	normal	117
768	51 Male	VA Long Beach	asymptomatic	128	0 FALSE	normal	107
769	59 Male	VA Long Beach	non-anginal		0 FALSE	normal	128
770	42 Male	VA Long Beach	non-anginal	134	240	normal	160
771	55 Male	VA Long Beach	non-anginal	120	0 FALSE	st-t abnormality	125
772	63 Female	VA Long Beach	atypical angina		0 FALSE	normal	
773	62 Male	VA Long Beach	asymptomatic	152	153 FALSE	st-t abnormality	97
774	56 Male	VA Long Beach	atypical angina	124	224 TRUE	normal	161
775	53 Male	VA Long Beach	asymptomatic	126	0 FALSE	normal	106
776	68 Male	VA Long Beach	asymptomatic	138	0 FALSE	normal	130
777	53 Male	VA Long Beach	asymptomatic	154	0	st-t abnormality	140
778	60 Male	VA Long Beach	non-anginal		316 TRUE	st-t abnormality	
779	62 Male	VA Long Beach	atypical angina		0 FALSE	normal	
780	59 Male	VA Long Beach	asymptomatic	178	0 TRUE	lv hypertrophy	120
781	51 Male	VA Long Beach	asymptomatic		218 TRUE	lv hypertrophy	
782	61 Male	VA Long Beach	asymptomatic	110	0	normal	108
783	57 Male	VA Long Beach	asymptomatic	130	311	st-t abnormality	148
784	56 Male	VA Long Beach	non-anginal	170	0 FALSE	lv hypertrophy	123
785	58 Male	VA Long Beach	atypical angina	126	0 TRUE	normal	110
786	69 Male	VA Long Beach	non-anginal	140	0	st-t abnormality	118
787	67 Male	VA Long Beach	typical angina	142	270 TRUE	normal	125
788	58 Male	VA Long Beach	asymptomatic	120	0 FALSE	lv hypertrophy	106
789	65 Male	VA Long Beach	asymptomatic		0 FALSE	normal	
790	63 Male	VA Long Beach	atypical angina		217 TRUE	st-t abnormality	
791	55 Male	VA Long Beach	atypical angina	110	214 TRUE	st-t abnormality	180
792	57 Male	VA Long Beach	asymptomatic	140	214 FALSE	st-t abnormality	144
793	65 Male	VA Long Beach	typical angina		252 FALSE	normal	
794	54 Male	VA Long Beach	asymptomatic	136	220 FALSE	normal	140

795	72 Male	VA Long Beach	non-anginal	120	214 FALSE	normal	102
796	75 Male	VA Long Beach	asymptomatic	170	203 TRUE	st-t abnormality	108
797	49 Male	VA Long Beach	typical angina	130	0 FALSE	st-t abnormality	145
798	51 Male	VA Long Beach	non-anginal		339 FALSE	normal	
799	60 Male	VA Long Beach	asymptomatic	142	216 FALSE	normal	110
800	64 Female	VA Long Beach	asymptomatic	142	276 FALSE	normal	140
801	58 Male	VA Long Beach	asymptomatic	132	458 TRUE	normal	69
802	61 Male	VA Long Beach	asymptomatic	146	241 FALSE	normal	148
803	67 Male	VA Long Beach	asymptomatic	160	384 TRUE	st-t abnormality	130
804	62 Male	VA Long Beach	asymptomatic	135	297 FALSE	normal	130
805	65 Male	VA Long Beach	asymptomatic	136	248 FALSE	normal	140
806	63 Male	VA Long Beach	asymptomatic	130	308 FALSE	normal	138
807	69 Male	VA Long Beach	asymptomatic	140	208 FALSE	st-t abnormality	140
808	51 Male	VA Long Beach	asymptomatic		227 TRUE	st-t abnormality	
809	62 Male	VA Long Beach	asymptomatic	158	210 TRUE	normal	112
810	55 Male	VA Long Beach	non-anginal		245 TRUE	st-t abnormality	
811	75 Male	VA Long Beach	asymptomatic	136	225 FALSE	normal	112
812	40 Male	VA Long Beach	non-anginal	106	240 FALSE	normal	80
813	67 Male	VA Long Beach	asymptomatic	120	0 TRUE	normal	150
814	58 Male	VA Long Beach	asymptomatic	110	198 FALSE	normal	110
815	60 Male	VA Long Beach	asymptomatic		195 FALSE	normal	
816	63 Male	VA Long Beach	asymptomatic	160	267 TRUE	st-t abnormality	88
817	35 Male	VA Long Beach	non-anginal		161 FALSE	st-t abnormality	
818	62 Male	VA Long Beach	typical angina	112	258 FALSE	st-t abnormality	150
819	43 Male	VA Long Beach	asymptomatic	122	0 FALSE	normal	120
820	63 Male	VA Long Beach	non-anginal	130	0 TRUE	st-t abnormality	160
821	68 Male	VA Long Beach	non-anginal	150	195 TRUE	normal	132
822	65 Male	VA Long Beach	asymptomatic	150	235 FALSE	normal	120
823	48 Male	VA Long Beach	non-anginal	102	0	st-t abnormality	110
824	63 Male	VA Long Beach	asymptomatic	96	305 FALSE	st-t abnormality	121
825	64 Male	VA Long Beach	asymptomatic	130	223 FALSE	st-t abnormality	128
826	61 Male	VA Long Beach	asymptomatic	120	282 FALSE	st-t abnormality	135
827	50 Male	VA Long Beach	asymptomatic	144	349 FALSE	lv hypertrophy	120
828	59 Male	VA Long Beach	asymptomatic	124	FALSE	normal	117
829	55 Male	VA Long Beach	asymptomatic	150	160 FALSE	st-t abnormality	150
830	45 Male	VA Long Beach	non-anginal		236 FALSE	normal	
831	65 Male	VA Long Beach	asymptomatic		312 FALSE	lv hypertrophy	
832	61 Male	VA Long Beach	atypical angina		283 FALSE	normal	
833	49 Male	VA Long Beach	non-anginal		142 FALSE	normal	
834	72 Male	VA Long Beach	asymptomatic		211 FALSE	normal	
835	50 Male	VA Long Beach	asymptomatic		218 FALSE	normal	
836	64 Male	VA Long Beach	asymptomatic		306 TRUE	st-t abnormality	
837	55 Male	VA Long Beach	asymptomatic	116	186 TRUE	st-t abnormality	102
838	63 Male	VA Long Beach	asymptomatic	110	252 FALSE	st-t abnormality	140
839	59 Male	VA Long Beach	asymptomatic	125	222 FALSE	normal	135
840	56 Male	VA Long Beach	asymptomatic		0 FALSE	lv hypertrophy	
841	62 Male	VA Long Beach	non-anginal		0 TRUE	st-t abnormality	
842	74 Male	VA Long Beach	asymptomatic	150	258 TRUE	st-t abnormality	130
843	54 Male	VA Long Beach	asymptomatic	130	202 TRUE	normal	112
844	57 Male	VA Long Beach	asymptomatic	110	197 FALSE	lv hypertrophy	100
845	62 Male	VA Long Beach	non-anginal		204 FALSE	st-t abnormality	
846	76 Male	VA Long Beach	non-anginal	104	FALSE	lv hypertrophy	120
847	54 Female	VA Long Beach	asymptomatic	138	274 FALSE	normal	105

848	70 Male	VA Long Beach	asymptomatic	170	192 FALSE	st-t abnormality	129
849	61 Female	VA Long Beach	atypical angina	140	298 TRUE	normal	120
850	48 Male	VA Long Beach	asymptomatic		272 FALSE	st-t abnormality	
851	48 Male	VA Long Beach	non-anginal	132	220 TRUE	st-t abnormality	162
852	61 Male	VA Long Beach	typical angina	142	200 TRUE	st-t abnormality	100
853	66 Male	VA Long Beach	asymptomatic	112	261 FALSE	normal	140
854	68 Male	VA Long Beach	typical angina		181 TRUE	st-t abnormality	
855	55 Male	VA Long Beach	asymptomatic	172	260 FALSE	normal	73
856	62 Male	VA Long Beach	non-anginal	120	220 FALSE	lv hypertrophy	86
857	71 Male	VA Long Beach	non-anginal		221 FALSE	normal	
858	74 Male	VA Long Beach	typical angina		216 TRUE	normal	
859	53 Male	VA Long Beach	non-anginal	155	175 TRUE	st-t abnormality	160
860	58 Male	VA Long Beach	non-anginal	150	219 FALSE	st-t abnormality	118
861	75 Male	VA Long Beach	asymptomatic	160	310 TRUE	normal	112
862	56 Male	VA Long Beach	non-anginal		208 TRUE	st-t abnormality	
863	58 Male	VA Long Beach	non-anginal		232 FALSE	st-t abnormality	
864	64 Male	VA Long Beach	asymptomatic	134	273 FALSE	normal	102
865	54 Male	VA Long Beach	non-anginal		203 FALSE	st-t abnormality	
866	54 Male	VA Long Beach	atypical angina		182 FALSE	st-t abnormality	
867	59 Male	VA Long Beach	asymptomatic	140	274 FALSE	normal	154
868	55 Male	VA Long Beach	asymptomatic		204 TRUE	st-t abnormality	
869	57 Male	VA Long Beach	asymptomatic	144	270 TRUE	st-t abnormality	160
870	61 Male	VA Long Beach	asymptomatic		292 FALSE	st-t abnormality	
871	41 Male	VA Long Beach	asymptomatic	150	171 FALSE	normal	128
872	71 Male	VA Long Beach	asymptomatic	130	221 FALSE	st-t abnormality	115
873	38 Male	VA Long Beach	asymptomatic	110	289 FALSE	normal	105
874	55 Male	VA Long Beach	asymptomatic	158	217 FALSE	normal	110
875	56 Male	VA Long Beach	asymptomatic	128	223 FALSE	st-t abnormality	119
876	69 Male	VA Long Beach	asymptomatic		TRUE	normal	
877	64 Male	VA Long Beach	asymptomatic	150	193 FALSE	st-t abnormality	135
878	72 Male	VA Long Beach	asymptomatic	160	TRUE	lv hypertrophy	130
879	69 Male	VA Long Beach	asymptomatic		210 TRUE	st-t abnormality	
880	56 Male	VA Long Beach	asymptomatic		282 TRUE	normal	
881	62 Male	VA Long Beach	asymptomatic		170 FALSE	st-t abnormality	120
882	67 Male	VA Long Beach	asymptomatic		369 FALSE	normal	
883	57 Male	VA Long Beach	asymptomatic	156	173 FALSE	lv hypertrophy	119
884	69 Male	VA Long Beach	asymptomatic		289 TRUE	st-t abnormality	
885	51 Male	VA Long Beach	asymptomatic		TRUE	lv hypertrophy	
886	48 Male	VA Long Beach	asymptomatic	140	FALSE	normal	159
887	69 Male	VA Long Beach	asymptomatic	122	216 TRUE	lv hypertrophy	84
888	69 Male	VA Long Beach	non-anginal		271 FALSE	lv hypertrophy	
889	64 Male	VA Long Beach	asymptomatic		244 TRUE	st-t abnormality	
890	57 Male	VA Long Beach	atypical angina	180	285 TRUE	st-t abnormality	120
891	53 Male	VA Long Beach	asymptomatic	124	243 FALSE	normal	122
892	37 Male	VA Long Beach	non-anginal	118	240 FALSE	lv hypertrophy	165
893	67 Male	VA Long Beach	asymptomatic	140	219 FALSE	st-t abnormality	122
894	74 Male	VA Long Beach	non-anginal	140	237 TRUE	normal	94
895	63 Male	VA Long Beach	atypical angina		165 FALSE	st-t abnormality	
896	58 Male	VA Long Beach	asymptomatic	100	213 FALSE	st-t abnormality	110
897	61 Male	VA Long Beach	asymptomatic	190	287 TRUE	lv hypertrophy	150
898	64 Male	VA Long Beach	asymptomatic	130	258 TRUE	lv hypertrophy	130
899	58 Male	VA Long Beach	asymptomatic	160	256 TRUE	lv hypertrophy	113
900	60 Male	VA Long Beach	asymptomatic	130	186 TRUE	lv hypertrophy	140

901	57 Male	VA Long Beach	asymptomatic	122	264 FALSE	lv hypertrophy	100
902	55 Male	VA Long Beach	non-anginal		FALSE	st-t abnormality	
903	55 Male	VA Long Beach	asymptomatic	120	226 FALSE	lv hypertrophy	127
904	56 Male	VA Long Beach	asymptomatic	130	203 TRUE	normal	98
905	57 Male	VA Long Beach	asymptomatic	130	207 FALSE	st-t abnormality	96
906	61 Male	VA Long Beach	non-anginal		284 FALSE	normal	
907	61 Male	VA Long Beach	non-anginal	120	337 FALSE	normal	98
908	58 Male	VA Long Beach	non-anginal	150	219 FALSE	st-t abnormality	118
909	74 Male	VA Long Beach	asymptomatic	155	310 FALSE	normal	112
910	68 Male	VA Long Beach	non-anginal	134	254 TRUE	normal	151
911	51 Female	VA Long Beach	asymptomatic	114	258 TRUE	lv hypertrophy	96
912	62 Male	VA Long Beach	asymptomatic	160	254 TRUE	st-t abnormality	108
913	53 Male	VA Long Beach	asymptomatic	144	300 TRUE	st-t abnormality	128
914	62 Male	VA Long Beach	asymptomatic	158	170 FALSE	st-t abnormality	138
915	46 Male	VA Long Beach	asymptomatic	134	310 FALSE	normal	126
916	54 Female	VA Long Beach	asymptomatic	127	333 TRUE	st-t abnormality	154
917	62 Male	VA Long Beach	typical angina		139 FALSE	st-t abnormality	
918	55 Male	VA Long Beach	asymptomatic	122	223 TRUE	st-t abnormality	100
919	58 Male	VA Long Beach	asymptomatic		385 TRUE	lv hypertrophy	
920	62 Male	VA Long Beach	atypical angina	120	254 FALSE	lv hypertrophy	93

exang	oldpeak	slope	ca	thal	num
FALSE	2.3	downsloping	0	fixed defect	0
TRUE	1.5	flat	3	normal	2
TRUE	2.6	flat	2	reversible defect	1
FALSE	3.5	downsloping	0	normal	0
FALSE	1.4	upsloping	0	normal	0
FALSE	0.8	upsloping	0	normal	0
FALSE	3.6	downsloping	2	normal	3
TRUE	0.6	upsloping	0	normal	0
FALSE	1.4	flat	1	reversible defect	2
TRUE	3.1	downsloping	0	reversible defect	1
FALSE	0.4	flat	0	fixed defect	0
FALSE	1.3	flat	0	normal	0
TRUE	0.6	flat	1	fixed defect	2
FALSE	0	upsloping	0	reversible defect	0
FALSE	0.5	upsloping	0	reversible defect	0
FALSE	1.6	upsloping	0	normal	0
FALSE	1	downsloping	0	reversible defect	1
FALSE	1.2	upsloping	0	normal	0
FALSE	0.2	upsloping	0	normal	0
FALSE	0.6	upsloping	0	normal	0
TRUE	1.8	flat	0	normal	0
FALSE	1	upsloping	0	normal	0
FALSE	1.8	flat	0	normal	1
FALSE	3.2	upsloping	2	reversible defect	3
TRUE	2.4	flat	2	reversible defect	4
FALSE	1.6	flat	0	normal	0
FALSE	0	upsloping	0	normal	0
FALSE	2.6	downsloping	0	normal	0
FALSE	1.5	upsloping	0	normal	0
TRUE	2	flat	0	reversible defect	3
FALSE	1.8	upsloping	2	normal	0
TRUE	1.4	upsloping	2	reversible defect	2
FALSE	0	upsloping	0	normal	1
FALSE	0.5	flat	0	reversible defect	0
TRUE	0.4	upsloping	0	normal	0
FALSE	0	upsloping	0	normal	0
TRUE	2.5	flat	0	reversible defect	3
TRUE	0.6	flat	1	fixed defect	1
TRUE	1.2	flat	1	reversible defect	3
TRUE	1	flat	0	normal	0
FALSE	1	flat	3	reversible defect	4
TRUE	1.4	upsloping	0	reversible defect	0
FALSE	0.4	upsloping	2	normal	0
FALSE	1.6	upsloping	0	normal	0
FALSE	0	upsloping	0	normal	1
FALSE	2.5	flat	1	reversible defect	4
FALSE	0.6	upsloping	0	normal	0
FALSE	2.6	flat	0	reversible defect	4
FALSE	0.8	upsloping	1	normal	0
FALSE	1.2	downsloping	0	normal	0
FALSE	0	upsloping	1	normal	0
FALSE	0.4	upsloping	0	reversible defect	0

FALSE	0 upsloping	1 normal	2
FALSE	0 upsloping	0 normal	0
TRUE	1.4 upsloping	1 reversable defect	1
TRUE	2.2 flat	1 reversable defect	1
FALSE	0.6 flat	1 reversable defect	1
FALSE	0 upsloping	0 reversable defect	1
FALSE	0.5 downsloping	1 normal	0
TRUE	1.4 upsloping	1 normal	0
TRUE	1.2 flat	0 reversable defect	2
TRUE	1.4 downsloping	0 normal	0
TRUE	2.2 flat	3 reversable defect	1
FALSE	0 upsloping	0 normal	0
FALSE	1.4 flat	1 reversable defect	2
TRUE	2.8 flat	2 reversable defect	2
FALSE	3 flat	0 normal	1
FALSE	1.6 upsloping	0 reversable defect	0
TRUE	3.4 downsloping	0 reversable defect	2
FALSE	3.6 flat	0 normal	1
FALSE	0.8 upsloping	0 normal	0
FALSE	0.2 flat	2 reversable defect	3
TRUE	1.8 flat	2 reversable defect	1
FALSE	0.6 upsloping	2 fixed defect	1
FALSE	0 upsloping	1 normal	1
FALSE	0.8 upsloping	0 normal	0
TRUE	2.8 flat	1 reversable defect	1
FALSE	1.5 upsloping	1 normal	0
FALSE	0.2 flat	0 normal	0
TRUE	0.8 upsloping	0 reversable defect	3
TRUE	3 flat	0 normal	0
FALSE	0.4 flat	0 normal	0
FALSE	0 upsloping	0 normal	0
TRUE	1.6 flat	0 reversable defect	3
FALSE	0.2 upsloping	0 normal	0
FALSE	0 upsloping	0 normal	0
FALSE	0 upsloping	0 normal	0
FALSE	0 upsloping	0	0
FALSE	0 upsloping	0 normal	0
FALSE	0.5 upsloping	0 normal	0
FALSE	0.4 flat	0 normal	0
FALSE	6.2 downsloping	3 reversable defect	3
FALSE	1.8 flat	3 reversable defect	0
FALSE	0.6 flat	0 normal	0
FALSE	0 upsloping	0 normal	0
TRUE	0 upsloping	1 reversable defect	1
TRUE	1.2 flat	1 reversable defect	2
FALSE	2.6 flat	2 reversable defect	3
FALSE	0.8 upsloping	1 normal	0
FALSE	0 upsloping	0 normal	0
FALSE	0 upsloping	0 normal	0
FALSE	0 upsloping	0 normal	0
FALSE	0 upsloping	1 normal	0
FALSE	0 upsloping	1 normal	0
FALSE	2 flat	3 reversable defect	3

FALSE	0 upsloping	0 reversible defect	0
TRUE	0 upsloping	1 reversible defect	2
FALSE	0.4 flat	1 reversible defect	1
TRUE	3.6 flat	1 reversible defect	2
FALSE	1.2 flat	0 reversible defect	3
TRUE	1 flat	0 reversible defect	1
TRUE	1.2 flat	1 normal	1
FALSE	0 flat	0 fixed defect	0
TRUE	3 flat	0 reversible defect	2
FALSE	1.2 flat	1 reversible defect	2
FALSE	0 flat	0 fixed defect	0
FALSE	0 upsloping	0 normal	0
FALSE	1.4 upsloping	0 normal	0
TRUE	1.8 upsloping	3 reversible defect	3
FALSE	2.8 flat	1 reversible defect	2
TRUE	0 upsloping	2 reversible defect	3
FALSE	4 flat	3 reversible defect	4
TRUE	1.2 flat	0 normal	0
TRUE	5.6 downsloping	0 reversible defect	3
FALSE	1.4 flat	1 normal	1
FALSE	0.6 flat	0 normal	0
TRUE	4 downsloping	2 reversible defect	3
TRUE	2.8 flat	1 reversible defect	3
FALSE	0 upsloping	0 normal	0
FALSE	0 upsloping	0 normal	0
FALSE	0.4 flat	0 reversible defect	0
TRUE	0 upsloping	1 reversible defect	0
FALSE	0 upsloping	0 normal	0
TRUE	0 upsloping	0 normal	0
FALSE	0.2 flat	0 normal	0
FALSE	1.4 flat	0 normal	0
TRUE	2.6 downsloping	0 reversible defect	4
FALSE	1.4 flat	1 reversible defect	3
TRUE	1.6 flat	0 reversible defect	1
FALSE	2.4 flat	0 normal	0
TRUE	0 upsloping	0 normal	0
FALSE	0.2 flat	0 reversible defect	1
FALSE	0 upsloping	0 normal	0
TRUE	1.8 flat	0 reversible defect	1
TRUE	0.6 flat	0 reversible defect	0
FALSE	0 upsloping	0 normal	1
FALSE	1 flat	3 reversible defect	4
FALSE	0 upsloping	0 normal	0
FALSE	0 upsloping	0 normal	0
FALSE	0 upsloping	1 normal	0
FALSE	1.2 flat	0 reversible defect	0
FALSE	0.6 flat	0 normal	0
FALSE	1.6 flat	0 reversible defect	0
TRUE	0.8 flat	1 reversible defect	4
TRUE	2.2 downsloping	1 normal	3
FALSE	2.4 flat	3 normal	1
TRUE	1.6 upsloping	0 reversible defect	1
FALSE	0 upsloping	2 reversible defect	1

FALSE	1.2 flat	2 reversible defect	2
FALSE	1 upsloping	1 reversible defect	0
FALSE	0 upsloping	0 reversible defect	0
TRUE	0 upsloping	3 normal	4
FALSE	1.6 flat	0 normal	0
FALSE	1 flat	0 normal	0
FALSE	0 upsloping	2 normal	0
TRUE	0 upsloping	0 reversible defect	0
FALSE	0 upsloping	normal	0
TRUE	0 upsloping	1 normal	0
TRUE	0 upsloping	0 reversible defect	1
FALSE	0 flat	0 normal	0
TRUE	2.9 flat	1 reversible defect	3
TRUE	0 upsloping	0 reversible defect	0
TRUE	0 flat	0 normal	1
FALSE	1.2 flat	0 normal	0
FALSE	2 flat	2 fixed defect	4
TRUE	1.2 flat	1 reversible defect	1
FALSE	0.1 upsloping	3 reversible defect	0
TRUE	2.1 flat	1 fixed defect	1
FALSE	1.9 upsloping	1 normal	0
FALSE	0 upsloping	3 normal	0
FALSE	0.5 flat	0 reversible defect	3
TRUE	1.9 flat	2 reversible defect	2
FALSE	0.8 upsloping	2 normal	0
FALSE	4.2 downsloping	0 reversible defect	0
FALSE	0 upsloping	0 normal	1
FALSE	0 upsloping	2 normal	0
FALSE	0.8 downsloping	0 reversible defect	0
TRUE	0 flat	3 fixed defect	2
FALSE	0 upsloping	1 reversible defect	1
FALSE	2 flat	3 reversible defect	2
FALSE	0 upsloping	0 normal	0
TRUE	4.2 flat	3 reversible defect	3
TRUE	0.1 flat	reversible defect	1
FALSE	1.9 flat	3 normal	2
FALSE	1.5 flat	0 normal	0
TRUE	0.9 flat	2 normal	3
FALSE	0.1 flat	1 normal	0
TRUE	0.2 flat	0 normal	0
FALSE	1.1 upsloping	0 normal	0
FALSE	0 upsloping	0 normal	1
FALSE	0 upsloping	0 normal	0
TRUE	0 upsloping	0 normal	0
FALSE	0.2 upsloping	1 reversible defect	0
FALSE	0.2 upsloping	0 reversible defect	0
FALSE	0 upsloping	0 reversible defect	0
TRUE	0 flat	3 reversible defect	3
TRUE	3 flat	2 reversible defect	3
TRUE	0.9 flat	0 reversible defect	3
FALSE	0 upsloping	0 normal	0
TRUE	1.4 flat	0 normal	1
FALSE	0 upsloping	0 normal	0

TRUE	3.8 flat	0 reversable defect	4
FALSE	2 flat	0 normal	0
TRUE	1 flat	2 reversable defect	3
FALSE	0 upsloping	1 normal	1
FALSE	1.9 flat	0 reversable defect	0
FALSE	0 upsloping	0 normal	0
TRUE	0 flat	0 normal	0
FALSE	2 flat	2 normal	0
FALSE	0 upsloping	0 normal	0
TRUE	0 upsloping	0 normal	0
FALSE	0 upsloping	0 normal	0
FALSE	0 upsloping	0 normal	0
TRUE	2 flat	2 reversable defect	3
TRUE	1.8 flat	2 normal	1
FALSE	0.7 upsloping	0 normal	0
FALSE	0.1 upsloping	0 normal	0
FALSE	0 upsloping	1 normal	0
TRUE	0 flat	1 normal	3
TRUE	0.1 upsloping	1 normal	2
FALSE	0.1 flat	0 normal	0
TRUE	3.4 flat	0 normal	2
FALSE	0.8 upsloping	3 normal	1
TRUE	0.2 upsloping	1 normal	0
FALSE	0 upsloping	1 normal	0
TRUE	3.2 flat	2 normal	3
TRUE	1.6 downsloping	0 reversable defect	2
FALSE	0.8 upsloping	0 reversable defect	1
FALSE	0 flat	0 normal	0
FALSE	0 upsloping	0 normal	0
FALSE	0 upsloping	0 normal	0
FALSE	0 upsloping	0 normal	0
FALSE	0 upsloping	0 normal	0
FALSE	2.6 flat	2 normal	2
FALSE	0 upsloping	0 normal	0
FALSE	1 flat	0 normal	2
FALSE	0.1 upsloping	1 reversable defect	2
TRUE	1 flat	1 normal	1
FALSE	1 upsloping	2 reversable defect	3
FALSE	0 upsloping	0 normal	0
TRUE	1.5 flat	0 fixed defect	0
FALSE	2 flat	1 reversable defect	1
TRUE	0.2 flat	1 reversable defect	0
FALSE	0.6 upsloping	0 normal	0
FALSE	1.2 flat	0 normal	0
FALSE	0 flat	0 normal	0
FALSE	0.3 upsloping	2 normal	0
FALSE	1.1 flat	0 normal	0
FALSE	0 upsloping	0 normal	0
FALSE	0.3 upsloping	0 reversable defect	1
FALSE	0.3 flat	1 normal	0
FALSE	0 upsloping	2 normal	3
FALSE	0.9 upsloping	0 normal	0
FALSE	0 upsloping	0 normal	0

9c64dfbe-64b8-47c0-8b68-db10a7f9efce

[illegible]

FALSE	0		0
FALSE	1 flat		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
TRUE	0		0
FALSE	0		0
FALSE	0		0
TRUE	1 flat	normal	0
FALSE	0	normal	0
FALSE	0		0
FALSE	1 upsloping		0
FALSE	2 flat		0
FALSE	0		0
FALSE	0		0
TRUE	0		0
	2 upsloping		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	2 upsloping		0
FALSE	0		0
TRUE	1 flat		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0	fixed defect	0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	1 flat		0
FALSE	0		0
FALSE	0		0
TRUE	1 flat		0
FALSE	0	0	0
FALSE	0	normal	0
FALSE	0		0
FALSE	0		0
TRUE	0		0
FALSE	0		0
FALSE	0		0
TRUE	2 upsloping		0
FALSE	0.5 upsloping		0

FALSE	0		0
FALSE	0		0
FALSE	0	reversable defect	0
FALSE	0		0
FALSE	0		0
FALSE	0		0
TRUE	1.5 flat		0
FALSE	0		0
TRUE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
TRUE	2 flat		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
TRUE	3 flat		0
FALSE	0		0
FALSE	0		0
FALSE	1 upsloping		0
FALSE	0		0
FALSE	1.5 flat		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	2 upsloping		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	1 upsloping		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	1 upsloping		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0	reversable defect	0
FALSE	0	reversable defect	0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
TRUE	0.5 flat		0
FALSE	0	reversable defect	0
FALSE	0		0
FALSE	0		0
TRUE	1 upsloping	fixed defect	0
FALSE	0		0
FALSE	1 flat		0
TRUE	0.8 flat		0

9c64dfbe-64b8-47c0-8b68-db10a7f9efce

FALSE	0	fixed defect	0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	0		0
FALSE	1 flat		0
FALSE	0		0
TRUE	1 flat	normal	0
FALSE	0		0
FALSE	0	0	0
FALSE	0		0
TRUE	1 flat		0
TRUE	0		0
FALSE	0		0
FALSE	1 upsloping		0
TRUE	1.5 flat		1
TRUE	1 flat		1
FALSE	0		1
FALSE	0		1
FALSE	3 flat		1
TRUE	1.5 flat		1
FALSE	0		1
FALSE	0		1
TRUE	2.5 flat		1
TRUE	1 flat	fixed defect	1
FALSE	0	fixed defect	1
TRUE	1 flat		1
TRUE	2 flat		1
TRUE	0		1
FALSE	0	reversable defect	1
TRUE	1 flat		1
TRUE	1 flat		1
TRUE	1.5 flat	0 reversable defect	1
FALSE	0		1
FALSE	2 flat		1
TRUE	1 flat		1
FALSE	1 flat		1
FALSE	0		1
FALSE	0		1
TRUE	0	reversable defect	1
FALSE	0		1
TRUE	1 flat		1
TRUE	2 flat		1
FALSE	0		1
FALSE	2 flat		1
TRUE	3 flat		1
TRUE	1 flat		1
FALSE	0	fixed defect	1
TRUE	1.5 flat		1
FALSE	1 flat		1
FALSE	0		1
TRUE	1.5 flat		1
FALSE	0		1

9c64dfbe-64b8-47c0-8b68-db10a7f9efce

TRUE	1 flat		1
FALSE	0	fixed defect	1
FALSE	2 flat	fixed defect	1
FALSE	0		1
TRUE	1 flat		1
TRUE	0		1
FALSE	0		1
TRUE	2 downsloping		1
TRUE	3 flat		1
TRUE	1.5 flat		1
TRUE	2 flat		1
TRUE	2 flat	reversable defect	1
FALSE	0		1
TRUE	1.5 flat		1
TRUE	0		1
TRUE	1.5	reversable defect	1
TRUE	1 flat		1
TRUE	1 flat		1
TRUE	0		1
TRUE	2 flat		1
TRUE	1.5 flat		1
TRUE	1 flat		1
TRUE	3 flat		1
FALSE	0		1
TRUE	2 flat		1
FALSE	2 flat		1
TRUE	1 flat	reversable defect	1
TRUE	3 flat		1
TRUE	2 flat		1
FALSE	2 flat		1
FALSE	0		1
TRUE	1.5 flat		1
TRUE	1 flat		1
TRUE	1 flat		1
FALSE	2 flat		1
TRUE	1 flat		1
TRUE	1 flat		1
TRUE	2 flat		1
TRUE	4 flat		1
FALSE	0		1
TRUE	1.5 flat		1
FALSE	1.5 flat		1
FALSE	0		1
TRUE	2 flat		1
TRUE	2 flat		1
FALSE	1 flat		1
TRUE	1.5 flat		1
TRUE	2 flat		1
TRUE	2 flat		1
FALSE	0		1
TRUE	0		1
TRUE	2 flat		1
TRUE	1 flat		1

TRUE	3 flat		1
TRUE	2 flat		1
FALSE	0		1
TRUE	2 flat	fixed defect	1
TRUE	3 flat		1
TRUE	0		1
FALSE	2 flat		1
TRUE	5 flat		1
TRUE	2.5 flat		1
TRUE	2 flat		1
TRUE	2.5		1
TRUE	0 flat		1
TRUE	3 flat		1
TRUE	1 flat	reversible defect	1
TRUE	1 flat		1
FALSE	0.7 upsloping		1
FALSE	0.2 upsloping		1
TRUE		reversible defect	3
TRUE	1 flat	fixed defect	1
FALSE	2.8 upsloping		2
FALSE	0 flat	normal	1
FALSE	-1.1 upsloping		0
TRUE	0 flat	reversible defect	1
FALSE	0	normal	2
TRUE		normal	1
FALSE	0 upsloping		2
FALSE	1.6 upsloping		2
TRUE	-1.5 downsloping		1
TRUE	0 flat		2
FALSE	1.5 downsloping		3
TRUE	2 flat	reversible defect	4
TRUE	0.5 upsloping	reversible defect	2
FALSE	-0.1 upsloping		0
FALSE	-2.6 flat		1
TRUE	1.5 flat	reversible defect	1
TRUE	0	normal	1
TRUE	1 flat	normal	3
FALSE	2.1 upsloping		2
TRUE	0 flat	reversible defect	1
FALSE	0 flat	fixed defect	2
FALSE	0	normal	1
TRUE	0.5 flat	fixed defect	3
TRUE	0 upsloping	fixed defect	3
TRUE	0.7 flat		1
TRUE	1.5 upsloping		2
FALSE	0 flat		4
FALSE	0 flat	normal	3
FALSE	-0.7 upsloping		2
FALSE	0	reversible defect	1
FALSE	0 flat	normal	2
FALSE	2.2 flat		2
FALSE	0 flat	reversible defect	2
TRUE	2 flat	reversible defect	2

TRUE	1 upsloping	reversible defect	2
TRUE			2
FALSE	0 flat	normal	3
FALSE	0.7 downsloping		0
FALSE	0 flat	reversible defect	1
TRUE	0	reversible defect	1
FALSE	0 flat	reversible defect	1
FALSE	1.5 upsloping		4
TRUE	1 flat	reversible defect	2
TRUE	2 downsloping		0
FALSE	0 flat	reversible defect	2
TRUE	3 flat	reversible defect	3
FALSE	1.5 flat	reversible defect	1
FALSE	0.2 upsloping		0
FALSE	0.1 flat		1
FALSE	0.3 upsloping	reversible defect	4
FALSE	0 flat	reversible defect	2
FALSE	0 flat	reversible defect	0
FALSE	-2 flat	reversible defect	2
FALSE	0 flat	normal	2
FALSE	-1 upsloping		1
TRUE	-1 downsloping	reversible defect	2
FALSE	0 flat		2
TRUE	1 flat	reversible defect	3
TRUE	1.8 upsloping		1
FALSE	0.3 flat		1
TRUE	1.4 upsloping	1	3
TRUE	2 flat	fixed defect	2
TRUE	0	fixed defect	3
TRUE	2 flat	reversible defect	2
FALSE	0.7 downsloping		1
FALSE	0.5 upsloping		1
TRUE	1 flat	fixed defect	4
TRUE	0	normal	1
FALSE	2.6 flat		1
FALSE	0	fixed defect	3
FALSE	0 flat	normal	2
TRUE	0.9 upsloping		1
TRUE	1 flat	reversible defect	1
FALSE	2.4 upsloping		1
FALSE	0.1 upsloping	2	3
TRUE	1.1 downsloping	1	1
TRUE	0.5 upsloping	reversible defect	3
TRUE	0.5 flat	reversible defect	3
FALSE	0.4 flat		1
FALSE	0	normal	3
TRUE	1.5 upsloping		1
FALSE	1.4 flat		1
TRUE	0 downsloping	reversible defect	3
FALSE	0 flat	reversible defect	3
FALSE	2.5 flat		3
TRUE	0 flat	reversible defect	1
TRUE	2 flat	reversible defect	2

FALSE	1 flat	reversible defect	2
FALSE	0	normal	2
TRUE	1.7 downsloping		1
FALSE	-0.8 flat	2	1
TRUE	0 flat	normal	3
TRUE	2.5 downsloping		2
TRUE	-0.5 flat	normal	1
FALSE	2 flat	reversible defect	3
FALSE	-0.9 flat		1
FALSE	2 upsloping		2
TRUE	2 flat		3
FALSE	3.7 upsloping		3
TRUE	0 upsloping	reversible defect	1
TRUE	1 flat	normal	3
FALSE	1.1 downsloping		1
TRUE	1.3 downsloping		1
TRUE	0 flat	reversible defect	1
FALSE		fixed defect	3
FALSE	1 upsloping		0
FALSE		reversible defect	3
FALSE	0	reversible defect	1
TRUE	2 flat	reversible defect	3
FALSE	0 flat	normal	2
TRUE	0 upsloping	reversible defect	3
FALSE	1.8 upsloping		1
FALSE	0 flat	fixed defect	1
		reversible defect	3
TRUE	0 flat	reversible defect	1
TRUE	2 flat	reversible defect	3
FALSE	1.6 flat	2	0
FALSE	0 upsloping	normal	1
FALSE	1.3 upsloping		1
TRUE	3 flat		2
FALSE	0		0
TRUE	1.5 downsloping		2
TRUE	2.5 upsloping		1
TRUE	1.3 flat		0
FALSE	-0.5 upsloping		0
TRUE	0		3
TRUE	1.5 flat		0
TRUE	2 upsloping		3
FALSE	0.5 flat		1
FALSE	0		0
TRUE	1 flat		1
TRUE	0.5 flat	normal	1
			1
TRUE	1 flat		1
FALSE	0		0
TRUE	2.5 downsloping		4
TRUE	2 flat		1
FALSE	1.5 downsloping		0
TRUE	0	reversible defect	0
FALSE	1 upsloping		2

FALSE	2 flat		1
TRUE	0		3
			0
FALSE	3 upsloping		2
FALSE	1 flat	fixed defect	2
			2
TRUE	0.5 flat		1
TRUE	1.5 flat	0 reversable defect	1
			3
			3
TRUE	2 upsloping		3
TRUE	1 flat		3
FALSE	1.5 flat		3
TRUE	2 downsloping		2
TRUE	1 flat		3
			2
TRUE	2 upsloping	reversable defect	0
			1
TRUE	1.5	0	0
TRUE	0 flat		3
FALSE	0	reversable defect	1
FALSE	1.5 flat	reversable defect	3
FALSE	0		0
			4
TRUE	0	reversable defect	2
TRUE	1.3 downsloping		1
FALSE	0		0
TRUE	2 downsloping		2
FALSE	0		0
TRUE	2.5 flat	reversable defect	1
			0
TRUE	1.6 upsloping	reversable defect	2
FALSE	2 flat		0
FALSE	0		1
TRUE	3 flat		2
TRUE	1.5 flat		2
			3
			0
TRUE	0	reversable defect	1
			0
TRUE	2 downsloping		2
TRUE	2 flat		1
TRUE	2.5		4
TRUE	2 flat		2
FALSE	2.5 downsloping		2
FALSE	2.5 upsloping		3
TRUE	1.5 downsloping	reversable defect	1
			1
			1
FALSE			0
TRUE	2 flat	fixed defect	2
			0
TRUE	3 flat		3

TRUE	1 flat		3
FALSE	0	reversable defect	1
FALSE	3 flat		2
			3
TRUE	2.5 flat		2
TRUE	1 flat	reversable defect	1
FALSE	1 downsloping		0
TRUE	3 downsloping		2
TRUE	0 flat		2
TRUE	1 flat		2
TRUE	4 downsloping		4
TRUE	2 flat		2
TRUE	2		3
			0
TRUE	3 downsloping		1
			1
TRUE	3 flat		3
TRUE	0	reversable defect	0
FALSE	1.5 downsloping		3
FALSE	0		1
			0
TRUE	2		3
			0
TRUE			1
FALSE	0.5 upsloping		1
FALSE	3 flat		0
FALSE	0	fixed defect	1
TRUE	1.5 flat		3
TRUE	1 downsloping		1
TRUE	1 upsloping		1
FALSE	0.5 flat		0
TRUE	4 downsloping	fixed defect	3
TRUE	1 upsloping	reversable defect	1
TRUE	1 flat		1
FALSE	0		0
			0
			3
			0
			3
			1
			1
			3
FALSE	0		2
TRUE	2 flat		2
TRUE	2.5 downsloping		3
			1
			2
TRUE	4 downsloping		3
TRUE	2 flat		1
FALSE	0		0
			1
FALSE	3.5 downsloping		4
TRUE	1.5 flat		1

TRUE	3 downsloping		2
TRUE	0	reversable defect	0
			0
FALSE	0	fixed defect	1
FALSE	1.5 downsloping		3
FALSE	1.5 upsloping		1
			0
FALSE	2		3
FALSE	0		0
			3
			3
FALSE		fixed defect	0
TRUE	0		2
TRUE	2 downsloping	reversable defect	0
			4
			2
TRUE	4 downsloping		4
			0
			0
TRUE	2 flat		0
			1
TRUE	2 flat		3
			3
TRUE	1.5 flat		0
TRUE	0		3
TRUE	1.5 downsloping		1
TRUE	2.5 flat		1
TRUE	2 downsloping		2
			2
TRUE	0.5 flat		2
FALSE	1.5		2
			2
			1
TRUE	3		4
			3
TRUE	3 downsloping		3
			3
		reversable defect	1
TRUE	1.5 upsloping		3
TRUE	0	reversable defect	2
			0
			2
FALSE	0.8		1
TRUE	2 flat	reversable defect	1
FALSE	1 flat	normal	0
TRUE	2 flat	reversable defect	3
FALSE	0		1
			0
FALSE	0		0
TRUE	2 downsloping		4
FALSE	0	fixed defect	2
TRUE	1 upsloping		3
TRUE	0.5 flat		1

FALSE	0		1
			0
TRUE	1.7 downsloping	reversible defect	1
FALSE	1.5 flat	reversible defect	1
TRUE	1 flat		0
			1
TRUE	0		3
TRUE	0		2
TRUE	1.5 downsloping		2
TRUE	0	normal	0
FALSE	1 upsloping		0
TRUE	3 flat		4
TRUE	1.5 flat		3
TRUE	0		1
FALSE	0	normal	2
FALSE	0		1
			0
FALSE	0	fixed defect	2
			0
TRUE	0		1