

Starting Nmap 7.97 (<https://nmap.org>) at 2025-08-04 21:34 +0530
NSE: Loaded 158 scripts for scanning.
NSE: Script Pre-scanning.
Initiating NSE at 21:34
Completed NSE at 21:34, 0.00s elapsed
Initiating NSE at 21:34
Completed NSE at 21:34, 0.00s elapsed
Initiating NSE at 21:34
Completed NSE at 21:34, 0.00s elapsed
Initiating ARP Ping Scan at 21:34
Scanning 192.168.29.1 [1 port]
Completed ARP Ping Scan at 21:34, 0.05s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 21:34
Completed Parallel DNS resolution of 1 host. at 21:34, 0.00s elapsed
Initiating SYN Stealth Scan at 21:34
Scanning reliance.reliance (192.168.29.1) [65535 ports]
Discovered open port 8080/tcp on 192.168.29.1
Discovered open port 80/tcp on 192.168.29.1
Discovered open port 443/tcp on 192.168.29.1
Discovered open port 5068/tcp on 192.168.29.1
SYN Stealth Scan Timing: About 19.21% done; ETC: 21:37 (0:02:10 remaining)
Discovered open port 8443/tcp on 192.168.29.1
Discovered open port 2872/tcp on 192.168.29.1
Discovered open port 54321/tcp on 192.168.29.1
SYN Stealth Scan Timing: About 46.03% done; ETC: 21:36 (0:01:12 remaining)
SYN Stealth Scan Timing: About 75.09% done; ETC: 21:36 (0:00:30 remaining)
Discovered open port 1900/tcp on 192.168.29.1
Discovered open port 7443/tcp on 192.168.29.1
Completed SYN Stealth Scan at 21:36, 115.93s elapsed (65535 total ports)
Initiating Service scan at 21:36
Scanning 9 services on reliance.reliance (192.168.29.1)
Completed Service scan at 21:37, 94.86s elapsed (9 services on 1 host)
Initiating OS detection (try #1) against reliance.reliance (192.168.29.1)
Retrying OS detection (try #2) against reliance.reliance (192.168.29.1)
Retrying OS detection (try #3) against reliance.reliance (192.168.29.1)
Retrying OS detection (try #4) against reliance.reliance (192.168.29.1)
Retrying OS detection (try #5) against reliance.reliance (192.168.29.1)
NSE: Script scanning 192.168.29.1.
Initiating NSE at 21:38
Completed NSE at 21:38, 28.14s elapsed
Initiating NSE at 21:38
Completed NSE at 21:38, 3.08s elapsed
Initiating NSE at 21:38

Completed NSE at 21:38, 0.00s elapsed

Nmap scan report for reliance.reliance (192.168.29.1)

Host is up (0.0085s latency).

Not shown: 65313 filtered tcp ports (no-response), 213 closed tcp ports (reset)

PORT	STATE	SERVICE	VERSION
------	-------	---------	---------

80/tcp	open	http	lighttpd
--------	------	------	----------

|_http-server-header: Web Server

| http-methods:

|_ Supported Methods: GET HEAD POST OPTIONS

|_http-favicon: Unknown favicon MD5: 955BF3F5D769035F6B81B5EE39B10019

|_http-title: Jio Centrum Home Gateway :

443/tcp	open	ssl/http	lighttpd
---------	------	----------	----------

|_http-server-header: Web Server

| ssl-cert: Subject: commonName=RILSELF CERT/organizationName=Reliance Jio Infocomm Limited

| Issuer: commonName=RILSELF CERT/organizationName=Reliance Jio Infocomm Limited

| Public Key type: rsa

| Public Key bits: 2048

| Signature Algorithm: sha256WithRSAEncryption

| Not valid before: 2022-04-27T05:58:13

| Not valid after: 2032-04-24T05:58:13

| MD5: f518 e258 6237 6990 59cf 0827 9078 d9eb

| SHA-1: 622d 1961 8ed4 3884 ec5d 0ce5 2418 ffb1 80b7 2302

|_SHA-256: 3304 5e62 af09 2c9f dbac 060e 5f31 fcac ee36 cd68 07d0 e3a7 a204 ad24 e41e 6011

|_ssl-date: TLS randomness does not represent time

|_http-title: Jio Centrum Home Gateway :

1900/tcp	open	upnp
----------	------	------

| fingerprint-strings:

| FourOhFourRequest, GetRequest:

| HTTP/1.1 404 Not Found

| Server: Linux UPnP/1.0 DLNADOC/1.50 AccessTwine/1.0-RAS Device/reliance.reliance

| Content-Length: 48

| Content-Type: text/html

| <HTML><BODY><H1>404 Not Found</H1></BODY></HTML>

| HTTPOptions:

| HTTP/1.1 405 Method Not Allowed

| Server: Linux UPnP/1.0 DLNADOC/1.50 AccessTwine/1.0-RAS Device/reliance.reliance

| Content-Length: 57

| Content-Type: text/html

|_ <HTML><BODY><H1>405 Method Not Allowed</H1></BODY></HTML>

2872/tcp	open	upnp
----------	------	------

| fingerprint-strings:

| FourOhFourRequest, GetRequest:
| HTTP/1.1 404 Not Found
| Server: Linux UPnP/1.0 DLNADOC/1.50 AccessTwine/1.0-RAS Device/reliance.reliance
| Content-Length: 48
| Content-Type: text/html
| <HTML><BODY><H1>404 Not Found</H1></BODY></HTML>
| HTTPOptions:
| HTTP/1.1 405 Method Not Allowed
| Server: Linux UPnP/1.0 DLNADOC/1.50 AccessTwine/1.0-RAS Device/reliance.reliance
| Content-Length: 57
| Content-Type: text/html
|_ <HTML><BODY><H1>405 Method Not Allowed</H1></BODY></HTML>
5068/tcp open ssl/sip JCOW404/JUICEJFV-1.3.30 (Status: 200 OK)
| fingerprint-strings:
| SIPOptions:
| SIP/2.0 200 OK
| Via: SIP/2.0/TCP nm;branch=foo;received=192.168.29.152
| Contact: <sip:192.168.29.1:5068;transport=tls>;video
| <sip:nm2@nm2>;tag=c6e9aa1d
| From: <sip:nm@nm>;tag=root
| Call-ID: 50000
| CSeq: 42 OPTIONS
| Accept: application/sdp, multipart/mixed, multipart/signed, multipart/alternative
| Accept-Language: en
| Allow: REGISTER, INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, NOTIFY,
SUBSCRIBE, UPDATE, PRACK, INFO
| Content-Type: application/sdp
| Supported: path, replaces, timer, norefersub
| User-Agent: JCOW404/JUICEJFV-1.3.30
| Content-Length: 1506
| 3757745984 3757745984 IN IP6 2405:201:e05d:a000:d08f:f60a:5233:8926
| s=HGW session
| a=X-nat:0
| c=IN IP6 2405:201:e05d:a000:d08f:f60a:5233:8926
| m=audio 14566 RTP/AVP 104 103 101 102
| b=TIAS:24400
| b=AS:49
| b=RS:607
| b=RR:1816
| a=sendrecv
| a=rtpmap:104 AMR-WB/16000
| a=rtpmap:103 AMR/8000
|_ a=rtpmap:101 telephone-event/8000

| ssl-cert: Subject: commonName=jiofiber.local.html/organizationName=Jio Platforms Limited/stateOrProvinceName=KA/countryName=IN
| Issuer: commonName=jiofiber.local.html/organizationName=Jio Platforms Limited/stateOrProvinceName=KA/countryName=IN
| Public Key type: rsa
| Public Key bits: 4096
| Signature Algorithm: sha256WithRSAEncryption
| Not valid before: 2021-11-22T04:56:50
| Not valid after: 2121-10-29T04:56:50
| MD5: a019 7a21 48b4 29a2 e252 bf01 b35a ca7f
| SHA-1: 2192 8072 a6f2 3814 73d8 c9ed b6c1 6b18 cfc8 b66e
|_SHA-256: 8c4a 263f cb81 2b10 da81 13e0 9c00 bd83 05f2 142c 04e8 17c8 a6ef dba b338 9d2e
|_ssl-date: TLS randomness does not represent time
7443/tcp open ssl/oracleas-https?
| ssl-cert: Subject: commonName=jiofiber.local.html/organizationName=Jio Platforms Limited/stateOrProvinceName=KA/countryName=IN
| Issuer: commonName=jiofiber.local.html/organizationName=Jio Platforms Limited/stateOrProvinceName=KA/countryName=IN
| Public Key type: rsa
| Public Key bits: 4096
| Signature Algorithm: sha256WithRSAEncryption
| Not valid before: 2021-11-22T04:56:50
| Not valid after: 2121-10-29T04:56:50
| MD5: a019 7a21 48b4 29a2 e252 bf01 b35a ca7f
| SHA-1: 2192 8072 a6f2 3814 73d8 c9ed b6c1 6b18 cfc8 b66e
|_SHA-256: 8c4a 263f cb81 2b10 da81 13e0 9c00 bd83 05f2 142c 04e8 17c8 a6ef dba b338 9d2e
|_ssl-date: TLS randomness does not represent time
8080/tcp open http-proxy JCOW404/JUICEJFV-1.3.30
| fingerprint-strings:
| FourOhFourRequest:
| HTTP/1.0 400 Bad Request
| Content-Length: 11
| Content-Type: text/html
| Connection: close
| Server: JCOW404/JUICEJFV-1.3.30
| Request
| GetRequest:
| HTTP/1.0 503 Service Unavailable
| Content-Length: 19
| Content-Type: text/html
| Connection: close

```

|   Server: JCOW404/JUICEJFV-1.3.30
|   Service Unavailable
|   HTTPOptions:
|   HTTP/1.0 501 Not Implemented
|   Content-Length: 15
|   Content-Type: text/html
|   Connection: close
|   Server: JCOW404/JUICEJFV-1.3.30
|_   implemented
|_http-server-header: JCOW404/JUICEJFV-1.3.30
|_http-title: Site doesn't have a title (text/html).
| http-methods:
|_ Supported Methods: GET
8443/tcp open  ssl/https-alt?
| ssl-cert: Subject: commonName=jiofiber.local.html/organizationName=Jio Platforms
Limited/stateOrProvinceName=KA/countryName=IN
| Issuer: commonName=jiofiber.local.html/organizationName=Jio Platforms
Limited/stateOrProvinceName=KA/countryName=IN
| Public Key type: rsa
| Public Key bits: 4096
| Signature Algorithm: sha256WithRSAEncryption
| Not valid before: 2021-11-22T04:56:50
| Not valid after: 2121-10-29T04:56:50
| MD5:   a019 7a21 48b4 29a2 e252 bf01 b35a ca7f
| SHA-1: 2192 8072 a6f2 3814 73d8 c9ed b6c1 6b18 cfc8 b66e
|_SHA-256: 8c4a 263f cb81 2b10 da81 13e0 9c00 bd83 05f2 142c 04e8 17c8 a6ef dbea b338
9d2e
|_ssl-date: TLS randomness does not represent time
54321/tcp open  unknown
5 services unrecognized despite returning data. If you know the service/version, please submit
the following fingerprints at https://nmap.org/cgi-bin/submit.cgi?new-service :
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port1900-TCP:V=7.97%I=7%D=8/4%Time=6890DA87%P=i686-pc-windows-windows%r
SF:(GetRequest,C9,"HTTP/1\1\x20404\x20Not\x20Found\r\nServer:\x20Linux\x2
SF:0UPnP/1\0\x20DLNADOC/1\50\x20AccessTwine/1\0-RAS\x20Device/reliance\
SF:.reliance\r\nContent-Length:\x2048\r\nContent-Type:\x20text/html\r\n\r
SF:n<HTML><BODY><H1>404\x20Not\x20Found</H1></BODY></HTML>")%r(HTTPOptions
SF:,DB,"HTTP/1\1\x20405\x20Method\x20Not\x20Allowed\r\nServer:\x20Linux\x
SF:20UPnP/1\0\x20DLNADOC/1\50\x20AccessTwine/1\0-RAS\x20Device/reliance
SF:.reliance\r\nContent-Length:\x2057\r\nContent-Type:\x20text/html\r\n\r
SF:\n<HTML><BODY><H1>405\x20Method\x20Not\x20Allowed</H1></BODY></HTML>")%
SF:r(FourOhFourRequest,C9,"HTTP/1\1\x20404\x20Not\x20Found\r\nServer:\x20
SF:Linux\x20UPnP/1\0\x20DLNADOC/1\50\x20AccessTwine/1\0-RAS\x20Device/r

```

```

SF:eliance\reliance\r\nContent-Length:\x2048\r\nContent-Type:\x20text/htm
SF:\r\n\r\n<HTML><BODY><H1>404\x20Not\x20Found</H1></BODY></HTML>");
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port2872-TCP:V=7.97%I=7%D=8/4%Time=6890DA8C%P=i686-pc-windows-windows%r
SF:(GetRequest,C9,"HTTP/1.1\x20404\x20Not\x20Found\r\nServer:\x20Linux\x2
SF:0UPnP/1.0\x20DLNADOC/1.50\x20AccessTwine/1.0-RAS\x20Device/reliance\
SF:.reliance\r\nContent-Length:\x2048\r\nContent-Type:\x20text/html\r\n\r
SF:n<HTML><BODY><H1>404\x20Not\x20Found</H1></BODY></HTML>")%(HTTPOptions
SF:,DB,"HTTP/1.1\x20405\x20Method\x20Not\x20Allowed\r\nServer:\x20Linux\x
SF:20UPnP/1.0\x20DLNADOC/1.50\x20AccessTwine/1.0-RAS\x20Device/reliance
SF:.reliance\r\nContent-Length:\x2057\r\nContent-Type:\x20text/html\r\n\r
SF:n<HTML><BODY><H1>405\x20Method\x20Not\x20Allowed</H1></BODY></HTML>")%
SF:r(FourOhFourRequest,C9,"HTTP/1.1\x20404\x20Not\x20Found\r\nServer:\x20
SF:Linux\x20UPnP/1.0\x20DLNADOC/1.50\x20AccessTwine/1.0-RAS\x20Device/r
SF:eliance\reliance\r\nContent-Length:\x2048\r\nContent-Type:\x20text/htm
SF:\r\n\r\n<HTML><BODY><H1>404\x20Not\x20Found</H1></BODY></HTML>");
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port5068-TCP:V=7.97%T=SSL%I=7%D=8/4%Time=6890DA93%P=i686-pc-windows-win
SF:dows%(GenericLines,2,"\r\n")%(SIPOptions,813,"SIP/2.0\x20200\x20OK\r
SF:nVia:\x20SIP/2.0/TCP\x20nm;branch=foo;received=192\168\29\152\r\nC
SF:ontact:\x20<sip:192\168\29\1:5068;transport=tls>;video\r\nTo:\x20<si
SF:p:nm2@nm2>;tag=c6e9aa1d\r\nFrom:\x20<sip:nm@nm>;tag=root\r\nCall-ID:\x2
SF:050000\r\nCSeq:\x2042\x20OPTIONS\r\nAccept:\x20application/sdp,\x20mult
SF:ipart/mixed,\x20multipart/signed,\x20multipart/alternative\r\nAccept-La
SF:nguage:\x20en\r\nAllow:\x20REGISTER,\x20INVITE,\x20ACK,\x20CANCEL,\x20O
SF:PTIONS,\x20BYE,\x20REFER,\x20NOTIFY,\x20SUBSCRIBE,\x20UPDATE,\x20PRACK,
SF:\x20INFO\r\nContent-Type:\x20application/sdp\r\nSupported:\x20path,\x20
SF:replaces,\x20timer,\x20norefersub\r\nUser-Agent:\x20JCOW404/JUICEJFV-1\
SF:.3\30\r\nContent-Length:\x201506\r\n\r\nv=0\r\no=-\x203757745984\x2037
SF:57745984\x20IN\x20IP6\x202405:201:e05d:a000:d08f:f60a:5233:8926\r\ns=HG
SF:W\x20session\r\nnt=0\x200\r\na=X-nat:0\r\nnc=IN\x20IP6\x202405:201:e05d:a
SF:000:d08f:f60a:5233:8926\r\nm=audio\x2014566\x20RTP/AVP\x20104\x20103\x2
SF:0101\x20102\r\nb=TIAS:24400\r\nb=AS:49\r\nb=RS:607\r\nb=RR:1816\r\na=se
SF:ndrecv\r\na=rtpmap:104\x20AMR-WB/16000\r\na=rtpmap:103\x20AMR/8000\r\na
SF:=rtpmap:101\x20telephone-event/8000\r\n");
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port8080-TCP:V=7.97%I=7%D=8/4%Time=6890DA82%P=i686-pc-windows-windows%r
SF:(GetRequest,98,"HTTP/1.0\x20503\x20Service\x20Unavailable\r\nContent-L
SF:ength:\x2019\r\nContent-Type:\x20text/html\r\nConnection:\x20close\r\nS
SF:erver:\x20JCOW404/JUICEJFV-1\3\30\r\n\r\nService\x20Unavailable")%(H
SF:TTPOptions,90,"HTTP/1.0\x20501\x20Not\x20Implemented\r\nContent-Length
SF::\x2015\r\nContent-Type:\x20text/html\r\nConnection:\x20close\r\nServer
SF::\x20JCOW404/JUICEJFV-1\3\30\r\n\r\nNot\x20implemented")%(FourOhFour

```

[illegible]

OS:I%TS=A)SEQ(SP=106%GCD=1%ISR=105%TI=Z%II=I%TS=A)SEQ(SP=106%GCD=1%ISR=108%
OS:TI=Z%II=I%TS=A)SEQ(SP=106%GCD=1%ISR=109%TI=Z%TS=A)SEQ(SP=F6%GCD=1%ISR=10
OS:7%TI=Z%TS=A)OPS(O1=M5B4ST11NW6%O2=M5B4ST11NW6%O3=M5B4NNT11NW6%O4=M5B4ST1
OS:1NW6%O5=M5B4ST11NW6%O6=M5B4ST11)WIN(W1=7120%W2=7120%W3=7120%W4=7120%W5=7
OS:120%W6=7120)ECN(R=Y%DF=Y%T=40%W=7210%O=M5B4NNSNW6%CC=Y%Q=)T1(R=Y%DF=Y%T=
OS:40%S=O%A=S+%F=AS%RD=0%Q=)T2(R=N)T3(R=N)T4(R=N)T5(R=Y%DF=Y%T=40%W=0%S=Z%A
OS:=S+%F=AR%O=%RD=0%Q=)T6(R=N)T7(R=N)U1(R=Y%DF=N%T=40%IPL=164%UN=0%RIPL=G%R
OS:ID=G%RIPCK=G%RUCK=G%RUD=G)IE(R=Y%DFI=N%T=40%CD=S)

Uptime guess: 3.195 days (since Fri Aug 1 16:57:24 2025)
Network Distance: 1 hop
TCP Sequence Prediction: Difficulty=262 (Good luck!)
IP ID Sequence Generation: All zeros

TRACEROUTE

HOP RTT ADDRESS

1 8.51 ms reliance.reliance (192.168.29.1)

NSE: Script Post-scanning.

Initiating NSE at 21:38

Completed NSE at 21:38, 0.00s elapsed

Initiating NSE at 21:38

Completed NSE at 21:38, 0.00s elapsed

Initiating NSE at 21:38

Completed NSE at 21:38, 0.00s elapsed

Read data files from: C:\Program Files (x86)\Nmap

OS and Service detection performed. Please report any incorrect results at
<https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 255.63 seconds

Raw packets sent: 131025 (5.770MB) | Rcvd: 454 (23.375KB)