

**Department of Computer Science &
Engineering**

**WEB DESIGNING WORKSHOP
(WDW)**

LAB FILE

BCS- 353



B.Tech. CSE 2nd Year (IIIrd Sem.-)

Academic Session 2026-27

Student Name:

Roll no.:

Faculty Name:

Department of Computer Science & Engineering

Student's Name:

Roll no.:

INDEX

S. No.	LIST OF EXPERIMENT'S	DATE OF COMPELETION	TEACHER'S SIGNATURE	GRADE
1.	Design the following static webpages required for an online bookstore website. HOMEPAGE: - The static home page must contain three frames. - Top frame: Logo and the college name and links to Homepage, Login page, Registration page, Catalogue page and Cart page.			
2.	LOGIN PAGE			
3.	CATOLOGUE PAGE: The catalogue page should contain the details of all the books available in the website in a table. The details should contain the following: - Snap shot of Cover Page. - Author Name. - Publisher. - Price. - Add to cart button.			
4.	CARTPAGE: The cart page contains the details about the books which are added to the cart.			
5.	REGISTRATION PAGE: Create a "registration form" with the following fields - Name (Text field) - Password (password field) - E-mailid(text field) - Phone Number(text field) - Sex(radius button) - Date of birth(3 select boxes) - Languages known(checkboxes–English, Telugu, Hindi, Tamil) - Address(text area)			
6.	Js VALIDATION: Write JavaScript to validate the following fields of the above registration page. Name (Name should contains alphabets and the length should not be less than 6 characters).			

	2. Password (Password should not be less than 6 characters length).			
7.	Js VALIDATION: 1. E-mailid (should not contain any invalid and must follow the standard pattern(name@domain.com) 2. Phone Number(Phone number should contain 10 digits only).			
8.	CSS: Design a web page using CSS(Cascading Style Sheets) which includes the following: Use different font, styles: 1. In the style definitio you define how each selector should work(font, color etc.). Then the body of your pages, you refer to these selectors to activate the style. 2. Set a background image for both the page and single elements on the page.			
9.	CSS: 1. Control the repetition of the image with the background repeat property. 2. Define styles for links as: ● A:link ● A:visited ● A:active ● A:hover			
10.	Consider a small topic of your choice on which you can develop static Webpages and try to implement all topics of html, CSS and Js within the topic. Choose any one topic. 1. Your Own Portfolio 2. To-Do List 3. Survey Form 4. A Tribute Page 5. A Questionnaire			

PROGRAM 1

Design the following static webpages required for an online book store website.

HOME PAGE:

The static home page must contain three frames.

Top frame: Logo and the college name and links to Home page, Login page, Registration page, Catalogue page and Cart page (the description of these pages will be given below).

Left frame: At least four links for navigation, which will display the catalogue of respective links.

For e.g.: When you click the link "IT" the catalogue for IT Books should be displayed in the Right frame.

Right frame: The pages to the links in the left frame must be loaded here.

Initially this page contains description of the web site.

Logo	Web Site Name			
Home	Login	Registration	Catalogue	Cart
CSE ECE EEE CIVIL	Description of the WebSite			

head.html

```
<html>
<head>
<title>Head Page</title>
</head>
<body>
<font face="Arial Black" size="3">
<table border="1" cellspacing="2" cellpadding="5" width="100%">
<tr>
<td align="center"></td>
<td colspan="4" align="center">Web Site Name</td>
</tr>
<tr>
<td align="center"><a href="description.html" target="des_page">HOME</a></td> <td
align="center"><a href="login.html" target="des_page">LOGIN</a></td> <td
align="center"><a href="registration.html" target="des_page">REGISTRATION</a></td>
<td align="center"><a href="catalogue.html" target="des_page">CATALOGUE</a></td>
<td align="center"><a href="cart.html" target="des_page">CART</a></td>
</tr>
```

```
</table>
</font>
</body>
</html>
```

dept.html

```
<html>
<head>
<title>Departments Page</title>
</head>
<body>
<font face="Arial Black" size="4">
<table align="center" height="100%">
  <tr>
<td><a href="cat_mca.html"
target="des_page">CSE</a></td> </tr>
  <tr>
<td><a href="cat_mba.html"
target="des_page">ECE</a></td> </tr>
  <tr>
<td><a href="cat_bca.html"
target="des_page">EEE</a></td> </tr>
<td><a href="cat_bca.html"
target="des_page">CIVIL</a></td> </tr>
</table>
</font>
</body>
</html>
```

desc.html

```
<html>
<head>
<title> Description page</title>
</head>
<body>
<br><br><br><br><br><br><br><br>
<font face="TIMES NEW ROMAN" size="5">
<center>
Description of the Website
</center>
</font>
</body>
</html>
```

home.html

```
<html>
```

```
<head>
<title>Home page</title>
</head>
<frameset rows="20,80">
<frame src="head.html"
name="head_page"> <frameset
cols="15,85">
<frame src="dept.html"
name="dept_page"> <frame
src="desc.html" name="des_page">
</frameset>
</frameset>
</html>
```

OUTPUT:

PROGRAM 2

LOGIN PAGE:

This page looks like below:

Logo	WebSite Name			
Home	Login	Registration	Catalogue	Cart
CSE ECE EEE CIVIL	Login Page User Name: Passwords: <input type="submit" value="Submit"/> <input type="submit" value="Reset"/>			


```
<html>
<head>
<title>Login page</title>
</head>
<body>
<center>
<font face="Arial Black" size="4"><u><b>LOGIN
FORM</b></u></font> <br><br>
<form name="f1" action="" method="post">
<table frame="box" cellspacing="10">
<tr>
<td>Login</td>
<td><input type="text" size="25"></td>
</tr>
<tr>
<td>Password</td>
```


PROGRAM 3

CATALOGUE PAGE: The catalogue page should contain the details of all the books available in the website in a

table. The details should contain the following:

1. Snap shot of Cover Page.
2. Author Name.
3. Publisher.
4. Price.
5. Add to cart button.

Logo	WebSite Name			
Home	Login	Registration	Catalogue	Cart
CSE		Book:XMLBible	\$40.5	
ECE		Author : Winston		
EEE		Publication:Wiely	\$63	
CIVIL				
		Book :AI		
		Author:S.Russel		
		Publication:Princetonhall		

```
<html>
```

```
<head>
```

```
<title> Catalogue Page</title>
```

```
</head>
```

```
<body>
```

```
<table width="100%" height="100%" border="1">
```

```
<tr>
```

```
<td></td>
```

```

<td>Book: XML Bible
<br>Author: Winston

<br>Publication: Wiely</td>

<td>$40.5</td>

<td></td> </tr>
<tr>

<td></td> <td>Book: AI
<br>Author: S.Russel

<br>Publication: Princeton hall</td>

<td>$63</td>

<td></td> </tr>
<tr>

<td></td> <td>Book: Java 2
<br>Author: Watston

<br>Publication: BPB publications</td>

<td>$35.5</td>

<td></td> </tr>
<td></td> <td>Book: HTML in 24 hours
<br>Publication: Sam publications</td>

<td>$100</td>

<td></td> </tr>
</table>

</body>

<html>

```

OUTPUT:

PROGRAM 4

CARTPAGE: The cart page contains the details about the books which are added to the cart. The cart page should

look like this:

Logo	Web Site Name			
Home	Login	Registration	Catalogue	Cart
CSE	Book name	Price	Quantity	Amount
ECE	Java 2	\$35.5	2	\$70
EEE	XML bible	\$40.5	1	\$40.5
CIVIL	Total amount	- \$130.5		

cat_mca.html

```
<html>
<head>
<title> CSE Catalogue Page</title>
</head>
<body>
<table width="100%" height="100%" border="1">
<tr>
<td></td>
<td>Book: XML Bible
<br>Author: Winston
<br>Publication: Wiely</td>
<td>$40.5</td>
<td></td>
</tr>
<tr>
<td></td>
<td>Book: HTML in 24 hours
<br>Author: Sam Peter
<br>Publication: Sam publications</td>
<td>$100</td>
```

```
<td></td> </tr>
</table>
```

```
</body>
```

```
</html>
```

cat_bca.html

```
<html>
```

```
<head>
```

```
<title> ECE Catalogue Page</title>
```

```
</head>
```

```
<body>
```

```
  <table width="100%" height="100%"
border="1"> <tr>
```

```
<td></td> <td>Book: XML Bible
<br>Author: Winston
```

```
<br>Publication: Wiely</td>
```

```
<td>$40.5</td>
```

```
<td></td> <td></td> <td>Book: AI
<br>Author: S.Russel
```

```
<br>Publication: Princeton hall</td>
```

```
<td>$63</td>
```

```
<td></td> </table>
</body>
```

```
</html>
```

OUTPUT:

PROGRAM 5

REGISTRATION PAGE : Create a“ registration form“ with the following

fields 1)Name (Text field)

2)Password (password field)

3) E-mailid(text field)

4) Phone Number(text field)

5) Sex(radio button)

6) Date of birth(3 select boxes)

7) Languages known(checkboxes–English, Telugu, Hindi, Tamil)

8) Address(text area)

```
<html>
<head>
  <title>Registration Page</title>
</head>
<body>
<center>
<h3 align="center"><u>REGISTRATION PAGE</u></h3>
<table border="3">
<tr><td>
<form name="f1" action="" method="post" onsubmit="">
<table cellpadding="10" cellspacing="5">
<tr><td>NAME</td><td><input type="text" size="30" name="uname"/></td></tr>
<tr><td>PASSWORD</td><td><input type="password" size="30" name="pass"/></td></tr>
<tr><td>E-MAIL ID</td><td><input type="text" size="30" name="email"/></td></tr>
<tr><td>PHONE NUMBER</td><td><input type="text" size="15"
name="phone"/></td></tr> <tr><td>GENDER</td><td><input type="radio" name="gen"
value="m" />MALE <input type="radio" name="gen" value="f" />FEMALE </td></tr>
<tr><td>DATE OF BIRTH</td>
<td><select name="day">
<option
value="day">DAY</option>
<option value="1">1</option>
<option value="2">2</option>
```

```
<option value="3">3</option>
<option value="4">4</option>
<option value="5">5</option>
<option value="6">6</option>
<option value="7">7</option>
<option value="8">8</option>
<option value="9">9</option>
<option value="10">10</option>
<option value="11">11</option>
<option value="12">12</option>
<option value="13">13</option>
<option value="14">14</option>
<option value="15">15</option>
<option value="16">16</option>
<option value="17">17</option>
<option value="18">18</option>
<option value="19">19</option>
<option value="20">20</option>
<option value="21">21</option>
<option value="22">22</option>
<option value="23">23</option>
<option value="24">24</option>
<option value="25">25</option>
<option value="26">26</option>
<option value="27">27</option>
<option value="28">28</option>
<option value="29">29</option>

<option value="30">30</option>

<option value="31">31</option>

</select>

<select name="month">

<option value="month">MONTH</option>
<option value="jan">JANUARY</option>
<option
value="feb">FEBRUARY</option>
<option value="mar">MARCH</option>
<option value="apr">APRIL</option>
<option value="may">MAY</option>
<option value="jun">JUNE</option>
<option value="jul">JULY</option>
<option value="aug">AUGUST</option>
<option
value="sep">SEPTEMBER</option>
<option value="oct">OCTOBER</option>
```

```
<option
value="nov">NOVEMBER</option>
<option
value="dec">DECEMBER</option>
</select>
```

```
<select name="year">
```

```
<option
value="year">YEAR</option>
<option
value="1986">1986</option>
<option
value="1987">1987</option>
<option
value="1988">1988</option>
<option
value="1989">1989</option>
<option
value="1990">1990</option>
<option
value="1991">1991</option>
<option
value="1992">1992</option>
<option
value="1993">1993</option>
<option
value="1994">1994</option>
<option value="1995">1995</option>
<option value="1996">1996</option>
<option value="1997">1997</option>
<option value="1998">1998</option>
<option value="1999">1999</option>
<option value="2000">2000</option>
<option value="2001">2001</option>
<option value="2002">2002</option>
<option value="2003">2003</option>
<option value="2004">2004</option>
<option value="2005">2005</option>
<option value="2006">2006</option>
<option value="2007">2007</option>
```

```

<option value="2008">2008</option>
<option value="2009">2009</option>
<option value="2010">2010</option>
<option value="2011">1980</option>
<option value="2012">1981</option>
<option value="2013">1982</option>
<option value="2014">1983</option>
</select></td></tr>

<tr><td>LANGUAGES KNOWN</td>
<td>
<input type="checkbox" value="eng" name="lang"
/>ENGLISH <input type="checkbox" value="tel"
name="lang" />TELUGU <input type="checkbox"
value="hin" name="lang" />HINDI <input type="checkbox"
value="tam" name="lang" />TAMIL </td></tr>
<tr>
<td>ADDRESS</td>
<td><textarea name="addr" cols="25" rows="5"></textarea></td></tr> <tr><td
colspan="2" align="center"><input type="submit" value="SUBMIT"/>
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input type="reset" value="RESET"
/></td> </tr>
</table>

</form>

</td></tr></table>

</center>

</body>

</html>


```

OUTPUT:

PROGRAM 6

Write a java script to validate the following fields of the above registration page.

1.Name (name should contains alphabet and the length should not be less than 6 characters). 2. Password (password should not be less than 6 character length).

A screenshot of a web form titled "Registration Page" with a purple icon. The form contains two input fields: "Name:" and "Password:". Below the "Password:" field is a "Register" button.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0"> <title>Registration Page</title>
  <script>
    function validateForm() {
      // Get values from input fields
      var name = document.getElementById('name').value;
      var password = document.getElementById('password').value;

      // Validate Name
      if (name.length < 6 || !/^[a-zA-Z]+$/.test(name)) {
        alert('Name should contain only alphabets and have a minimum length of
6 characters.');
```

6 characters.');

```
        return false;
      }

      // Validate Password
      if (password.length < 6) {
        alert('Password should have a minimum length of 6
characters.');
```

characters.');

```
        return false;
      }

      // If all validations pass, the form is valid
      return true;
    }
  </script>
</head>
<body>
```

```
<form onsubmit="return validateForm()">
<label for="name">Name:</label>
<input type="text" id="name" name="name"
required> <br>

<label for="password">Password:</label>
<input type="password" id="password" name="password"
required> <br>

<input type="submit" value="Register">
</form>
</body>
</html>
```

OUTPUT:

PROGRAM 7

3. E mail (should not contain any invalid must follow the standard patter name @domain.com). 4.Phone Number (phone number should contain 10 digits only).



Email:

Phone Number:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0"> <title>Registration Page</title>
  <script>
function validateForm() {
  // Get values from input fields
  var email = document.getElementById('email').value;
  var phone = document.getElementById('phone').value;

  // Validate Email
  var emailPattern = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
  if (!emailPattern.test(email)) {
    alert('Invalid email format. Please enter a valid email
address.');
```

```
// If all validations pass, the form is valid
alert('Registration successful!');
return true;
}
</script>
</head>
<body>
<form onsubmit="return validateForm()">
<label for="email">Email:</label>
<input type="email" id="email" name="email"
required> <br>

<label for="phone">Phone
Number:</label> <input type="text" id="phone"
name="phone" required>

<br>

<input type="submit" value="Register">
</form>
</body>
</html>
```

OUTPUT:

PROGRAM 8

Design a web page using CSS which includes the following:

1. Use different font, style:
In the style definition you define how each selector should work (font, color etc.) then, in the body of your pages, you refer to these selectors to activate the styles.
2. Set a background image for both the pages and single elements on the page.



```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-
scale=1.0"> <title>Styled Web Page</title>
<style>
body {
font-family: 'Arial', sans-serif;
background-image: url('background.jpg');
background-size: cover;
color: #333;
margin: 0;
```

```
padding: 0;  
}
```

```
header {  
  background-color:  
  #f1f1f1; text-align:  
  center;  
  padding: 10px;  
}
```

```
h1 {  
  font-family: 'Georgia',  
  serif; color: #0066cc;  
}
```

```
nav {  
  background-color:  
  #333; color: #fff;  
  padding: 10px;  
  text-align: center;  
}
```

```
nav a {  
  color: #fff;  
  text-decoration:  
  none; padding:  
  10px;  
  margin: 0 10px;  
}
```

```
section {  
  padding: 20px;  
  background-image: url('section-background.jpg');
```

```
background-size: cover;
color: #fff;
text-align: justify;
}
```

```
footer {
background-color: #333;
color: #fff;
text-align: center;
padding: 10px;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<h1>My Styled Web Page</h1>
```

```
</header>
```

```
<nav>
```

```
<a href="#">Home</a>
```

```
<a href="#">About</a>
```

```
<a href="#">Services</a>
```

```
<a href="#">Contact</a>
```

```
</nav>
```

```
<section>
```

```
<h2>Welcome to my website</h2>
```

```
<p>This is a sample text for the content of the web page. Feel free to modify it
according to your needs.</p>
```

```
</section>
```

```
<footer>  
  &copy; 2024 My Website. All rights  
  reserved. </footer>  
</body>  
</html>
```

OUTPUT:

PROGRAM 9

Write a CSS code

1. control the repetition of the image with the background repeat property.

```
background-repeat: repeat; /* Repeats both horizontally and vertically */
```

```
background-repeat: repeat-x; /* Repeats only horizontally */
```

```
background-repeat: repeat-y; /* Repeats only vertically */
```

```
background-repeat: no-repeat; /* Does not repeat */
```

2. Define styles for link as

A: link

B: visited

C: active

D: hover

```
/* Styles for normal links */
```

```
a {
```

```
    text-decoration: none; /* Removes underline by default */
```

```
    color: blue; /* Changes the color of the link */
```

```
}
```

```
/* Styles for visited links */
```

```
b:visited {
```

```
    color: purple; /* Changes the color of visited links */
```

```
}
```

```
/* Styles for active links (when clicked) */
```

```
c:active {
```

```
    color: red; /* Changes the color of active links */
```

```
}
```

```
/* Styles for links when hovered over */
```

```
d:hover {
```

```
    color: green; /* Changes the color of links when hovered over */
```

```
}
```

OUTPUT:

PROGRAM 10

Consider a small topic of your choice on which you can develop static web pages and try to implement all topics of HTML CSS and JS within the Topic

Your Own Portfolio

Swati

About Me

I am pursuing B.Tech from ITS engineering College

Skills

HTML5

CSS3

JavaScript

Projects

Project 1 Developing a Virtual Mouse to reduce the hardware components and Ease our Work

Project 2 To make a mini music player.

Contact

Email: swatijha9354@gmail.com

LinkedIn: [Swati Jha](#)

GitHub: [Swati Jha](#)

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-  
scale=1.0"> <title>Your Name - Portfolio</title>
```

```
<style>
```

```
body {
```

```
font-family: 'Arial', sans-  
serif; background-color:  
#f8f8f8;  
margin: 0;  
padding: 0;  
display: flex;  
justify-content: center;  
align-items: center;  
height: 100vh;  
}
```

```
#portfolio-container {  
background-color: #fff;  
box-shadow: 0 0 10px rgba(0, 0, 0,  
0.1); padding: 20px;  
width: 600px;  
border-radius: 5px;  
}
```

```
h1 {  
text-align: center;  
color: #333;  
}
```

```
.about-me {  
margin-bottom: 20px;  
}
```

```
.skills {  
margin-bottom:  
20px; }
```

```
.projects {  
  margin-bottom:  
  20px; }
```

```
.contact {  
  text-align:  
  center; }
```

```
ul {  
  list-style-type:  
  none; padding:  
  0;  
  margin: 0;  
  }
```

```
li {  
  margin-bottom:  
  10px; }
```

```
a {  
  color: #0066cc;  
  text-decoration:  
  none; }  
</style>
```

```
</head>
```

```
<body>
```

```
  <div id="portfolio-  
  container"> <h1>Swa  
  ti</h1>
```

```
  <div class="about-me">
```

```
    <h2>About Me</h2>
```

```
    <p>I am pursuing B.Tech from ITS engineering College</p>
```

```
  </div>
```

```
<div class="skills">
<h2>Skills</h2>
<ul>
<li>HTML5</li>
<li>CSS3</li>
<li>JavaScript</li>
<!-- Add more skills as needed -->
</ul>
</div>
```

```
<div class="projects">
<h2>Projects</h2>
<ul>
<li><a href="#">Project 1</a> Developing a Virtual Mouse to reduce the
hardware components and Ease our Work</li>
<li><a href="#">Project 2</a>To make a mini music
player.</li> <!-- Add more projects as needed -->
</ul>
</div>
```

```
<div class="contact">
<h2>Contact</h2>
<p>Email: swatijha9354@gmail.com</p>
<p>LinkedIn: <a href="#" target="_blank">Swati Jha</a></p>
<p>GitHub: <a href="#" target="_blank">Swati
Jha</a></p> </div>
</div>
</body>
</html>
```

OUTPUT: