UID EXPERIMENT 9

Name:JAI VARDHAN UL **Roll no: 240701201**

Design input forms that validate data (e.g., email, phone number) and display error messages using HTML/CSS, JavaScript

AIM:

The aim is to design input forms that validate data, such as email and phone number, and display error messages using HTML/CSS and JavaScript with Validator.js.

Step 1:

Setting Up the HTML Form Start by creating an HTML form with input fields for the email and phone number

Step 2:

Styling the Form with CSS Next, add some basic styling to make the form look nice.

Step 3:

Adding JavaScript for Validation Finally, add JavaScript to validate the input fields using Validator.js and display error messages.

STEP 1:

FORM.HTML ;

```
form.html > form > center
<form>
  <center>


  <label>Email:</label><br>
  <input type="text" placeholder="Enter Email"><br><br>

  <label>Phone:</label><br>
  <input type="text" placeholder="Enter Phone"><br><br>

  <button>Submit</button>


  <center>
</form>
```

OUTPUT:



- I created a **basic form using HTML**
- It has:
    - Email field
    - Phone field
    - Submit button
- No design and no validation yet

Step 2:

```html
<!DOCTYPE html>
<html>
<head>
  <title>Styled Form</title>

  <style>
    body {
      font-family: Arial;
      background: lightblue;
      text-align: center;
    }

    form {
      background: white;
      padding: 20px;
      width: 300px;
      margin: auto;
      border-radius: 10px;
      margin-top: 100px;
    }

    input {
      width: 90%;
      padding: 8px;
      margin: 5px;
    }
  </style>
</head>

<body>

<form>
  <label>Email:</label><br>
  <input type="text" placeholder="Enter Email"><br><br>

  <label>Phone:</label><br>
  <input type="text" placeholder="Enter Phone"><br><br>
```


```html
  <label>Phone:</label><br>
  <input type="text" placeholder="Enter Phone"><br><br>
```


```html

  <button>Submit</button>
</form>

</body>
</html>
```

OUTPUT:



- CSS makes the form **look good**
- Form is:
    - Centered
    - Given background and padding
- Inputs are easier to type

Step 3:

```html
<!DOCTYPE html>
<html>
<head>
  <title>Form Validation</title>

  <style>
    body {
      font-family: Arial;
      background: lightblue;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
    }

    form {
      background: white;
      padding: 20px;
      border-radius: 10px;
      width: 300px;
    }

    input {
      width: 100%;
      padding: 8px;
      margin: 5px 0;
    }

    .error {
      color: red;
      font-size: 12px;
    }
  </style>
</head>

<body>

<form id="myForm">
  <label>Email:</label>
  <input type="text" id="email">
  <div class="error" id="emailError"></div>

  <label>Phone:</label>
  <input type="text" id="phone">
  <div class="error" id="phoneError"></div>
```

```html
    <div class="error" id="phoneError"></div>

    <button type="submit">Submit</button>
  </form>

  <script src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.7.0/validator.min.js"></script>

  <script>
  document.getElementById("myForm").addEventListener("submit", function(e){
    e.preventDefault();

    let email = document.getElementById("email").value;
    let phone = document.getElementById("phone").value;

    let emailError = document.getElementById("emailError");
    let phoneError = document.getElementById("phoneError");

    emailError.textContent = "";
    phoneError.textContent = "";

    let valid = true;

    if(!validator.isEmail(email)){
      emailError.textContent = "Invalid Email";
      valid = false;
    }

    if(!validator.isNumeric(phone) || phone.length != 10){
      phoneError.textContent = "Phone must be 10 digits";
      valid = false;
    }

    // ✅ THIS PART REDIRECTS TO SUCCESS PAGE
    if(valid){
      window.location.href = "success.html";
    }
  });
  </script>

  </body>
  </html>
```

Output:





- JavaScript checks:
  - Email is valid format
  - Phone is numeric and 10 digits
- If wrong:
  - Error message shown in red
- If correct:
  - Success alert is shown