```
mysql> create database dbms1;
Query OK, 1 row affected (0.01 sec)

mysql> use dbms;
ERROR 1049 (42000): Unknown database 'dbms'
mysql> use dbms1;
Database changed
mysql> create table stud(studname varchar(10),studid int,course varchar(20));
Query OK, 0 rows affected (0.03 sec)

mysql> desc stud;
+----------+-------------+------+-----+---------+-------+
| Field    | Type        | Null | Key | Default | Extra |
+----------+-------------+------+-----+---------+-------+
| studname | varchar(10) | YES  |     | NULL    |       |
| studid   | int         | YES  |     | NULL    |       |
| course   | varchar(20) | YES  |     | NULL    |       |
+----------+-------------+------+-----+---------+-------+
3 rows in set (0.00 sec)
```

```
mysql> alter table stud add gender varchar(10);
Query OK, 0 rows affected (0.02 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> select * from stud;
+----------+--------+--------+--------+
| studname | studid | course | gender |
+----------+--------+--------+--------+
| anu      |    101 | cse    | NULL   |
| divya    |    102 | cse    | NULL   |
| shruthi  |    103 | cse-it | NULL   |
| janani   |    103 | cse-it | NULL   |
+----------+--------+--------+--------+
4 rows in set (0.00 sec)
```

```
mysql> truncate table stud;
Query OK, 0 rows affected (0.03 sec)

mysql> select * from stud;
Empty set (0.00 sec)
```

```
mysql> drop table stud;
Query OK, 0 rows affected (0.01 sec)

mysql> select * from stud;
ERROR 1146 (42S02): Table 'dbms1.stud' doesn't exist
```