


Exp No: 2**Run a basic Word Count Map Reduce program to understand Map Reduce Paradigm****Aim:**

To Run a basic Word Count MapReduce program to understand Map Reduce Paradigm.

Procedure:**Step 1: Create Data File:**

Create a file named "word_count_data.txt" and populate it with text data that you wish to analyze. Login with your Hadoop user.



```
GNU nano 7.2 word_count.txt
Made it to LA, yeah
Finally in LA, yeah
Lookin' for the weed though
Tryna make my own dough
Callin' for Maria
Lost without Maria

^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location   M-U Undo
^X Exit      ^R Read File  ^_ Replace    ^U Paste      ^J Justify    ^_ Go To Line M-E Redo
```

Step 2: Mapper Logic - mapper.py:

Create a file named "mapper.py" to implement the logic for the mapper. The mapper will read input data from STDIN, split lines into words, and output each word with its count.

```
nano mapper.py
```

```
# Copy and paste the mapper.py code
```

```
#!/usr/bin/env python3
```

```
# import sys because we need to read and write data to STDIN and STDOUT
```

```
#!/usr/bin/python3
```

```
import sys
```

```
for line in sys.stdin:
```

```
    line = line.strip()
```

```
    # remove leading and trailing whitespace
```

```
    words = line.split()
```

```
    # split the line into words for word in words:
```

```
    nano word_count.txt print( '%s\t%s' % (word, 1))
```

Step 3: Reducer Logic - reducer.py:

Create a file named "reducer.py" to implement the logic for the reducer. The reducer will aggregate the occurrences of each word and generate the final output.

```
nano reducer.py
```

```
# Copy and paste the reducer.py code
```

```
reducer.py
```

```
#!/usr/bin/python3
from operator import itemgetter
import sys
current_word = None
current_count = 0
word = None
for line in sys.stdin:
    line = line.strip()
    word, count = line.split('\t', 1)
    try:
        count = int(count)
    except ValueError:
        continue
    if current_word == word:
        current_count += count
    else:
        if current_word:
            print( '%s\t%s' % (current_word, current_count))
            current_count = count
            current_word = word
if current_word == word:
    print( '%s\t%s' % (current_word, current_count))
```

Step 4: Prepare Hadoop Environment:

Start the Hadoop daemons and create a directory in HDFS to store your data.

```
start-all.sh
```

```
hdfsdfs -mkdir /word_count_in_python
```

```
hdfsdfs -copyFromLocal /path/to/word_count.txt/word_count_in_python
```

Step 5: Make Python Files Executable:

Give executable permissions to your mapper.py and reducer.py files.

```
chmod 777 mapper.py reducer.py
```

Step 6: Run Word Count using Hadoop Streaming:

Download the latest hadoop-streaming jar file and place it in a location you can easily access.

Then run the Word Count program using Hadoop Streaming.

```
hadoop jar /path/to/hadoop-streaming-3.3.6.jar \  
-input /word_count_in_python/word_count_data.txt \  
-output /word_count_in_python/new_output \  
-mapper /path/to/mapper.py \  
-reducer /path/to/reducer.py
```

Step 8: Check Output:

Check the output of the Word Count program in the specified HDFS output directory.

```
hdfs dfs -cat /word_count_in_python/new_output/part-00000
```

```

Peak Map Virtual memory (bytes)=2721849344
Peak Reduce Physical memory (bytes)=252862464
Peak Reduce Virtual memory (bytes)=2732879872

Shuffle Errors
BAD_ID=0
CONNECTION=0
IO_ERROR=0
WRONG_LENGTH=0
WRONG_MAP=0
WRONG_REDUCE=0

File Input Format Counters
  Bytes Read=228
File Output Format Counters
  Bytes Written=173
2024-09-11 11:21:50,920 INFO streaming.StreamJob: Output directory: /word_count_in_python/new_output
jananiraghavan@fedora:~$ hdfs dfs -ls /word_count_in_python/new_output
Found 2 items
-rw-r--r--  1 jananiraghavan supergroup          0 2024-09-11 11:21 /word_count_in_python/new_output/_SUCCESS
-rw-r--r--  1 jananiraghavan supergroup       173 2024-09-11 11:21 /word_count_in_python/new_output/part-00000
jananiraghavan@fedora:~$ hdfs dfs -cat /word_count_in_python/new_output/part-*
Callin 1
Finally 1
LA 2
Lookin 1
Lost 1
Made 1
Maria 2
Night 1
Pryna 1
Pive 1
Pough 1
For 2
in 2
it 1
make 1
marina 1
ny 1
own 1
the 2
though 1
to 1
weed 1
without 1
yeah 2
jananiraghavan@fedora:~$

```

Result:

Thus, the program for basic Word Count Map Reduce has been executed successfully.