KATHMANDU UPATYAKA KHANEPANI LIMITED

Water / Waste Water Quality Assurance Division , Sundarighat Kirtipur Laboratory Record Of Chemical & Bacteriological Analysis Of Water Marg 2073

S.No.	Date	Branch	Location	Sample taken	Turbidity	Coloui	P ^H	E.C.	Total Alkalinity	Total Hardness	Total Iron	Total Ammonia	Chloride	F.R.C.	Total Coliforms
					(NTU)	(=2.1)									
	Units ————————————————————————————————————					(TCU)		µs/cm	mg/I	mg/l	mg/l	mg/l	mg/l	mg/l	100/ml
Nationa	al Drinking Wate	er Quality Standard (NDW	/QS)	\longrightarrow	5 (10)	5 (15)	6.5-8.5	1500		500	0.3 (3)	1.5	250	0.1-0.2	0 in 95% Samples
1	2073/08/01	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.5	33	16	14	0.1	0.02	5.76	0.6	Nil
2	2073/08/01	Lalitpur	Sainbu W.T.P.	Treated	<5	<5	7.9	266	120	136	0.1	0.02	7.68	0.6	Nil
3	2073/08/02	Mahankalchaur	Mahankalchaur W.T.P.	Treated	<5	<5	7.5	38	18	14	0.1	0.02	5.76	0.4	Nil
4	2073/08/02	Madhayapur Thimi	Bode W.T.P.	Treated	<5	<5	7.1	183	68	60	0.1	0.64	7.68	0.5	Nil
5	2073/08/02	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.7	32	16	14	0.1	0.02	5.76	0.5	Nil
6	2073/08/03	Lalitpur	Sainbu W.T.P.	Treated	<5	<5	7.8	250	114	130	0.1	0.02	7.68	0.5	Nil
7	2073/08/03	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.4	31	14	14	0.1	0.02	5.76	0.5	Nil
8	2073/08/04	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.5	28	14	12	0.1	0.02	5.76	0.5	Nil
9	2073/08/05	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.6	28	14	12	0.1	0.02	5.76	0.6	Nil
10	2073/08/06	Madhayapur Thimi	Bode W.T.P.	Treated	<5	<5	6.9	188	72	62	0.1	1.0	7.68	0.4	Nil
11	2073/08/06	Mahankalchaur	Mahankalchaur W.T.P.	Treated	<5	<5	7.9	36	18	16	0.1	0.02	5.76	0.5	Nil
12	2073/08/06	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.9	31	14	14	0.1	0.02	5.76	0.6	Nil
13	2073/08/07	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.6	28	14	12	0.1	0.02	5.76	0.7	Nil
14	2073/08/08	Madhayapur Thimi	Bode W.T.P.	Treated	<5	<5	6.8	219	84	66	0.1	1.5	19.2	0.5	Nil
15	2073/08/08	Lalitpur	Sainbu W.T.P.	Treated	<5	<5	7.9	250	114	134	0.1	0.02	9.6	0.6	Nil
16	2073/08/08	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.4	32	16	14	0.1	0.02	5.76	0.6	Nil
17	2073/08/09	Mahankalchaur	Mahankalchaur W.T.P.	Treated	<5	<5	8.0	42	20	16	0.1	0.02	5.76	0.5	Nil
18	2073/08/09	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.3	34	16	14	0.1	0.02	5.76	0.6	Nil
19	2073/08/10	Mahankalchaur	Mahankalchaur W.T.P.	Treated	<5	<5	7.6	44	22	18	0.1	0.02	5.76	0.5	Nil
20	2073/08/10	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.2	28	14	10	0.1	0.02	5.76	0.6	Nil
21	2073/08/11	Mahankalchaur	Mahankalchaur W.T.P.	Treated	<5	<5	7.4	37	18	12	0.1	0.02	5.76	0.6	Nil
22	2073/08/11	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.4	31	14	14	0.1	0.02	5.76	0.5	Nil

23	2073/08/12	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.9	28	14	12	0.1	0.02	5.76	0.5	Nil
24	2073/08/13	Lalitpur	Sainbu W.T.P.	Treated	<5	<5	7.8	254	116	134	0.1	0.02	7.68	0.5	Nil
25	2073/08/13	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.7	29	14	12	0.1	0.02	5.76	0.6	Nil
26	2073/08/14	Madhayapur Thimi	Bode W.T.P.	Treated	<5	<5	6.9	202	88	60	0.1	2.0	11.5	0.6	Nil
27	2073/08/14	Mahankalchaur	Mahankalchaur W.T.P.	Treated	<5	<5	7.4	45	22	18	0.1	0.02	5.76	0.5	Nil
28	2073/08/14	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.6	30	14	14	0.1	0.02	5.76	0.6	Nil
29	2073/08/15	Mahankalchaur	Mahankalchaur W.T.P.	Treated	<5	<5	7.7	33	16	14	0.1	0.02	5.76	0.6	Nil
30	2073/08/15	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.7	31	14	12	0.1	0.02	5.76	0.6	Nil
31	2073/08/16	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.4	34	16	14	0.1	0.02	5.76	0.5	Nil
32	2073/08/17	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.3	30	14	14	0.1	0.02	5.76	0.6	Nil
33	2073/08/18	Madhayapur Thimi	Bode W.T.P.	Treated	<5	<5	7.0	205	86	60	0.2	1.5	11.5	0.6	Nil
34	2073/08/18	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.3	33	16	14	0.1	0.02	5.76	0.5	Nil
35	2073/08/19	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.7	29	14	12	0.1	0.02	5.76	0.6	Nil
36	2073/08/20	Mahankalchaur	Mahankalchaur W.T.P.	Treated	<5	<5	7.4	40	20	16	0.1	0.02	5.76	0.4	Nil
37	2073/08/20	Madhayapur Thimi	Bode W.T.P.	Treated	<5	<5	6.9	209	82	62	0.3	1.8	11.5	0.5	Nil
38	2073/08/20	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.6	30	14	14	0.1	0.02	5.76	0.6	Nil
39	2073/08/21	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.6	31	14	14	0.1	0.02	5.76	0.5	Nil
40	2073/08/22	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.5	30	14	14	0.2	0.02	5.76	0.6	Nil
41	2073/08/23	Mahankalchaur	Mahankalchaur W.T.P.	Treated	<5	<5	7.5	36	16	14	0.1	0.02	5.76	0.5	Nil
42	2073/08/23	Madhayapur Thimi	Bode W.T.P.	Treated	<5	<5	7.1	205	76	60	0.1	1.6	11.5	0.5	Nil
43	2073/08/23	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.6	29	14	14	0.1	0.02	5.76	0.6	Nil
44	2073/08/24	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.7	34	16	14	0.1	0.02	5.76	0.5	Nil
45	2073/08/25	Mahankalchaur	Mahankalchaur W.T.P.	Treated	<5	<5	7.6	40	18	12	0.1	0.02	5.76	0.6	Nil
46	2073/08/25	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.7	33	16	14	0.1	0.02	5.76	0.6	Nil
47	2073/08/26	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.4	30	14	14	0.1	0.02	5.76	0.6	Nil
48	2073/08/27	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.6	29	14	12	0.1	0.02	5.76	0.7	Nil
49	2073/08/28	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.5	33	16	16	0.1	0.02	5.76	0.6	Nil
50	2073/08/29	Mahankalchaur	Mahankalchaur W.T.P.	Treated	<5	<5	7.3	50	24	20	0.1	0.02	5.76	0.5	Nil
51	2073/08/29	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.4	34	16	16	0.1	0.02	5.76	0.6	Nil
52	2073/08/30	Maharajgunj	Bansbari W.T.P.	Treated	<5	<5	7.4	37	16	12	0.1	0.02	5.76	0.5	Nil
53	2073/08/30	Madhayapur Thimi	Bode W.T.P.	Treated	<5	<5	6.8	211	90	62	0.1	1.80	13.4	0.5	Nil

Remarks

Satisfactory

Satisfactory Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory

Satisfactory