



Android UI Control [EditText]

Android – UI Control

EditText

- **EditText** is a user interface control which is used to allow the user to enter or modify the text.
- While using **EditText** control in our android applications, we need to specify the type of data the text field can accept using the **inputType** attribute.
- For example, if it accept plain text, then we need to specify the inputType as “**text**”. In case if **EditText** field is for password, then we need to specify the inputType as “**textPassword**”.
- In android, we can create **EditText** control in two ways either in XML layout file or create it in Activity file programmatically.

EditText

Input Type Formats

An EditText box could be set to accept input strings satisfying a particular pattern such as: numbers (with and without decimals or sign), phones, dates, times, uris, etc.

Setting the EditText box to accept a particular choice of data-type, is done through the XML clause

android:inputType="choices"

where **choices** include any of the single values shown in the figure. You may combine types, for instance: **textCapWords|textAutoCorrect**
Accepts text that capitalizes every word, incorrect words are automatically changed (for instance 'teh' is converted into 'the', and so on.

Android – UI Control

Create a EditText in Layout File

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical" >
    <EditText
        android:id="@+id/txtSub"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:hint="Subject"
        android:inputType="text"/>
</LinearLayout>
```

Android – UI Control

Create EditText Control in Activity File

```
public class MainActivity extends AppCompatActivity {  
    @Override  
    protected void onCreate(Bundle savedInstanceState) {  
        super.onCreate(savedInstanceState);  
        setContentView(R.layout.activity_main);  
        LinearLayout linearLayout = (LinearLayout)  
findViewById(R.id.linearlayout);  
        EditText et = new EditText(this);  
        et.setHint("Subject");  
        linearLayout.addView(et);  
    }  
}
```

5

Android – UI Control

Set the Text of Android EditText

- We can set the text of **EditText** control either while declaring it in **Layout** file or by using **setText()** method in Activity file.
- Following is the example to set the text of TextView control while declaring it in XML Layout file.

```
<EditText  
    android:id="@+id/editText1"  
    android:layout_width="match_parent"  
    android:layout_height="wrap_content"  
    android:text="Welcome to DDU" />
```

- Following is another way to set the text of EditText control programmatically in activity file using setText() method.

```
EditText et = (EditText)findViewById(R.id.editText1);  
et.setText("Welcome to DDU");
```

6

Android – UI Control

Get Text of Android EditText

- We can get the text of **EditText** control by using **getText()** method in Activity file.
- Following is the example to get text of **EditText** control programmatically in activity file using **getText()** method.

```
public class MainActivity extends AppCompatActivity {  
    @Override  
    protected void onCreate(Bundle savedInstanceState) {  
        super.onCreate(savedInstanceState);  
        setContentView(R.layout.activity_main);  
        EditText et = (EditText) findViewById(R.id.txtSub);  
        String name = et.getText().toString();  
    }  
}
```

7

Android – UI Control

Android EditText Attributes

Attribute	Description
android:id	It is used to uniquely identify the control
android:gravity	It is used to specify how to align the text like left, right, center, top, etc.
android:text	It is used to set the text.
android:hint	It is used to display the hint text when text is empty
android:textColor	It is used to change the color of the text.
android:textColorHint	It is used to change the text color of hint text.
android:textSize	It is used to specify the size of the text.

8

Android – UI Control

Android EditText Attributes

Attribute	Description
android:textStyle	It is used to change the style (bold, italic, bolditalic) of text.
android:background	It is used to set the background color for edit text control
android:ems	It is used to make the textview be exactly this many ems wide.
android:width	It makes the TextView be exactly this many pixels wide.
android:height	It makes the TextView be exactly this many pixels tall.
android:maxLength	It is used to make the TextView be at most this many pixels wide.

9

Android – UI Control

Android EditText Attributes

Attribute	Description
android:minWidth	It is used to make the TextView be at least this many pixels wide.
android:textAllCaps	It is used to present the text in all CAPS
android:typeface	It is used to specify the Typeface (normal, sans, serif, monospace) for the text.
android:textColorHighlight	It is used to change the color of text selection highlight.
android:inputType	It is used to specify the type of text being placed in text fields.
android:fontFamily	It is used to specify the fontFamily for the text.
android:editable	If we set false, EditText won't allow us to enter or modify the text

10

Android EditText Example

- In this example we will be using multiple **EditText** controls with different input types like password, phone, etc. in `LinearLayout`.
- Create a new android application using android studio and give names as **EditTextExample**.
- Now open an **activity_main.xml** file from `\res\layout` path and write the code like as shown below

11

Android – UI Control

Android EditText Example

```
activity_main.xml
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout
xmlns:android="http://schemas.android.com/apk
/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:paddingLeft="40dp"
    android:orientation="vertical"
    android:id="@+id/linearlayout" >
    <EditText
        android:id="@+id/txtName"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="25dp"
        android:ems="10"
        android:hint="Name"
        android:inputType="text"
        android:selectAllOnFocus="true" />
```

```
EditText
    android:id="@+id/txtPwd"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:ems="10"
    android:hint="Password 0 to 9"

    android:inputType="numberPassword" />
    <EditText
        android:id="@+id/txtEmail"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:ems="10"
        android:hint="Email"

        android:inputType="textEmailAddress" />
```

12

Android – UI Control

Android EditText Example

```
<EditText
    android:id="@+id/txtDate"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_below="@+id/editText3"
    android:ems="10"
    android:hint="Date"
    android:inputType="date" />
<EditText
    android:id="@+id/txtPhone"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:ems="10"
    android:hint="Phone Number"
    android:inputType="phone"
    android:textColorHint="#FE8DAB"/>
<<Button
    android:id="@+id/btnSend"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="submit"
    android:textSize="16sp"
    android:textStyle="normal|bold" />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:id="@+id/resultView"
    android:layout_marginTop="25dp"
    android:textSize="15dp"/>
</LinearLayout>
```

13

Android – UI Control

Android EditText Example

```
MainActivity.java
package com.tutlane.editttextexample;
import android.support.v7.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;
import org.w3c.dom.Text;

public class MainActivity extends AppCompatActivity {
    Button btnSubmit;
    EditText name, password, email, dob, phoneno;
    TextView result;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        name=(EditText)findViewById(R.id.txtName);
        password = (EditText)findViewById(R.id.txtPwd);
        email = (EditText)findViewById(R.id.txtEmail);
```

14

Android – UI Control

Android EditText Example

```
dob = (EditText)findViewById(R.id.txtDate);
phoneno= (EditText)findViewById(R.id.txtPhone);
btnSubmit = (Button)findViewById(R.id.btnSend);
result = (TextView)findViewById(R.id.resultView);

btnSubmit.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        if (name.getText().toString().isEmpty() ||
            password.getText().toString().isEmpty() ||
            email.getText().toString().isEmpty() || dob.getText().toString().isEmpty()
            || phoneno.getText().toString().isEmpty()) {
            result.setText("Please Fill All the Details");
        } else {
            result.setText("Name - " + name.getText().toString() + " \n" + "Password - "
                + password.getText().toString() + " \n" + "E-Mail - " +
                email.getText().toString() + " \n" + "DOB - " + dob.getText().toString()
                + " \n" + "Contact - " + phoneno.getText().toString());
        }
    }
});
```

15

Android – UI Control


Android EditText Example

```
    }
    }
    });
}
|
```

16

Android – UI Control

Output of Android EditText Example



17

Android – UI Control

Output of Android EditText Example (Once we enter details in all fields and click on Button we will get a result like as shown below.)



18

