```
for i in range(1,11):
  print(i,end=' ')
   1 2 3 4 5 6 7 8 9 10
for i in range(45,57):
  print(i,end=' ')
   45 46 47 48 49 50 51 52 53 54 55 56
for i in range(0,20):
  print(i,end=' ')
   0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
for i in range(0,20,3):
  print(i,end=' ')
   0 3 6 9 12 15 18
for i in range (20,3):
  print(i,end=' ')
for i in range(20,3,1):
  print(i,end=' ')
for i in range(20,3,2):
  print(i,end=' ')
for i in range(20,3,100):
  print(i,end=' ')
for i in range(0,20,0):
  print(i,end=' ')
                               Traceback (most recent call last)
   <ipython-input-9-f5dce5d42714> in <module>
    ---> 1 for i in range(0,20,0):
       2 print(i,end=' ')
   ValueError: range() arg 3 must not be zero
    SEARCH STACK OVERFLOW
for i in range(0,10,5):
  print(i,end=' ')
   0 5
for i in range(10,0,-1):
   print(i,end=' ')
   10 9 8 7 6 5 4 3 2 1
```

```
for i in range(0,10,-1):
  print(i,end=' ')
for i in range(-5,6,2):
  print(i,end=' ')
   -5 -3 -1 1 3 5
for i in range(-10,0,3):
  print(i,end=' ')
   -10 -7 -4 -1
for i in range(1,11,1):
  print(6,'*',i,'=',6*i)
   6 * 3 = 18
   6 * 4 = 24
   6 * 5 = 30
   6 * 6 = 36
   6 * 7 = 42
   6 * 8 = 48
   6 * 9 = 54
   6 * 10 = 60
table_num = 5
for i in range(1,11,1):
  print(table_num,'*',i,'=',table_num * i)
   5 * 2 = 10
   5 * 3 = 15
   5 * 4 = 20
   5 * 5 = 25
   5 * 6 = 30
   5 * 7 = 35
   5 * 9 = 45
   5 * 10 = 50
table num = input('please enter table number : ')
for i in range(1,11,1):
  print(table_num,'*',i,'=',table_num * i)
   please enter table number : 5
   5 * 2 = 55
   5 * 3 = 555
   5 * 4 = 5555
   5 * 5 = 55555
   5 * 6 = 555555
   5 * 7 = 5555555
   5 * 8 = 55555555
   5 * 9 = 55555555
   5 * 10 = 555555555
table num = int(input('please enter table number : '))
for i in range(1,11,1):
  print(table_num,'*',i,'=',table_num * i)
```

✓ 6s completed at 1:28 PM