

Problem: Print the following Right Triangle Pattern

Sample Input:

(None)

Sample Output:

```
*
**
***
****
*****
```

Test Cases:

===TEST CASE 1===

Input:

(None)

Expected Output:

```
*
**
***
****
*****
```

===TEST CASE 2===

Input:

(None)

Expected Output:

```
*
**
***
****
*****
```

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int i, j;
4     for (i = 1; i <= 5; i++) {,
5         for (j = 1; j <= i; j++) {
6             printf("*");
7         }
8         printf("\n");
9     }
10    return 0;
11 }
```

Output

```
*
**
***
****
*****
```

Level 1 — Easy **factors (E)** — Number

✓ Submitted

Problem: Write a program to print all factors of a number entered by the user.

Sample Input:

Enter a number: 12

Sample Output:

Factors of 12: 1 2 3 4 6 12

Test Cases:

===TEST CASE 1===

Input:

Enter a number: 12

Expected Output:

Factors of 12: 1 2 3 4 6 12

===TEST CASE 2===

Input:

Enter a number: 12

Expected Output:

Factors of 12: 1 2 3 4 6 12

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     int n;
5     printf("Enter a number: ");
6     scanf("%d", &n);
7
8     printf("Factors of %d:", n);
9     for (int i = 1; i <= n; i++) {
10         if (n % i == 0) {
11             printf(" %d", i);
12         }
13     }
14     printf("\n");
15
16     return 0;
17 }
```

Output

```
Enter a number: Factors of 16: 1 2 4 8 16
```

Problem: Write a program to calculate the sum of positive and negative numbers separately from a list of numbers entered by the user.

Sample Input:

Enter number of elements: 5

Enter elements: -3 4 -2 7 -5

Sample Output:

Sum of positive numbers: 11

Sum of negative numbers: -10

Test Cases:

===TEST CASE 1===

Input:

Enter number of elements: 5

Enter elements: -3 4 -2 7 -5

Expected Output:

Sum of positive numbers: 11

Sum of negative numbers: -10

===TEST CASE 2===

Input:

Enter number of elements: 5

Enter elements: -3 4 -2 7 -5

Expected Output:

Sum of positive numbers: 11

Sum of negative numbers: -10

Your Code

```
1 #include <stdio.h>
2 int main(){
3     int n,x,pos=0,neg=0;
4     scanf("%d",&n);
5     for(int i=0;i<n;i++){
6         scanf("%d",&x);
7         if(x>0) pos+=x;
8         else if(x<0) neg+=x;
9     }
10    printf("Sum of positive numbers: %d\n",pos);
11    printf("Sum of negative numbers: %d\n",neg);
12    return 0;
13 }
```

Output

```
Sum of positive numbers: 0
Sum of negative numbers: 0
```

Problem: Print the following Right Triangle Pattern

Sample Input:

(None)

Sample Output:

```
*
**
***
****
*****
```

Test Cases:

===TEST CASE 1===

Input:

(None)

Expected Output:

```
*
**
***
****
*****
```

===TEST CASE 2===

Input:

(None)

Expected Output:

```
*
**
***
****
*****
```

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int i, j;
4     for (i = 1; i <= 5; i++) {,
5         for (j = 1; j <= i; j++) {
6             printf("*");
7         }
8         printf("\n");
9     }
10    return 0;
11 }
```

Output

```
*
**
***
****
*****
```