Underlying Cause of Death, 2018-2020, Single Race Request
Deaths occurring through 2020

1. Organize table layout: Help

Group Results By [State ▾]

And By [Year ▾]

And By [ICD Sub-Chapter ▾]

And By [None ▾]

And By [None ▾]

Notes:

• Group Results By "15 Leading Causes" to see the top 15 rankable causes selected from the corresponding 113 or 130 Cause List. More information.

Measures (**Default measures** always checked and included. Check box to include any others.)

☑ **Deaths**   ☑ **Population**   ☑ **Crude Rate**

For crude rates: ☐ **95% Confidence Interval**   ☐ **Standard Error**

☐ **Age Adjusted Rate**   ☐ **95% Confidence Interval**   ☐ **Standard Error**

☑ **Percent of Total Deaths**

Title [Underlying Cause of Death cdc - Grp by State, ICD Sub-Chapter.gov]

Additional Rate Options   *Click '+' for non-standard age adjusted rates and other options.*   **Help**

### 2. Select location: Help

Click a button to choose locations by State, Census Region or HHS Region.
     States ⦿   **Census Regions** ◯   **HHS Regions** ◯

Browse or **search** to find items in the States Finder Tool, then **highlight** the items to use for this request.
(The *Currently selected* box displays all current request items.)
     Finder Tool Help   **Advanced Finder Options**

States	**Currently selected:**
All (The United States) ▲	*All* (The United States)
+ 01 (Alabama)	
+ 02 (Alaska)	
+ 04 (Arizona)	
+ 05 (Arkansas)	
+ 06 (California)	
+ 08 (Colorado)	
+ 09 (Connecticut)	
+ 10 (Delaware)	
+ 11 (District of Columbia ▼	
◄ ►	

Browse the list by opening and closing items.
Use Ctrl+Click to multiple select, Shift+Click for a range.

Pick between: **2013 Urbanization**

2013 Urbanization ⦿
2006 Urbanization ◯

2013 Urbanization
All Categories ▲
Large Central Metro
Large Fringe Metro
Medium Metro
Small Metro
Micropolitan (Nonmetro)
NonCore (Nonmetro) ▼

---

3. Select demographics: Help

Hint: Use Ctrl + Click for multiple selections, or Shift + Click for a range.

Pick between: **Five-Year Age Groups**   **Gender**   **Pick between:** **Single Race 6**

Ten-Year Age Groups ◯
Five-Year Age Groups ⦿
Single-Year Ages ◯
Infant Age Groups ◯

Five-Year Age Groups
All Ages ▲
< 1 year
1-4 years
5-9 years
10-14 years
15-19 years
20-24 years
25-29 years
30-34 years
35-39 years
40-44 years
45-49 years ▼

Gender
All Genders ▲
Female
Male ▼

Hispanic Origin

Hispanic Origin
All Origins ▲
Hispanic or Latino
Not Hispanic or Latino
Not Stated ▼

Single Race 6 ⦿
Single Race 15 ◯
Single/Multi Race 31 ◯

Single Race 6
All Races ▲
American Indian or Alaska Native
Asian
Black or African American
Native Hawaiian or Other Pacific Islander
White
More than one race ▼

Default rates
per 100,000

---

4. Select year and month: Help

Browse or **search** to find items in the Year/Month Finder Tool, then **highlight** the items to use for this request.
(The *Currently selected* box displays all current request items.)
     Finder Tool Help   **Advanced Finder Options**

Year/Month	**Currently selected:**
All (All Date ▲	*All* (All Dates)
+ 2018 (2018)	
+ 2019 (2019)	
+ 2020 (2020)	
▼	
◄ ►	

Browse the list by opening and closing items.
Use Ctrl+Click to multiple select, Shift+Click for a range.

---

5. Select weekday, autopsy and place of death: Help

Hint: Use Ctrl + Click for multiple selections, or Shift + Click for a range.

Weekday	Autopsy	Place of Death
All Weekdays	All Values	All Places
Sunday	No	Medical Facility - Inpatient
Monday	Yes	Medical Facility - Outpatient or ER
Tuesday	Unknown	Medical Facility - Dead on Arrival
Wednesday		Medical Facility - Status unknown
Thursday		Decedent's home
Friday		Hospice facility
Saturday		Nursing home/long term care
Unknown		Other

6. Select cause of death: Help

Click a button to select ICD codes by Chapters or by Groups.

- ⦿ **ICD-10 Codes**   ○ **ICD-10 130 Cause List (Infants)**   ○ **Drug/Alcohol Induced Causes**
- ○ **ICD-10 113 Cause List**   ○ **Injury Intent and Mechanism**

Browse or **search** to find items in the ICD-10 Codes Finder Tool, then **highlight** the items to use for this request.
(The *Currently selected* box displays all current request items.)

Finder Tool Help   Advanced Finder Options

> **These items have no subordinates and can't be
> opened: W32, W33, W34, X72, X73, X74, X93, X94,
> X95, Y22, Y23, Y24**

Terms: `'Firearm'`

Matching items start with ">" and are colored blue

ICD-10 Codes

ICD-10 Codes	Currently selected:
>X95 (Assault by other and unspecified firearm discharge)	>W32 (Handgun discharge)
+ Y10-Y34 (Event of undetermined intent)	>W33 (Rifle, shotgun and larg
>Y22 (Handgun discharge, undetermined intent)	>W34 (Discharge from other a
>Y23 (Rifle, shotgun and larger firearm discharge, undetermined intent)	>X72 (Intentional self-harm b
>Y24 (Other and unspecified firearm discharge, undetermined intent)	>X73 (Intentional self-harm b
- Y35-Y36 (Legal intervention and operations of war)	>X74 (Intentional self-harm b
+ Y35 (Legal intervention)	>X93 (Assault by handgun dis
>Y35.0 (Legal intervention involving firearm discharge)	>X94 (Assault by rifle, shotgu
+ Y36 (Operations of war)	>X95 (Assault by other and u
>Y36.4 (War operations involving firearm discharge and other forms of conventiona	>Y22 (Handgun discharge, un
	>Y23 (Rifle, shotgun and large
	>Y24 (Other and unspecified f

Browse the list by opening and closing items.
Use Ctrl+Click to multiple select, Shift+Click for a range.

7. Other options: Help

Export Results	☑ (Check box to download results to a file)
Show Totals	☐
Show Zero Values	☐
Show Suppressed Values	☐
Precision	1 ⌄ decimal places
Data Access Timeout	15 ⌄ minutes