

Appendix B - 40 Sitreps of CNS Alpha for duration of 20 days

CNS ALPHA — DAY 1 (01 Mar 26)

--- SITREP 01 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 01/AM/ALPHA/OPS
 - PCS: 082° / 96 NM from Fujairah | Course 110° | Speed 14 kts
-

2. Intelligence Report

ESM

- Emitter 001: S-band long-range air search radar, bearing 192°, strength 8/10 → probable correlation (0.83 confidence). Arleigh Burke Class Destroyer; OSINT indicates USS Mustin (DDG89)
- Emitter 002: AEGIS SPY-1D type emission, bearing 198°, strength 7/10 → probable correlation (0.71). Arleigh Burke Class Destroyer; OSINT indicates USS Rafael Peralta (DDG115)
- Emitter 003: Medium-power navigation radar, bearing 210°, strength 5/10 → possible DDG escort. Arleigh Burke Class Destroyer, unable to identify specifically
- Emitter 004: Intermittent low-power emission, bearing 178°, strength 3/10 → possible littoral combatant. OSINT indicates USS Savannah (LCS28)
- Emitter 005: Civilian radar cluster, bearings 095°–120°, strength 4/10
- Emitter 006: Weak coastal radar pulse, bearing 015°, strength 2/10

Radar

- Total tracks detected: 15
- Merchant vessels: 12
 - VLCC: 5
 - Container: 4
 - Bulk cargo: 3
- Naval contacts:

- 2 large contacts (95–110 km) (likely USS Mustin (DDG89) and USS Savannah (LCS28)
- 1 medium escort-type track (likely USS Rafael Peralta (DDG115))
- 1 intermittent low-RCS surface contact detected north-west sector

Visual

- Nil significant due haze
 - Distant tanker mast silhouettes visible west bearing
-

3. Fuel Status

- Available – 936 T / 78%
 - Required to make 95% – 204 T / 17%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Fully serviceable / 2.2 hrs flown
 - Cleared for: Day/Night Operations
 - Next Insp: 05 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 11 kts
 - Swell: 1.2 m
 - Sea State: 3
 - Visibility: 7 km
 - Barometric Pressure: 1012 mb
-

6. Extra Info

- Civil aircraft in ASR: 18
- 2 civilian aircraft observed holding south-west airway junction

- MV density approximately 20% above expected baseline
 - Tanker spacing inconsistent (3–5 NM)
 - No replenishment activity sighted
 - Jet engine noise detected twice bearing 195°–205°
 - No fishing dhow activity north sector
 - Merchant VHF advisory referenced “increased military aviation south sector”
 - Weak AIS lag (~4 min) observed in one VLCC
 - No UAV/drone activity reported
-

CNS ALPHA — DAY 1 (01 Mar 26)

--- SITREP 02 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 01/PM/ALPHA/OPS
 - PCS: 095° / 102 NM from Fujairah | Course 125° | Speed 16 kts
-

2. Intelligence Report

ESM

- Emitter 007: High-power S-band radar, bearing 205°, strength 9/10 → correlates with E002. Confirmed as USS Rafael Peralta (DDG115)
- Emitter 008: AEGIS emission, bearing 212°, strength 7/10 → correlates with E001
- Emitter 009: Fire-control radar spike, bearing 200°, strength 6/10
- Emitter 010: Weak intermittent emission, bearing 160°, strength 3/10 → possible regional naval unit
- Emitter 011: Civilian radar cluster, bearings 100°–140°, strength 5/10
- Emitter 012: Weak surface-search radar, bearing 250°, strength 2/10

Radar

- Total tracks detected: 14
- Merchant vessels: 11
- Naval contacts:
 - 2 escorts stabilized intermittently
- 1 fast small craft (~32 kts) without AIS intermittently tracked north-west sector likely IRGC Vessel

Visual

- Nil
 - Surface visibility reduced by haze
-

3. Fuel Status

- Available – 900 T / 75%
 - Required to make 95% – 240 T / 20%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 3.4 hrs cumulative
 - Cleared for: Day/Night Operations
 - Next Insp: 05 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 14 kts
 - Swell: 1.4 m
 - Sea State: 3
 - Visibility: 5–6 km
 - Barometric Pressure: 1011 mb
-

6. Extra Info

- Civil aircraft in ASR: 21
 - 4 civilian conflict alerts logged in southern airway
 - Fast surface craft behaviour inconsistent with merchant routing
 - Fire-control radar spike duration approximately 12 sec
 - MV count reduced by 1 during PM window
 - Aviation noise detected 3 times between 1730–1930 IST
 - No replenishment activity sighted
 - Merchant chatter referenced “escort presence south sector”
 - Weak radar clutter increasing after sunset
 - No missile/drone advisories active
-

CNS ALPHA — DAY 2 (02 Mar 26)

--- SITREP 03 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 02/AM/ALPHA/OPS
 - PCS: 110° / 108 NM from Fujairah | Course 090° | Speed 15 kts
-

2. Intelligence Report

ESM

- Emitter 013: S-band radar, bearing 215°, strength 8/10 → correlates with E007 (USS Rafael Peralta (DDG115))
- Emitter 014: AEGIS SPY-1D type emission, bearing 220°, strength 7/10 → correlates with E008
- Emitter 015: Medium-power radar, bearing 240°, strength 5/10 → possible correlation (0.58)
- Emitter 016: Weak coastal radar pulse, bearing 020°, strength 3/10
- Emitter 017: Civilian radar spread, bearings 085°–140°, strength 4/10
- Emitter 018: Weak intermittent emission, bearing 262°, strength 2/10

Radar

- Total tracks detected: 17
- Merchant vessels: 14
 - Tankers: 6
 - Container: 5
 - Bulk: 3
- 2 escort-type tracks stable (likely Arleigh Burke Class Destroyers)
- 1 intermittent low-speed contact north-east sector

Visual

- Tanker silhouettes sighted range 11–13 km
 - Heavy haze west sector
-

3. Fuel Status

- Available – 864 T / 72%
 - Required to make 95% – 276 T / 23%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 1.9 hrs flown
 - Cleared for: Day Operations
 - Next Insp: 05 Mar 26
 - Any flaws in book log: Minor vibration within limits
-

5. Weather

- Wind: NE 16 kts
 - Swell: 1.6 m
 - Sea State: 4
 - Visibility: 5 km
 - Barometric Pressure: 1010 mb
-

6. Extra Info

- Civil aircraft in ASR: 19
 - Highest MV density observed till date
 - Convoy structure observed (5 tankers, 2.5 NM spacing)
 - Possible NATO-type emission west sector
 - Aviation cycle intervals reduced (~19 min)
 - No replenishment activity sighted
 - AIS mismatch observed in 2 merchant vessels
 - Merchant advisory: “maintain convoy discipline”
 - Weak sea clutter affecting low-RCS tracks
 - No hostile UAV reports received
-

CNS ALPHA — DAY 2 (02 Mar 26)

--- SITREP 04 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 02/PM/ALPHA/OPS
 - PCS: 125° / 112 NM from Fujairah | Course 135° | Speed 18 kts
-

2. Intelligence Report

ESM

- Emitter 019: S-band radar, bearing 225°, strength 9/10 → correlates with E013. USS Rafael Peralta (DDG115)
- Emitter 020: AEGIS emission, bearing 232°, strength 7/10 → correlates with E014
- Emitter 021: Fire-control radar spike, bearing 228°, strength 6/10
- Emitter 022: Weak intermittent emission, bearing 150°, strength 3/10 → possible RSNF Al Jubail
- Emitter 023: Civilian radar cluster, bearings 090°–150°, strength 5/10
- Emitter 024: Weak navigation radar, bearing 268°, strength 2/10

Radar

- Total tracks detected: 15
- Merchant vessels: 12
- 2 contacts intermittently lost beyond 90 km
- Escort tracks maintained west bearing

Visual

- Nil
-

3. Fuel Status

- Available – 816 T / 68%
- Required to make 95% – 324 T / 27%

4. A/C State

- Frame No: ALH-01
- State / Rate: Serviceable / 3.4 hrs cumulative
- Cleared for: Day/Night Operations
- Next Insp: 05 Mar 26
- Any flaws in book log: Minor vibration persists

5. Weather

- Wind: NE 18 kts
- Swell: 1.8 m
- Sea State: 4
- Visibility: 4–5 km
- Barometric Pressure: 1009 mb

6. Extra Info

- Civil aircraft in ASR: 23
 - PM merchant traffic reduced by approximately 15%
 - Fire-control radar spikes observed twice (10–15 sec duration)
 - Speed increased to 18 kts during patrol repositioning
 - Merchant advisory warned of temporary routing changes
 - Aviation noise detected 4 times between 1700–1930 IST
 - Radar clutter increasing due sea state
 - No replenishment activity observed
 - Weak AIS inconsistency detected in one tanker
 - No piracy or missile advisories active
 - Propelled at Higher Speeds view Operational Requirements
-

CNS ALPHA — DAY 3 (03 Mar 26)

--- SITREP 05 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 03/AM/ALPHA/OPS
 - PCS: 138° / 118 NM from Fujairah | Course 095° | Speed 15 kts
-

2. Intelligence Report

ESM

- Emitter 025: High-power S-band radar, bearing 228°, strength 8/10 → correlates with E019
- Emitter 026: AEGIS emission, bearing 234°, strength 7/10 → correlates with E020. Confirmed as USS Mustin (DDG 89)
- Emitter 027: Medium radar emission, bearing 260°, strength 5/10 → possible correlation with HMS Kent (UK Ship operating as a part of CMF)
- Emitter 028: Weak intermittent emission, bearing 155°, strength 3/10 → correlates with E022
- Emitter 029: Civilian radar spread, bearings 090°–150°, strength 5/10
- Emitter 030: Weak navigation radar, bearing 278°, strength 2/10

Radar

- Total tracks detected: 18
- Merchant vessels: 15
- 2 escort tracks stable
- 1 intermittent small craft detected north-west sector

Visual

- Tanker convoy observed range 10–14 km. 5 Vessels flying flags of Convenience transmitting intermittently on AIS
 - Low haze east sector
-

3. Fuel Status

- Available – 780 T / 65%
 - Required to make 95% – 360 T / 30%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 2.3 hrs flown
 - Cleared for: Day Operations
 - Next Insp: 05 Mar 26
 - Any flaws in book log: Minor vibration unchanged
-

5. Weather

- Wind: NE 15 kts
 - Swell: 1.7 m
 - Sea State: 4
 - Visibility: 5 km
 - Barometric Pressure: 1008 mb
-

6. Extra Info

- Civil aircraft in ASR: 20
- Highest MV density observed till date
- Tanker convoy maintaining disciplined spacing (~2 NM)
- Emitter spread indicates distributed escort formation
- No replenishment activity sighted
- Aviation cycle frequency increased (~17 min intervals)
- AIS lag observed in one tanker (~6 min)
- Merchant advisory emphasized convoy discipline
- Weak low-RCS contact intermittently disappeared in clutter
- No drone activity reported

CNS ALPHA — DAY 3 (03 Mar 26)

--- SITREP 06 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 03/PM/ALPHA/OPS
 - PCS: 152° / 122 NM from Fujairah | Course 140° | Speed 17 kts
-

2. Intelligence Report

ESM

- Emitter 031: High-power S-band radar, bearing 235°, strength 9/10 → correlates with E025
- Emitter 032: AEGIS SPY-1D emission, bearing 240°, strength 7/10 → correlates with E026
- Emitter 033: Fire-control radar spike, bearing 238°, strength 6/10
- Emitter 034: Medium radar emission, bearing 265°, strength 5/10 → correlates with E027
- Emitter 035: Weak intermittent emission, bearing 150°, strength 3/10 → correlates with E028
- Emitter 036: Civilian radar cluster, bearings 095°–145°, strength 5/10

Radar

- Total tracks detected: 16
- Merchant vessels: 13
 - VLCC: 5
 - Container: 4
 - Bulk: 4
- 2 intermittent track losses beyond 95 km
- 1 low-RCS contact briefly detected north-east sector

Visual

- Nil significant
 - Haze intensified after sunset
-

3. Fuel Status

- Available – 744 T / 62%
 - Required to make 95% – 396 T / 33%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 3.8 hrs cumulative
 - Cleared for: Day/Night Operations
 - Next Insp: 05 Mar 26
 - Any flaws in book log: Nil; Minor vibration stable
-

5. Weather

- Wind: NE 18 kts
 - Swell: 2.0 m
 - Sea State: 4
 - Visibility: 4–5 km
 - Barometric Pressure: 1007 mb
-

6. Extra Info

- Civil aircraft in ASR: 22
 - Merchant density reduced during PM transit window
 - Fire-control radar spikes observed 3 times (8–14 sec)
 - Aviation noise detected 4 times between 1800–1945 IST
 - No replenishment activity sighted
 - Sea clutter affecting intermittent radar returns
 - Merchant chatter referenced “exercise activity south sector”
 - One tanker altered course ~12° south without broadcast explanation
 - Weak AIS delay observed in 2 merchant tracks
 - No active NAVAREA or missile advisories received
 - Vibration issue of ALH-01 resolved using in-situ repairs by Ships Staff
-

CNS ALPHA — DAY 4 (04 Mar 26)

--- SITREP 07 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 04/AM/ALPHA/OPS
 - PCS: 165° / 128 NM from Fujairah | Course 080° | Speed 14 kts
-

2. Intelligence Report

ESM

- Emitter 037: S-band radar emission, bearing 238°, strength 8/10 → correlates with E031
- Emitter 038: AEGIS-type emission, bearing 245°, strength 7/10 → correlates with E032
- Emitter 039: Medium radar emission, bearing 270°, strength 5/10 → correlates with E034
- Emitter 040: New medium-power emission, bearing 255°, strength 6/10 → possible correlation FS Auvergne (french Ship Operating with CMF) (0.66)
- Emitter 041: Weak coastal radar pulse, bearing 012°, strength 3/10
- Emitter 042: Civilian radar spread, bearings 090°–140°, strength 5/10

Radar

- Total tracks detected: 19
- Merchant vessels: 16
- Naval tracks:
 - 2 escort-type (likely Arleigh Burke Class Destroyers - Mustin and Rafael Peralta)
 - 1 medium contact west bearing
- Multiple low-speed contacts north sector

Visual

- Mixed tanker/container convoy observed
 - Dark cumulonimbus cloud build-up east sector
-

3. Fuel Status

- Available – 708 T / 59%
 - Required to make 95% – 432 T / 36%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 2.0 hrs flown
 - Cleared for: Day Operations
 - Next Insp: 05 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 20 kts
 - Swell: 2.3 m
 - Sea State: 5
 - Visibility: 4 km
 - Barometric Pressure: 1005 mb
-

6. Extra Info

- Civil aircraft in ASR: 17
 - Highest merchant density recorded till date
 - Convoy spacing irregular due deteriorating weather
 - First probable French naval signature detected. Not Matching with INT received.
 - AIS dropout observed in 2 merchant vessels
 - Increased sea clutter affecting low-RCS tracking
 - No replenishment activity sighted
 - Merchant advisory referenced “rough weather expected central corridor”
 - Multiple fishing dhows detected north littoral sector
-

CNS ALPHA — DAY 4 (04 Mar 26)

--- SITREP 08 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 04/PM/ALPHA/OPS
 - PCS: 178° / 132 NM from Fujairah | Course 120° | Speed 19 kts
-

2. Intelligence Report

ESM

- Emitter 043: High-power S-band radar, bearing 242°, strength 9/10 → correlates with E037
- Emitter 044: AEGIS emission, bearing 248°, strength 7/10 → correlates with E038
- Emitter 045: Fire-control radar spike, bearing 246°, strength 6/10
- Emitter 046: FREMM-type radar emission, bearing 258°, strength 6/10 → correlates with E040
- Emitter 047: Weak intermittent emission, bearing 145°, strength 3/10
- Emitter 048: Weak civilian navigation radar, bearing 300°, strength 2/10

Radar

- Total tracks detected: 13
- Merchant vessels: 10
- Multiple track interruptions due weather clutter
- Escort tracks intermittently lost beyond 80 km

Visual

- Nil due heavy weather
 - Surface visibility severely degraded
-

3. Fuel Status

- Available – 648 T / 54%

- Required to make 95% – 492 T / 41%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Restricted due weather / 0.8 hrs flown
 - Cleared for: Limited Operations
 - Next Insp: 05 Mar 26
 - Any flaws in book log: Nil additional
-

5. Weather

- Wind: NE 28 kts (gusting 35 kts)
 - Swell: 3.5 m
 - Sea State: 6
 - Visibility: <2 km
 - Barometric Pressure: 1001 mb
-

6. Extra Info

- Civil aircraft in ASR: 9
 - Severe weather degrading radar performance significantly
 - Merchant traffic reduced sharply during PM period
 - Speed increased for repositioning south-west sector
 - Merchant distress call received at 1915 IST (engine failure, self-resolved)
 - Fire-control radar spike observed despite heavy weather
 - No replenishment activity possible
 - Aviation operations heavily restricted view weather
 - Sea clutter generating multiple false low-RCS returns
 - Merchant VHF traffic increased substantially during storm period
-

CNS ALPHA — DAY 5 (05 Mar 26)

--- SITREP 09 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 05/AM/ALPHA/OPS
 - PCS: 190° / 136 NM from Fujairah | Course 060° | Speed 12 kts
-

2. Intelligence Report

ESM

- Emitter 049: S-band radar emission, bearing 245°, strength 8/10 → correlates with E043
- Emitter 050: AEGIS-type emission, bearing 252°, strength 7/10 → correlates with E044
- Emitter 051: Medium radar emission, bearing 275°, strength 5/10
- Emitter 052: Weak intermittent emission, bearing 140°, strength 3/10 → correlates with E047
- Emitter 053: Civilian radar cluster, bearings 100°–150°, strength 4/10
- Emitter 054: Weak navigation radar, bearing 320°, strength 2/10

Radar

- Total tracks detected: 12
- Merchant vessels: 9
- 1 escort track maintained west bearing
- Low-speed dhow traffic north-east sector

Visual

- Nil significant
 - Residual haze after storm passage
-

3. Fuel Status

- Available – 624 T / 52%

- Required to make 95% – 516 T / 43%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Unserviceable / 1.2 hrs flown
 - Cleared for: Nil
 - Next Insp: 10 Mar 26
 - Any flaws in book log: Defect of NH123 pump. Replacement required
-

5. Weather

- Wind: NE 14 kts
 - Swell: 2.0 m
 - Sea State: 4
 - Visibility: 5 km
 - Barometric Pressure: 1006 mb
-

6. Extra Info

- Civil aircraft in ASR: 15
 - Merchant traffic below baseline following storm
 - Replenishment tanker CNS Tango detected bearing 210° range 14 km
 - Replenishment preparations initiated 0735 IST
 - Aviation activity reduced compared previous days
 - Merchant backlog forming westbound sector
 - No hostile UAV/drone reports
 - Weak AIS inconsistencies persisted in 1 tanker
 - Multiple fishing dhows returning north sector
 - Merchant routing gradually normalizing
 - ALH-01 unserviceable
 - Ship drifted to for a few hours
-

CNS ALPHA — DAY 5 (05 Mar 26)

--- SITREP 10 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 05/PM/ALPHA/OPS
 - PCS: 192° / 138 NM from Fujairah | Course 085° | Speed 13 kts
-

2. Intelligence Report

ESM

- Emitter 055: High-power S-band radar, bearing 248°, strength 8/10 → correlates with E049
- Emitter 056: AEGIS emission, bearing 255°, strength 7/10 → correlates with E050
- Emitter 057: Fire-control radar spike, bearing 250°, strength 6/10
- Emitter 058: Medium radar emission, bearing 278°, strength 5/10 → possible correlation with Arleigh Burke Class Destroyers. INT indicates USS Pickney (DDG 91).
- Emitter 059: Weak intermittent emission, bearing 142°, strength 3/10
- Emitter 060: Civilian radar cluster, bearings 095°–155°, strength 5/10

Radar

- Total tracks detected: 11
- Merchant vessels: 8
- Escort-type track maintained south-west sector
- Multiple weak clutter returns during sunset period

Visual

- Nil
 - Moderate haze west bearing
-

3. Fuel Status

- Available – 1020 T / 85%
 - Required to make 95% – 120 T / 10%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 2.5 hrs cumulative
 - Cleared for: Day/Night Operations
 - Next Insp: 10 Mar 26
 - Any flaws in book log: Pump NH123 replaced
-

5. Weather

- Wind: NE 12 kts
 - Swell: 1.6 m
 - Sea State: 3
 - Visibility: 6 km
 - Barometric Pressure: 1009 mb
-

6. Extra Info

- Replenishment with CNS Tango completed successfully
- Fuel transfer duration: approximately 4.5 hrs
- Civil aircraft in ASR: 18
- Merchant density still below pre-storm baseline
- Aviation tempo returning to normal levels
- No allied replenishment activity sighted
- Merchant congestion easing eastbound corridor
- Fire-control radar spike observed once (~11 sec)
- Weak sea clutter persisted after sunset
- No active missile, piracy or NAVAREA advisories received

CNS ALPHA — DAY 6 (06 Mar 26)

--- SITREP 11 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 06/AM/ALPHA/OPS
 - PCS: 176° / 128 NM from Fujairah | Course 045° | Speed 12 kts
-

2. Intelligence Report

ESM

- Emitter 061: High-power S-band radar, bearing 250°, strength 8/10 → correlates with E055
- Emitter 062: AEGIS SPY-1D emission, bearing 258°, strength 7/10 → correlates with E056
- Emitter 063: Medium-power radar emission, bearing 274°, strength 5/10 → probable NATO escort correlation. INT indicates USS Nitze (DDG 94)
- Emitter 064: Weak intermittent emission, bearing 148°, strength 3/10 → correlates with E059
- Emitter 065: Civilian radar cluster, bearings 100°–160°, strength 5/10
- Emitter 066: Weak coastal radar pulse, bearing 008°, strength 2/10

Radar

- Total tracks detected: 14
- Merchant vessels: 11
 - Tankers: 5
 - Container: 3
 - Bulk cargo: 3
- 2 naval contacts stabilized south-west sector
- 1 intermittent low-speed AIS-negative contact north littoral sector

Visual

- Tanker convoy sighted west sector
 - Weather conditions improving steadily
-

3. Fuel Status

- Available – 984 T / 82%
 - Required to make 95% – 156 T / 13%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Fully serviceable / 1.8 hrs flown
 - Cleared for: Day/Night Operations
 - Next Insp: 10 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 10 kts
 - Swell: 1.4 m
 - Sea State: 3
 - Visibility: 7 km
 - Barometric Pressure: 1010 mb
-

6. Extra Info

- Civil aircraft in ASR: 19
 - Merchant density recovering after storm period
 - Convoy spacing normalized (~3–4 NM)
 - Aviation noise detected twice bearing 245°–260°
 - No replenishment activity sighted
 - Weak AIS delay (~3 min) observed in 1 tanker
 - Fishing dhow activity resumed north sector
 - No NAVAREA or NOTAM advisories active
 - Tactical note forwarded: “persistent escort geometry south-west sector”
 - No significant change in carrier-type emissions from previous reporting period
-

CNS ALPHA — DAY 6 (06 Mar 26)

--- SITREP 12 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 06/PM/ALPHA/OPS
 - PCS: 168° / 122 NM from Fujairah | Course 030° | Speed 14 kts
-

2. Intelligence Report

ESM

- Emitter 067: S-band radar emission, bearing 252°, strength 8/10 → correlates with E061
- Emitter 068: AEGIS emission, bearing 260°, strength 7/10 → correlates with E062
- Emitter 069: Fire-control radar spike, bearing 255°, strength 6/10
- Emitter 070: Medium radar emission, bearing 280°, strength 5/10 → possible correlation ITS Carlo Margottini (Italian Ship operating as a part of CMF) (0.54)
- Emitter 071: Weak intermittent emission, bearing 145°, strength 3/10
- Emitter 072: Civilian radar cluster, bearings 105°–155°, strength 5/10

Radar

- Total tracks detected: 15
- Merchant vessels: 12
- 2 escort tracks stable beyond 85 km
- 1 intermittent fast craft detected north-west sector (~28 kts). Likely IRGC

Visual

- Nil significant
 - Moderate haze west bearing
-

3. Fuel Status

- Available – 948 T / 79%

- Required to make 95% – 192 T / 16%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 3.1 hrs cumulative
 - Cleared for: Day/Night Operations
 - Next Insp: 10 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 11 kts
 - Swell: 1.5 m
 - Sea State: 3
 - Visibility: 6 km
 - Barometric Pressure: 1011 mb
-

6. Extra Info

- Civil aircraft in ASR: 21
 - Merchant traffic returned near baseline levels
 - Fire-control radar spike duration approximately 9 sec
 - One tanker temporarily altered route ~8° south
 - No replenishment activity observed
 - AIS mismatch observed in 1 container vessel
 - Aviation activity moderately increased during PM window
 - Sea clutter minimal
 - Merchant VHF referenced “exercise traffic south corridor”
 - Tactical note forwarded: “possible independent NATO patrol west sector”
-

CNS ALPHA — DAY 7 (07 Mar 26)

--- SITREP 13 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 07/AM/ALPHA/OPS
 - PCS: 158° / 116 NM from Fujairah | Course 350° | Speed 15 kts
-

2. Intelligence Report

ESM

- Emitter 073: High-power S-band radar, bearing 255°, strength 8/10 → correlates with E067
- Emitter 074: AEGIS SPY-1D emission, bearing 262°, strength 7/10 → correlates with E068
- Emitter 075: Medium radar emission, bearing 282°, strength 5/10 → correlates with E070
- Emitter 076: Weak intermittent emission, bearing 138°, strength 3/10
- Emitter 077: Weak long-range emission, bearing 118°, strength 2/10 → possible distant PLAN surveillance correlation
- Emitter 078: Civilian radar spread, bearings 100°–150°, strength 5/10

Radar

- Total tracks detected: 16
- Merchant vessels: 13
- 2 escort-type contacts stable
- 1 intermittent low-RCS track east sector

Visual

- Distant tanker silhouettes sighted
 - Visibility improved compared previous days
-

3. Fuel Status

- Available – 900 T / 75%
 - Required to make 95% – 240 T / 20%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 2.0 hrs flown
 - Cleared for: Day Operations
 - Next Insp: 10 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 9 kts
 - Swell: 1.3 m
 - Sea State: 3
 - Visibility: 8 km
 - Barometric Pressure: 1013 mb
-

6. Extra Info

- Civil aircraft in ASR: 22
 - Merchant density approximately 10% above baseline
 - First weak long-range eastern emission logged
 - Convoy discipline improving gradually
 - Aviation cycle intervals averaging ~18 min
 - No replenishment activity observed
 - Fishing dhow density increased north littoral zone
 - No active weather warnings
 - Merchant routing stable
 - No significant escalation indicators detected
 - Higher Speeds used as a part of crew work up and engine trials
-

CNS ALPHA — DAY 7 (07 Mar 26)

--- SITREP 14 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 07/PM/ALPHA/OPS
 - PCS: 150° / 110 NM from Fujairah | Course 020° | Speed 16 kts
-

2. Intelligence Report

ESM

- Emitter 079: S-band radar emission, bearing 258°, strength 8/10 → correlates with E073
- Emitter 080: AEGIS emission, bearing 265°, strength 7/10 → correlates with E074
- Emitter 081: Fire-control radar spike, bearing 260°, strength 6/10
- Emitter 082: Medium radar emission, bearing 284°, strength 5/10 → correlates with E075
- Emitter 083: Weak long-range emission, bearing 120°, strength 2/10 → correlates with E077
- Emitter 084: Civilian radar cluster, bearings 105°–155°, strength 5/10

Radar

- Total tracks detected: 17
- Merchant vessels: 14
- 2 naval contacts maintained stable geometry
- 1 fast small craft without AIS intermittently tracked north-west sector

Visual

- Nil significant
 - Moderate haze south-west sector
-

3. Fuel Status

- Available – 860 T / 72%
 - Required to make 95% – 280 T / 23%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 6.7 hrs cumulative
 - Cleared for: Day/Night Operations
 - Next Insp: 10 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 12 kts
 - Swell: 1.5 m
 - Sea State: 3
 - Visibility: 6–7 km
 - Barometric Pressure: 1012 mb
-

6. Extra Info

- Civil aircraft in ASR: 24
 - Merchant traffic at highest level since storm recovery
 - Fire-control radar spike lasted approximately 11 sec
 - No replenishment activity sighted
 - Aviation noise detected repeatedly between 1800–1930 IST
 - AIS inconsistency detected in one bulk cargo vessel
 - Fast surface contact maneuvering inconsistent with merchant routing
 - Merchant VHF referenced “possible exercise corridor activation within 48 hrs”
 - Tactical note forwarded: “escort geometry appears increasingly distributed”
 - No missile or piracy advisories active
 - Extensive flying undertaken for development of Situation Awareness (SA)
-

CNS ALPHA — DAY 8 (08 Mar 26)

--- SITREP 15 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 08/AM/ALPHA/OPS
 - PCS: 142° / 104 NM from Fujairah | Course 005° | Speed 18 kts
-

2. Intelligence Report

ESM

- Emitter 085: High-power S-band radar, bearing 262°, strength 8/10 → correlates with E079
- Emitter 086: AEGIS SPY-1D emission, bearing 268°, strength 7/10 → correlates with E080
- Emitter 087: Medium radar emission, bearing 286°, strength 5/10 → probable allied frigate correlation. Unable to classify.
- Emitter 088: Weak intermittent emission, bearing 132°, strength 3/10
- Emitter 089: Weak long-range eastern emission, bearing 122°, strength 2/10 → correlates with E083. Likely 49 APEF Frigate Xichang or 49 APEF Destroyer Zibo
- Emitter 090: Civilian radar cluster, bearings 100°–160°, strength 5/10

Radar

- Total tracks detected: 18
- Merchant vessels: 15
- 3 convoy formations identified
- 1 intermittent low-speed AIS-negative contact north sector

Visual

- Multiple tanker formations sighted
 - Increased air traffic visually observed south-west sector
-

3. Fuel Status

- Available – 806 T / 65%
 - Required to make 95% – 334 T / 30%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Fully serviceable / 2.4 hrs flown
 - Cleared for: Day Operations
 - Next Insp: 10 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 10 kts
 - Swell: 1.4 m
 - Sea State: 3
 - Visibility: 7 km
 - Barometric Pressure: 1014 mb
-

6. Extra Info

- Civil aircraft in ASR: 26
- NAVAREA advisory received 0615 IST regarding temporary naval exercise corridor south-central sector
- Merchant routing beginning gradual southward adjustment
- Convoy spacing tightened (~2–3 NM)
- Aviation activity noticeably increased compared previous 48 hrs
- No replenishment activity observed
- Weak AIS delays observed in 2 merchant vessels
- Tactical note forwarded: “merchant adaptation to advisory visible”
- No active distress calls
- Higher Speeds used as per Operational requirements
- No confirmed hostile UAV activity

CNS ALPHA — DAY 8 (08 Mar 26)

--- SITREP 16 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 08/PM/ALPHA/OPS
 - PCS: 136° / 98 NM from Fujairah | Course 355° | Speed 14 kts
-

2. Intelligence Report

ESM

- Emitter 091: S-band radar emission, bearing 266°, strength 8/10 → correlates with E085
- Emitter 092: AEGIS emission, bearing 272°, strength 7/10 → correlates with E086
- Emitter 093: Fire-control radar spike, bearing 268°, strength 6/10
- Emitter 094: Medium radar emission, bearing 288°, strength 5/10 → correlates with E087
- Emitter 095: Weak long-range emission, bearing 125°, strength 2/10 → correlates with E089
- Emitter 096: Civilian radar cluster, bearings 100°–165°, strength 5/10

Radar

- Total tracks detected: 19
- Merchant vessels: 16
- 3 convoy groups stable south-west corridor
- 1 escort contact intermittently masked by civilian traffic

Visual

- Tanker convoy lights observed west sector
 - Increased aviation lighting south-west horizon
-

3. Fuel Status

- Available – 768 T / 64%
 - Required to make 95% – 372 T / 31%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 4.0 hrs cumulative
 - Cleared for: Day/Night Operations
 - Next Insp: 10 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 11 kts
 - Swell: 1.5 m
 - Sea State: 3
 - Visibility: 6 km
 - Barometric Pressure: 1013 mb
-

6. Extra Info

- Civil aircraft in ASR: 28
 - Merchant routing changes now clearly established after NAVAREA issue
 - Convoy spacing reduced further (~2 NM average)
 - Fire-control radar spike lasted ~14 sec
 - Aviation noise detected continuously between 1810–1940 IST
 - No replenishment activity sighted
 - One tanker temporarily entered holding pattern south-west corridor
 - AIS lag (~5 min) observed in 2 merchant vessels
 - Tactical note forwarded: “exercise corridor appears operationally active”
 - No piracy or UAV advisories active
-

CNS ALPHA — DAY 9 (09 Mar 26)

--- SITREP 17 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 09/AM/ALPHA/OPS
 - PCS: 128° / 94 NM from Fujairah | Course 340° | Speed 14 kts
-

2. Intelligence Report

ESM

- Emitter 097: High-power S-band radar, bearing 270°, strength 8/10 → correlates with E091
- Emitter 098: AEGIS SPY-1D emission, bearing 275°, strength 7/10 → correlates with E092
- Emitter 099: Medium radar emission, bearing 292°, strength 5/10
- Emitter 100: Weak intermittent emission, bearing 130°, strength 3/10
- Emitter 101: Weak long-range eastern emission, bearing 128°, strength 2/10 → correlates with E095. COMINT indicate 49 APEF Destroyer Zibo.
- Emitter 102: Civilian radar spread, bearings 095°–160°, strength 5/10

Radar

- Total tracks detected: 20
- Merchant vessels: 17
 - Tankers: 8
 - Container: 5
 - Bulk cargo: 4
- 2 escort contacts maintained distributed geometry
- 1 intermittent low-RCS track east sector

Visual

- High merchant density visually confirmed
 - Moderate haze north-west sector
-

3. Fuel Status

- Available – 730 T / 63%
 - Required to make 95% – 410 T / 32%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Fully serviceable / 2.6 hrs flown
 - Cleared for: Day Operations
 - Next Insp: 10 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 12 kts
 - Swell: 1.5 m
 - Sea State: 3
 - Visibility: 7 km
 - Barometric Pressure: 1014 mb
-

6. Extra Info

- Civil aircraft in ASR: 27
- Merchant traffic approximately 15% above pre-storm baseline
- Multiple convoy groups maintaining disciplined routing
- Aviation sortie intervals averaging ~15–17 min
- No replenishment activity observed
- Tactical note forwarded: “escort geometry continuing distributed arc pattern”
- AIS mismatch detected in one VLCC
- Merchant VHF traffic increased significantly after NAVAREA implementation
- Weak radar clutter affecting small craft tracking north sector
- No hostile UAV/drone reports received

CNS ALPHA — DAY 9 (09 Mar 26)

--- SITREP 18 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 09/PM/ALPHA/OPS
 - PCS: 122° / 88 NM from Fujairah | Course 320° | Speed 19 kts
-

2. Intelligence Report

ESM

- Emitter 103: S-band radar emission, bearing 274°, strength 8/10 → correlates with E097
- Emitter 104: AEGIS emission, bearing 278°, strength 7/10 → correlates with E098
- Emitter 105: Fire-control radar spike, bearing 272°, strength 6/10
- Emitter 106: Medium radar emission, bearing 295°, strength 5/10 → possible correlation Arleigh Burke Class Destroyer (0.57)
- Emitter 107: Weak intermittent emission, bearing 132°, strength 3/10
- Emitter 108: Civilian radar cluster, bearings 100°–165°, strength 5/10

Radar

- Total tracks detected: 18
- Merchant vessels: 15
- 2 escort tracks stable
- 10 fast AIS-negative surface contact detected briefly north-west sector (~34 kts). likely Pirates/ IRGC

Visual

- Indian MV SCI Swarnamala
 - 3 fast AIS negative vessels
 - Heavy haze after sunset
-

3. Fuel Status

- Available – 660 T / 55%
 - Required to make 95% – 480 T / 40%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 6.1 hrs cumulative
 - Cleared for: Day/Night Operations
 - Next Insp: 10 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 13 kts
 - Swell: 1.6 m
 - Sea State: 3
 - Visibility: 5–6 km
 - Barometric Pressure: 1012 mb
-

6. Extra Info

- Civil aircraft in ASR: 25
 - Merchant traffic remained elevated throughout PM period
 - Fire-control radar spike observed twice (~9 sec and ~12 sec)
 - No replenishment activity observed
 - Aviation noise persistent south-west sector
 - Fast surface contact maneuver inconsistent with commercial traffic
 - Merchant convoy spacing holding at ~2 NM
 - Tactical note forwarded: “possible multinational escort layering continuing”
 - Minor AIS delay observed in one container vessel
 - No distress or missile advisories active
 - **High Speed and extensive flying to engage Fast attack Crafts** (likely IRGC/ Pirates) proceeding towards Indian Flag MV Swarnamala. Vessel proceeding due East escorted clear of area
-

CNS ALPHA — DAY 10 (10 Mar 26)

--- SITREP 19 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 10/AM/ALPHA/OPS
 - PCS: 116° / 84 NM from Fujairah | Course 300° | Speed 14 kts
-

2. Intelligence Report

ESM

- Emitter 109: High-power S-band radar, bearing 278°, strength 8/10 → correlates with E103
- Emitter 110: AEGIS SPY-1D emission, bearing 282°, strength 7/10 → correlates with E104
- Emitter 111: Medium radar emission, bearing 300°, strength 5/10 → correlates with E106. Confirmed as USS Momsen (DDG 92)
- Emitter 112: Weak intermittent emission, bearing 135°, strength 3/10
- Emitter 113: Weak long-range eastern emission, bearing 130°, strength 2/10 → correlates with E101
- Emitter 114: Civilian radar spread, bearings 095°–160°, strength 5/10

Radar

- Total tracks detected: 17
- Merchant vessels: 14
- 2 escort contacts maintained stable geometry
- 1 intermittent low-speed dhow cluster north littoral sector

Visual

- Tanker silhouettes visible west bearing
 - Visibility moderate with morning haze
-

3. Fuel Status

- Available – 624 T / 52%
 - Required to make 95% – 516 T / 43%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Fully serviceable / 2.1 hrs flown
 - Cleared for: Day Operations
 - Next Insp: 15 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 10 kts
 - Swell: 1.4 m
 - Sea State: 3
 - Visibility: 7 km
 - Barometric Pressure: 1013 mb
-

6. Extra Info

- Civil aircraft in ASR: 24
 - Merchant density stabilized after initial NAVAREA adjustment
 - Convoy discipline remains significantly improved
 - No replenishment activity observed
 - Aviation sortie frequency slightly reduced compared previous 48 hrs
 - Tactical note forwarded: “exercise corridor impacts now normalized into merchant routing”
 - AIS mismatch detected in 1 tanker
 - Fishing dhow density moderate north sector
 - Weak sea clutter affecting small contact resolution
 - No hostile UAV/drone activity detected
 - SCI Swarnamala escorted clear of area
-

CNS ALPHA — DAY 10 (10 Mar 26)

--- SITREP 20 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 10/PM/ALPHA/OPS
 - PCS: 110° / 80 NM from Fujairah | Course 285° | Speed 18 kts
-

2. Intelligence Report

ESM

- Emitter 115: S-band radar emission, bearing 282°, strength 8/10 → correlates with E109
- Emitter 116: AEGIS emission, bearing 286°, strength 7/10 → correlates with E110
- Emitter 117: Fire-control radar spike, bearing 280°, strength 6/10
- Emitter 118: Medium radar emission, bearing 304°, strength 5/10 → correlates with E111
- Emitter 119: Weak intermittent emission, bearing 138°, strength 3/10
- Emitter 120: Civilian radar cluster, bearings 100°–160°, strength 5/10

Radar

- Total tracks detected: 19
- Merchant vessels: 16
- 3 convoy groups identified south-west corridor
- 1 intermittent AIS-negative fast craft tracked briefly north-west sector

Visual

- Nil significant
 - Moderate evening haze
-

3. Fuel Status

- Available – 564 T / 47%

- Required to make 95% – 576 T / 48%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 4.0 hrs cumulative
 - Cleared for: Day/Night Operations
 - Next Insp: 15 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 14 kts
 - Swell: 1.7 m
 - Sea State: 4
 - Visibility: 5 km
 - Barometric Pressure: 1011 mb
-

6. Extra Info

- Civil aircraft in ASR: 26
- Merchant convoying behavior now consistent across reporting periods
- Fire-control radar spike duration approximately 10 sec
- Aviation noise detected repeatedly between 1815–1945 IST
- Increased speed maintained during northern patrol repositioning
- No replenishment activity sighted
- Fast surface contact maneuvered north-west sector before contact loss
- Tactical note forwarded: “distributed escort arc highly probable”
- Minor AIS lag observed in 2 merchant vessels
- No active piracy, missile or distress advisories received

CNS ALPHA — DAY 11 (11 Mar 26)

--- SITREP 21 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 11/AM/ALPHA/OPS
 - PCS: 102° / 74 NM from Fujairah | Course 295° | Speed 15 kts
-

2. Intelligence Report

ESM

- Emitter 121: High-power S-band radar, bearing 286°, strength 8/10 → correlates with E115
- Emitter 122: AEGIS SPY-1D emission, bearing 290°, strength 7/10 → correlates with E116
- Emitter 123: Medium radar emission, bearing 306°, strength 5/10
- Emitter 124: Weak intermittent emission, bearing 142°, strength 3/10
- Emitter 125: Weak long-range eastern emission, bearing 132°, strength 2/10 → correlates with E113. COMINT indicates replenishment planned with 49 APEF Tanker
- Emitter 126: Civilian radar spread, bearings 095°–160°, strength 5/10

Radar

- Total tracks detected: 18
- Merchant vessels: 15
- 2 escort-type contacts maintained west sector geometry
- 1 intermittent AIS-negative surface contact north-west sector

Visual

- Tanker convoy sighted
 - Moderate haze north sector
-

3. Fuel Status

- Available – 516 T / 43%
 - Required to make 95% – 624 T / 52%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Fully serviceable / 2.3 hrs flown
 - Cleared for: Day Operations
 - Next Insp: 15 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 12 kts
 - Swell: 1.8 m
 - Sea State: 4
 - Visibility: 6 km
 - Barometric Pressure: 1010 mb
-

6. Extra Info

- Civil aircraft in ASR: 25
 - Merchant convoying behavior stable across reporting periods
 - Aviation sortie intervals increased slightly (~19–20 min)
 - No replenishment activity observed
 - Tactical note forwarded: “escort geometry indicates layered protection”
 - AIS mismatch observed in one tanker
 - Weak radar clutter affecting intermittent low-RCS tracks
 - Fishing dhow density moderate north littoral
 - Merchant VHF traffic remains elevated post-NAVAREA
 - No active missile or piracy advisories
 - Increased speed maintained during northern patrol repositioning
-

CNS ALPHA — DAY 11 (11 Mar 26)

--- SITREP 22 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 11/PM/ALPHA/OPS
 - PCS: 096° / 70 NM from Fujairah | Course 305° | Speed 17 kts
-

2. Intelligence Report

ESM

- Emitter 127: S-band radar emission, bearing 290°, strength 8/10 → correlates with E121
- Emitter 128: AEGIS emission, bearing 294°, strength 7/10 → correlates with E122
- Emitter 129: Fire-control radar spike, bearing 288°, strength 6/10
- Emitter 130: Medium radar emission, bearing 310°, strength 5/10 → possible correlation JS Takanami (Japanese Ship part of CMF) (0.56)
- Emitter 131: Weak intermittent emission, bearing 145°, strength 3/10
- Emitter 132: Civilian radar cluster, bearings 100°–165°, strength 5/10

Radar

- Total tracks detected: 19
- Merchant vessels: 16
- 3 convoy groups identified south-west corridor
- 1 fast AIS-negative surface track intermittently detected (~31 kts) likely IRGC.

Visual

- Nil significant
 - Evening haze increasing west sector
-

3. Fuel Status

- Available – 456 T / 38%

- Required to make 95% – 684 T / 57%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 4.2 hrs cumulative
 - Cleared for: Day/Night Operations
 - Next Insp: 15 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 15 kts
 - Swell: 2.0 m
 - Sea State: 4
 - Visibility: 5 km
 - Barometric Pressure: 1009 mb
-

6. Extra Info

- Civil aircraft in ASR: 27
 - Fire-control radar spike observed twice (~8 sec and ~13 sec)
 - Merchant density remained above seasonal baseline
 - No replenishment activity sighted
 - Aviation noise persistent between 1820–1945 IST
 - Fast surface track maneuver inconsistent with commercial routing
 - Tactical note forwarded: “possible multinational escort layering continuing”
 - Weak AIS lag observed in 2 merchant vessels
 - Increased sea clutter after sunset
 - No hostile UAV activity reported
 - Increased speed maintained during northern patrol repositioning
-

CNS ALPHA — DAY 12 (12 Mar 26)

--- SITREP 23 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 12/AM/ALPHA/OPS
 - PCS: 090° / 66 NM from Fujairah | Course 315° | Speed 14 kts
-

2. Intelligence Report

ESM

- Emitter 133: High-power S-band radar, bearing 294°, strength 8/10 → correlates with E127
- Emitter 134: AEGIS SPY-1D emission, bearing 298°, strength 7/10 → correlates with E128
- Emitter 135: Medium radar emission, bearing 314°, strength 5/10 → correlates with E130
- Emitter 136: Weak intermittent emission, bearing 150°, strength 3/10
- Emitter 137: Weak eastern long-range emission, bearing 136°, strength 2/10
- Emitter 138: Civilian radar spread, bearings 100°–160°, strength 5/10

Radar

- Total tracks detected: 17
- Merchant vessels: 14
- 2 escort contacts stable
- 1 intermittent low-speed AIS-negative contact north sector

Visual

- Tanker silhouettes visible west bearing
 - Light haze
-

3. Fuel Status

- Available – 420 T / 35%

- Required to make 95% – 720 T / 60%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Fully serviceable / 3.0 hrs flown
 - Cleared for: Day Operations
 - Next Insp: 15 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 11 kts
 - Swell: 1.6 m
 - Sea State: 3
 - Visibility: 7 km
 - Barometric Pressure: 1011 mb
-

6. Extra Info

- Civil aircraft in ASR: 24
 - **UAV crash advisory received at 0545 IST west-central sector (unidentified platform)**
 - Merchant traffic briefly slowed during advisory dissemination
 - Aviation tempo increased immediately after advisory
 - No replenishment activity observed
 - Tactical note forwarded: "increased air activity post UAV incident"
 - AIS inconsistency observed in one container vessel
 - Convoy discipline remained stable
 - Weak radar clutter north-west sector
 - No confirmed hostile intent established regarding UAV incident
-

CNS ALPHA — DAY 12 (12 Mar 26)

--- SITREP 24 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 12/PM/ALPHA/OPS
 - PCS: 086° / 62 NM from Fujairah | Course 330° | Speed 26 kts
-

2. Intelligence Report

ESM

- Emitter 139: S-band radar emission, bearing 298°, strength 8/10 → correlates with E133
- Emitter 140: AEGIS emission, bearing 302°, strength 7/10 → correlates with E134
- Emitter 141: Fire-control radar spike, bearing 296°, strength 6/10
- Emitter 142: Medium radar emission, bearing 318°, strength 5/10
- Emitter 143: Weak intermittent emission, bearing 152°, strength 3/10
- Emitter 144: Civilian radar cluster, bearings 100°–165°, strength 5/10

Radar

- Total tracks detected: 20
- Merchant vessels: 16
- 3 escort contacts intermittently stabilized
- 1 fast AIS-negative surface contact tracked briefly (~35 kts)

Visual

- Nil significant
 - Moderate haze after sunset
 - 1 Medium size Merchant vessel on fire
-

3. Fuel Status

- Available – 328 T / 24%

- Required to make 95% – 812 T / 71%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 5.5 hrs cumulative
 - Cleared for: Day/Night Operations
 - Next Insp: 15 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 13 kts
 - Swell: 1.8 m
 - Sea State: 4
 - Visibility: 5 km
 - Barometric Pressure: 1010 mb
-

6. Extra Info

- Civil aircraft in ASR: 29
 - Aviation noise significantly elevated following UAV incident
 - Fire-control radar spikes observed 3 times (~7–12 sec)
 - **Increased speed for investigation of Distress Alert from unnamed MV. MV length 110m found of fire. Rescue in progress.**
 - No replenishment activity observed
 - Merchant convoy spacing tightened temporarily after advisory
 - Tactical note forwarded: “carrier escort activity appears elevated”
 - AIS lag observed in 2 merchant vessels
 - Fast surface track lost in clutter after sunset
 - No missile or distress advisories active
-

CNS ALPHA — DAY 13 (13 Mar 26)

--- SITREP 25 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 13/AM/ALPHA/OPS
 - PCS: 082° / 58 NM from Fujairah | Course 340° | Speed 12 kts
-

2. Intelligence Report

ESM

- Emitter 145: High-power S-band radar, bearing 302°, strength 8/10 → correlates with E139
- Emitter 146: AEGIS SPY-1D emission, bearing 306°, strength 7/10 → correlates with E140
- Emitter 147: Medium radar emission, bearing 320°, strength 5/10
- Emitter 148: Weak intermittent emission, bearing 154°, strength 3/10
- Emitter 149: Weak eastern long-range emission, bearing 140°, strength 2/10. Possibly 49 APEF Tanker (To be confirmed)
- Emitter 150: Civilian radar spread, bearings 100°–160°, strength 5/10

Radar

- Total tracks detected: 16
- Merchant vessels: 13
- 2 escort contacts stable west sector
- 1 low-speed dhow cluster north-east sector

Visual

- Moderate merchant traffic visually confirmed
 - Visibility improved
-

3. Fuel Status

- Available – 290 T / 24%

- Required to make 95% – 850 T / 71%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Fully serviceable / 1.7 hrs flown
 - Cleared for: Day Operations
 - Next Insp: 15 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 9 kts
 - Swell: 1.4 m
 - Sea State: 3
 - Visibility: 8 km
 - Barometric Pressure: 1012 mb
-

6. Extra Info

- Civil aircraft in ASR: 23
- Merchant density slightly reduced after UAV advisory cycle
- Aviation activity reduced compared previous PM period
- No replenishment activity observed
- Tactical note forwarded: “escort geometry stabilized after elevated activity”
- AIS mismatch observed in one tanker
- Fishing dhow density moderate north sector
- Merchant routing normalized gradually
- Weak radar clutter minimal
- No new UAV-related advisories received
- **13 People rescued from the vessel on fire. MV Name - MV Dinosaur. Flag - Marshal Island. Master - Mr Jospeh (Indian). Crew - 13 (03 Indian, 09 Filipino, 01 Russian). LPC - Bahrain; NPC - Kochi. Cargo - Chemicals.**

CNS ALPHA — DAY 13 (13 Mar 26)

--- SITREP 26 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 13/PM/ALPHA/OPS
 - PCS: 078° / 54 NM from Fujairah | Course 210° | Speed 14 kts
-

2. Intelligence Report

ESM

- Emitter 151: S-band radar emission, bearing 306°, strength 8/10 → correlates with E145
- Emitter 152: AEGIS emission, bearing 310°, strength 7/10 → correlates with E146
- Emitter 153: Fire-control radar spike, bearing 304°, strength 6/10
- Emitter 154: Medium radar emission, bearing 322°, strength 5/10
- Emitter 155: Weak intermittent emission, bearing 158°, strength 3/10
- Emitter 156: Civilian radar cluster, bearings 100°–165°, strength 5/10

Radar

- Total tracks detected: 18
- Merchant vessels: 15
- 3 convoy formations identified south-west corridor
- 1 intermittent AIS-negative fast craft detected north-west sector (~33 kts)

Visual

- Nil significant
 - Evening haze moderate
-

3. Fuel Status

- Available – 252 T / 21%
- Required to make 95% – 888 T / 74%

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 4.3 hrs cumulative
 - Cleared for: Day/Night Operations
 - Next Insp: 15 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 14 kts
 - Swell: 1.7 m
 - Sea State: 4
 - Visibility: 5–6 km
 - Barometric Pressure: 1010 mb
-

6. Extra Info

- Civil aircraft in ASR: 26
 - Increased speed maintained for replenishment approach south-west sector
 - Fire-control radar spike observed twice (~10 sec each)
 - Merchant convoy discipline remained stable
 - Aviation noise persistent between 1800–1940 IST
 - No merchant distress traffic reported
 - Tactical note forwarded: “possible replenishment activity likely within next reporting cycle”
 - AIS lag observed in one bulk cargo vessel
 - Fast surface contact maneuver inconsistent with merchant routing
 - No active missile or piracy advisories
-

CNS ALPHA — DAY 14 (14 Mar 26)

--- SITREP 27 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 14/AM/ALPHA/OPS
 - PCS: 064° / 46 NM from Fujairah | Course 220° | Speed 11 kts
-

2. Intelligence Report

ESM

- Emitter 157: High-power S-band radar, bearing 308°, strength 8/10 → correlates with E151
- Emitter 158: AEGIS SPY-1D emission, bearing 312°, strength 7/10 → correlates with E152
- Emitter 159: Medium radar emission, bearing 326°, strength 5/10
- Emitter 160: Weak intermittent emission, bearing 160°, strength 3/10
- Emitter 161: Weak eastern long-range emission, bearing 144°, strength 2/10
- Emitter 162: Civilian radar spread, bearings 100°–160°, strength 5/10

Radar

- Total tracks detected: 15
- Merchant vessels: 12
- 2 escort contacts maintained west-sector geometry
- 1 replenishment tanker track stabilized south-west sector

Visual

- Replenishment vessel (identified as USNS Big Horn) visually identified bearing 218° range 8 km.
 - Moderate haze
-

3. Fuel Status

- Available – 228 T / 19%

- Required to make 95% – 912 T / 76%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 1.5 hrs flown
 - Cleared for: Day Operations
 - Next Insp: 15 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 10 kts
 - Swell: 1.4 m
 - Sea State: 3
 - Visibility: 7 km
 - Barometric Pressure: 1011 mb
-

6. Extra Info

- Civil aircraft in ASR: 22
 - RV with CNS Tango at 0400h for replenishment operations
 - Replenishment preparations commenced 0640 IST
 - Merchant traffic reduced near replenishment corridor
 - AIS inconsistency detected in one tanker
 - Fishing dhow density low north sector
 - Weak radar clutter minimal
 - No active UAV advisories
 - USNS Big Horn refuelled USS Rafael Peralta from 0100h to 0400h
 - Drifted intermittently to conserve fuel
-

CNS ALPHA — DAY 14 (14 Mar 26)

--- SITREP 28 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 14/PM/ALPHA/OPS
 - PCS: 060° / 42 NM from Fujairah | Course 250° | Speed 10 kts
-

2. Intelligence Report

ESM

- Emitter 163: S-band radar emission, bearing 310°, strength 8/10 → correlates with E157
- Emitter 164: AEGIS emission, bearing 314°, strength 7/10 → correlates with E158
- Emitter 165: Fire-control radar spike, bearing 308°, strength 6/10
- Emitter 166: Medium radar emission, bearing 328°, strength 5/10
- Emitter 167: Weak intermittent emission, bearing 162°, strength 3/10
- Emitter 168: Civilian radar cluster, bearings 100°–165°, strength 5/10

Radar

- Total tracks detected: 14
- Merchant vessels: 11
- 2 escort tracks stable
- Replenishment vessel maintained station south-west sector

Visual

- CNS Tango visible throughout PM period
 - Surface visibility good
-

3. Fuel Status

- Available – 972 T / 81%
- Required to make 95% – 168 T / 14%

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 2.8 hrs cumulative
 - Cleared for: Day/Night Operations
 - Next Insp: 15 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 8 kts
 - Swell: 1.2 m
 - Sea State: 3
 - Visibility: 8 km
 - Barometric Pressure: 1013 mb
-

6. Extra Info

- Replenishment with CNS Tango completed successfully
 - Fuel transfer duration approximately 5 hrs
 - Civil aircraft in ASR: 21
 - Merchant traffic remained low near replenishment area
 - Aviation activity reduced during replenishment window
 - Fire-control radar spike observed once (~9 sec)
 - AIS lag observed in one merchant vessel
 - No hostile UAV/drone activity reported
 - No active missile, piracy or NAVAREA changes received
-

CNS ALPHA — DAY 15 (15 Mar 26)

--- SITREP 29 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 15/AM/ALPHA/OPS
 - PCS: 074° / 58 NM from Fujairah | Course 030° | Speed 16 kts
-

2. Intelligence Report

ESM

- Emitter 169: High-power S-band radar, bearing 314°, strength 8/10 → correlates with E163
- Emitter 170: AEGIS SPY-1D emission, bearing 318°, strength 7/10 → correlates with E164
- Emitter 171: Medium radar emission, bearing 332°, strength 5/10
- Emitter 172: Weak intermittent emission, bearing 166°, strength 3/10
- Emitter 173: Weak eastern long-range emission, bearing 148°, strength 2/10
- Emitter 174: Civilian radar spread, bearings 100°–160°, strength 5/10

Radar

- Total tracks detected: 18
- Merchant vessels: 15
- 3 convoy groups identified south-west corridor
- 1 intermittent fast surface contact detected north-west sector

Visual

- Tanker convoy visible west sector
 - Morning haze moderate
-

3. Fuel Status

- Available – 924 T / 77%
- Required to make 95% – 216 T / 18%

4. A/C State

- Frame No: ALH-01
 - State / Rate: Fully serviceable / 2.2 hrs flown
 - Cleared for: Day Operations
 - Next Insp: 20 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 11 kts
 - Swell: 1.5 m
 - Sea State: 3
 - Visibility: 7 km
 - Barometric Pressure: 1012 mb
-

6. Extra Info

- Civil aircraft in ASR: 24
 - **Insurance advisory Phase 1 received regarding elevated regional transit risk**
 - Merchant traffic beginning gradual reduction (~8–10%)
 - Convoy spacing tightened to ~2 NM
 - Aviation activity slightly elevated after advisory release
 - Tactical note forwarded: “commercial adaptation visible within 6 hrs”
 - AIS inconsistencies detected in 2 tankers
 - No replenishment activity observed
 - Weak radar clutter affecting small-contact tracking
 - No confirmed hostile military escalation indicators detected
 - Higher speeds view Operational considerations
-

CNS ALPHA — DAY 15 (15 Mar 26)

--- SITREP 30 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 15/PM/ALPHA/OPS
 - PCS: 086° / 66 NM from Fujairah | Course 055° | Speed 17 kts
-

2. Intelligence Report

ESM

- Emitter 175: S-band radar emission, bearing 318°, strength 8/10 → correlates with E169
- Emitter 176: AEGIS emission, bearing 322°, strength 7/10 → correlates with E170
- Emitter 177: Fire-control radar spike, bearing 316°, strength 6/10
- Emitter 178: Medium radar emission, bearing 336°, strength 5/10
- Emitter 179: Weak intermittent emission, bearing 170°, strength 3/10
- Emitter 180: Civilian radar cluster, bearings 100°–165°, strength 5/10

Radar

- Total tracks detected: 17
- Merchant vessels: 13
- 2 escort contacts stable
- 1 fast AIS-negative surface track briefly stabilized (~32 kts) likely IRGC Patrol craft.

Visual

- Nil significant
 - Evening haze increasing west sector
-

3. Fuel Status

- Available – 864 T / 72%

- Required to make 95% – 276 T / 23%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 4.0 hrs cumulative
 - Cleared for: Day/Night Operations
 - Next Insp: 20 Mar 26
 - Any flaws in book log: Nil
-

5. Weather

- Wind: NE 13 kts
 - Swell: 1.7 m
 - Sea State: 4
 - Visibility: 5–6 km
 - Barometric Pressure: 1010 mb
-

6. Extra Info

- Civil aircraft in ASR: 26
- Insurance advisory effects now visible across merchant density
- Merchant traffic approximately 12–15% below pre-advisory baseline
- Fire-control radar spikes observed twice (~8 sec each)
- Aviation noise persistent south-west sector
- Tactical note forwarded: “commercial convoy discipline significantly improved”
- AIS lag observed in one container vessel
- Fast surface track maneuver inconsistent with merchant routing
- No replenishment activity observed
- Higher speeds view Operational considerations

CNS ALPHA — DAY 16 (16 Mar 26)

--- SITREP 31 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 16/AM/ALPHA/OPS
 - PCS: 098° / 72 NM from Fujairah | Course 042° | Speed 14 kts
-

2. Intelligence Report

ESM

- Emitter 181: High-power S-band radar, bearing 324°, strength 8/10 → correlates with E175
- Emitter 182: AEGIS-type emission, bearing 331°, strength 7/10 → probable escort continuity. Likely Arleigh Burke Class Destroyer taking over from USS Mustin
- Emitter 183: Weak medium-power emission, bearing 298°, strength fluctuating 3–5/10 → correlation uncertain
- Emitter 184: Intermittent low-power surface-search radar, bearing 176°, strength 2/10
- Emitter 185: Civilian radar cluster, bearings 095°–150°, strength 4/10
- Emitter 186: Weak eastern long-range emission.

Radar

- Total tracks fluctuating 16–21 due to intermittent clutter
- Merchant vessels positively identified: 14
- 2 escort-type contacts maintained intermittently
- 1 low-RCS return duplicated briefly during sunrise clutter

Visual

- Large tanker group sighted west sector
- Visibility variable due to morning haze bands

3. Fuel Status

- Available – 822 T / 69%
 - Required to make 95% – 318 T / 26%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable / 1.9 hrs flown
 - Cleared for: Day Operations
 - Next Insp: 20 Mar 26
 - Any flaws in book log:
 - Minor FLIR stabilization lag reported during dawn sortie
 - Re-test scheduled next flying window
-

5. Weather

- Wind: Variable NE–E 8–14 kts
 - Swell: 1.8 m
 - Sea State: 4
 - Visibility: 4–8 km variable
 - Barometric Pressure: 1008 mb
-

6. Extra Info

- Civil aircraft in ASR: 23
- Merchant traffic remained below pre-advisory baseline
- Convoy spacing inconsistent during early morning traffic merge
- Aviation noise noticeably reduced between 0430–0630 IST
- One AIS track duplicated briefly before auto-correction
- Tactical note from Ops Room:
 - “Possible escort redistribution further south”
- No replenishment activity observed
- Fishing dhow activity lower than expected north sector
- Weak VHF chatter referenced “insurance surcharge revisions”

- No confirmed UAV activity this period

CNS ALPHA — DAY 16 (16 Mar 26)

--- SITREP 32 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 16/PM/ALPHA/OPS
 - PCS: 112° / 80 NM from Fujairah | Course 068° | Speed 18 kts
-

2. Intelligence Report

ESM

- Emitter 187: S-band radar emission, bearing 336°, strength 8/10 → probable carrier-group correlation. INT indicates **USS CSG Nimitz Group** Operating in Northern Arabian Sea
- Emitter 188: AEGIS emission, bearing 344°, strength 6/10 → correlates with E176 → intermittent fadeouts noted. **Likely USS Mustin (DDG 89) leaving station.**
- Emitter 189: Brief fire-control type spike, bearing 339°, duration ~4 sec → classification uncertain
- Emitter 190: Medium-power emission, bearing 301°, strength 5/10 → possible allied escort. Correlation unavailable.
- Emitter 191: Weak civilian navigation radar overlap, bearings 100°–160°
- Emitter 192: Short-duration unidentified burst, bearing 021°, not reacquired

Radar

- Total tracks detected: 17
- Merchant vessels: 13 confirmed
- 1 intermittent fast craft north-west sector (~29–33 kts)
- Surface clutter moderate after sunset

Visual

- Nil
 - Haze dense south-west sector
-

3. Fuel Status

- Available – 750 T / 63%
 - Required to make 95% – 390 T / 33%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Partially mission capable / 3.0 hrs cumulative
 - Cleared for: Day/Night limited surveillance
 - Next Insp: 20 Mar 26
 - Any flaws in book log:
 - FLIR stabilization issue persists intermittently
 - EO imagery quality degraded during turbulence
-

5. Weather

- Wind: E-NE 16 kts gusting 22
 - Swell: 2.1 m
 - Sea State: 4
 - Visibility: 5 km
 - Barometric Pressure: 1006 mb
-

6. Extra Info

- Civil aircraft in ASR: 24
 - Merchant flow uneven through PM period
 - One tanker deviated ~14 NM south of usual routing before rejoining convoy lane
 - Aviation noise resumed heavily after 1800 IST
 - Brief radar shadow sector encountered during turn to 068°
 - Higher speeds view Operational considerations
 - AIS inconsistencies reduced compared previous week
 - Merchant VHF traffic referenced possible further insurance advisories
 - No distress calls received
-

CNS ALPHA — DAY 17 (17 Mar 26)

--- SITREP 33 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 17/AM/ALPHA/OPS
 - PCS: 124° / 88 NM from Fujairah | Course 072° | Speed 13 kts
-

2. Intelligence Report

ESM

- Emitter 193: High-power S-band radar, bearing 342°, strength 7/10 → correlates with E187
- Emitter 194: AEGIS-type emission, bearing 351°, strength variable 4–7/10. Likely Arleigh Burke Class Destroyer.
- Emitter 195: Weak intermittent emission, bearing 286°, strength 3/10 → correlation uncertain
- Emitter 196: Civilian radar cluster, bearings 095°–155°, strength 5/10
- Emitter 197: New weak eastern long-range emission reacquired bearing 152°, strength 2/10. Matching with 49 APEF Frigate Xichang.
- Emitter 198: Coastal radar pulse bearing 012°, intermittent

Radar

- Total tracks: 14 confirmed, 4 intermittent
- Merchant vessels: 12
- 1 probable duplicate convoy track deleted manually
- Escort geometry less distinct than previous reporting periods

Visual

- Moderate tanker traffic west horizon
 - Visibility improved after sunrise
-

3. Fuel Status

- Available – 708 T / 59%
 - Required to make 95% – 432 T / 36%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable with restrictions / 1.6 hrs flown
 - Cleared for: Day surveillance only
 - Next Insp: 20 Mar 26
 - Any flaws in book log:
 - EO stabilization acceptable below Sea State 4 only
-

5. Weather

- Wind: ENE 9–11 kts
 - Swell: 1.5 m
 - Sea State: 3
 - Visibility: 8 km
 - Barometric Pressure: 1009 mb
-

6. Extra Info

- Civil aircraft in ASR: 21
 - Friday traffic reduction effect still noticeable in some lanes
 - Merchant spacing wider compared previous 72 hrs
 - One watchkeeper assessed possible escort withdrawal west sector; assessment not confirmed
 - Aviation tempo lower during morning cycle
 - No replenishment activity
 - Fishing dhow concentration unexpectedly high north-east sector
 - Brief VHF interference observed around 0610 IST
 - No missile or UAV advisories active
 - 49 APEF Destroyer Zibo may be handing over 49 APEF Frigate Xichang. ELINT and COMINT being monitored.
-

CNS ALPHA — DAY 17 (17 Mar 26)

--- SITREP 34 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 17/PM/ALPHA/OPS
 - PCS: 136° / 96 NM from Fujairah | Course 094° | Speed 17 kts
-

2. Intelligence Report

ESM

- Emitter 199: S-band radar emission, bearing 349°, strength 8/10 correlates with E187
- Emitter 200: AEGIS emission, bearing 356°, strength 7/10 correlates with E188. signatures correlate with USS Jack H Lucas (DDG 125)
- Emitter 201: Medium-power emission, bearing 312°, strength 4/10. Likely NATO/ US Warship, further classification not possible.
- Emitter 202: Weak intermittent emission, bearing 172°, strength 2/10
- Emitter 203: Civilian radar cluster heavy overlap west sector
- Emitter 204: One unidentified pulse bearing 041°, not repeated

Radar

- Total tracks fluctuating between 15–19
- Merchant vessels positively identified: 14
- 2 low-RCS returns intermittently merged with clutter
- Fast craft track lost after sunset

Visual

- Nil significant
 - Dense haze lower south-west horizon
-

3. Fuel Status

- Available – 648 T / 54%

- Required to make 95% – 492 T / 41%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable with restrictions / 3.4 hrs cumulative
 - Cleared for: Night deck ops restricted
 - Next Insp: 20 Mar 26
 - Any flaws in book log:
 - Deck crew reported intermittent FLIR image drift
-

5. Weather

- Wind: E 14–18 kts
 - Swell: 2.0 m
 - Sea State: 4
 - Visibility: 4–6 km
 - Barometric Pressure: 1007 mb
-

6. Extra Info

- Civil aircraft in ASR: 22
- Merchant density increased slightly after morning lull
- One container vessel reported temporary GPS discrepancy over VHF
- Aviation noise detected intermittently only
- Convoy discipline remains improved despite reduced traffic
- Ops Room note:
 - “Operational picture tonight less certain than earlier week”
- No replenishment activity observed
- Higher speeds view Operational considerations
- Surface-search performance degraded intermittently by haze
- No active distress or missile advisories
- One low-speed track north sector later assessed likely fishing dhow cluster

CNS ALPHA — DAY 18 (18 Mar 26)

--- SITREP 35 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 18/AM/ALPHA/OPS
 - PCS: 148° / 104 NM from Fujairah | Course 102° | Speed 12 kts
-

2. Intelligence Report

ESM

- Emitter 205: High-power S-band radar, bearing 355°, strength 7/10 → correlates with E199 → probable carrier-group continuity
- Emitter 206: AEGIS-type emission, bearing 004°, strength fluctuating 5–7/10 → correlates with E200
- Emitter 207: Medium-power emission, bearing 320°, strength 4/10 → correlation uncertain → correlates with E201
- Emitter 208: Weak intermittent emission, bearing 176°, strength 2/10
- Emitter 209: Civilian radar overlap heavy west sector
- Emitter 210: Weak eastern long-range emission not detected this period

Radar

- Total tracks: 13 confirmed, 5 intermittent
- Merchant vessels: 11
- 1 probable duplicate tanker track deleted manually
- Surface picture intermittently unstable during sunrise clutter

Visual

- Sparse tanker traffic west horizon
 - Visibility variable due haze layering
-

3. Fuel Status

- Available – 612 T / 51%

- Required to make 95% – 528 T / 44%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Restricted surveillance capability / 1.2 hrs flown
 - Cleared for: Day deck ops only
 - Next Insp: 20 Mar 26
 - Any flaws in book log:
 - EO tracking drift continues intermittently
 - Maintenance team assessing stabilization unit
-

5. Weather

- Wind: Variable E–SE 7–12 kts
 - Swell: 1.3 m
 - Sea State: 3
 - Visibility: 5–8 km
 - Barometric Pressure: 1010 mb
-

6. Extra Info

- Civil aircraft in ASR: 20
 - Merchant density lower than expected for Saturday morning cycle
 - One convoy observed splitting temporarily near southern lane merge
 - Aviation noise minimal before 0600 IST
 - Ops Room assessment divided regarding escort disposition
 - No replenishment activity
 - Weak AIS latency observed intermittently in one tanker
 - Fishing dhow concentration reduced sharply compared previous day
 - Brief VHF silence noted across one commercial band (~4 min)
 - No active UAV or NAVAREA updates received
-

CNS ALPHA — DAY 18 (18 Mar 26)

--- SITREP 36 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 18/PM/ALPHA/OPS
 - PCS: 162° / 114 NM from Fujairah | Course 118° | Speed 19 kts
-

2. Intelligence Report

ESM

- Emitter 211: S-band radar emission, bearing 002°, strength 8/10 → correlates with E205
- Emitter 212: AEGIS emission, bearing 011°, strength 6/10. Likely escort of CSG Nimitz Group. Matching with USS Ted Stevens (DDG 128)
- Emitter 213: Brief fire-control type emission, bearing 006°, duration ~3 sec → low confidence
- Emitter 214: Medium-power emission, bearing 327°, strength 5/10 → possible allied destroyer → correlates with E207. Matching with US Ticonderoga class
- Emitter 215: Weak intermittent emission, bearing 182°, strength 2/10
- Emitter 216: One unidentified burst bearing 054°, not reacquired

Radar

- Total tracks fluctuating 17–22
- Merchant vessels confirmed: 15
- Multiple intermittent clutter merges during course alteration
- Fast craft contact north-west sector later assessed uncertain

Visual

- Nil significant
 - Haze thickening after sunset
-

3. Fuel Status

- Available – 540 T / 45%
 - Required to make 95% – 600 T / 50%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable with restrictions / 1.8 hrs cumulative
 - Cleared for: Limited night surveillance
 - Next Insp: 20 Mar 26
 - Any flaws in book log:
 - EO stabilization temporarily improved after recalibration
-

5. Weather

- Wind: SE shifting E 16–20 kts
 - Swell: 2.1 m
 - Sea State: 4
 - Visibility: 4–5 km
 - Barometric Pressure: 1007 mb
-

6. Extra Info

- Civil aircraft in ASR: 25
 - Merchant traffic heavier during PM window than expected
 - One VLCC deviated west ~9 NM before correction
 - Aviation activity resumed strongly after sunset
 - Tactical note forwarded:
 - “possible escort redistribution north-west sector”
 - Surface-search radar performance degraded intermittently by atmospheric layering
 - No replenishment activity observed
 - Merchant VHF referenced rising insurance processing delays
 - AIS mismatch resolved automatically in one contact
 - No distress traffic active
 - Higher Speeds view Operational Considerations
-

CNS ALPHA — DAY 19 (19 Mar 26)

--- SITREP 37 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 19/AM/ALPHA/OPS
 - PCS: 170° / 122 NM from Fujairah | Course 084° | Speed 11 kts
-

2. Intelligence Report

ESM

- Emitter 217: High-power S-band radar, bearing 008°, strength 8/10 → correlates with E211
- Emitter 218: AEGIS-type emission, bearing 016°, strength variable 4–7/10. → correlates with E206
- Emitter 219: Medium-power emission, bearing 334°, strength 4/10 → correlates with E214
- Emitter 220: Weak intermittent emission, bearing 188°, strength 2/10
- Emitter 221: Civilian radar spread west and south sectors
- Emitter 222: Weak eastern long-range signal reacquired bearing 158°, strength 2/10. INT confirmed handover of duties in Gulf of Oman from Zibo to Xichang

Radar

- Total tracks: 14 confirmed
- Merchant vessels: 12
- One intermittent convoy track dropped during manual reclassification
- Surface picture generally stable

Visual

- Tanker silhouettes visible intermittently
 - Morning haze lighter than previous day
-

3. Fuel Status

- Available – 504 T / 42%
 - Required to make 95% – 636 T / 53%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Restricted surveillance capability / 1.0 hrs flown
 - Cleared for: Day operations only
 - Next Insp: 20 Mar 26
 - Any flaws in book log:
 - EO image jitter returned intermittently
-

5. Weather

- Wind: ESE 8–10 kts
 - Swell: 1.4 m
 - Sea State: 3
 - Visibility: 7–8 km
 - Barometric Pressure: 1011 mb
-

6. Extra Info

- Civil aircraft in ASR: 19
 - Merchant density moderate-low
 - Friday traffic reduction now clearly observable versus prior weekdays
 - Convoy discipline remains noticeably tighter than early deployment phase
 - Aviation activity lower throughout dawn cycle
 - No replenishment activity
 - One watch section assessed carrier emissions weaker due possible maneuvering; not confirmed
 - Brief AIS dropout observed in one container vessel
 - Fishing dhow density normalizing
 - No active advisories received
 - Limited flying in view of defects
-

CNS ALPHA — DAY 19 (19 Mar 26)

--- SITREP 38 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 19/PM/ALPHA/OPS
 - PCS: 182° / 130 NM from Fujairah | Course 126° | Speed 16 kts
-

2. Intelligence Report

ESM

- Emitter 223: S-band radar emission, bearing 015°, strength 8/10 → correlates with E217
- Emitter 224: AEGIS emission, bearing 024°, strength 7/10 → correlates with E218
- Emitter 225: Medium-power emission, bearing 341°, strength 5/10 → possible allied frigate
- Emitter 226: Weak intermittent emission, bearing 194°, strength 2/10
- Emitter 227: Civilian radar overlap heavy south-west sector
- Emitter 228: One short unidentified pulse bearing 061°, not repeated

Radar

- Total tracks fluctuating 15–18
- Merchant vessels confirmed: 13
- One low-RCS return later assessed probable clutter artifact
- Fast craft contact north sector lost after sunset

Visual

- Nil significant
 - Surface visibility reduced after dusk
-

3. Fuel Status

- Available – 444 T / 37%

- Required to make 95% – 696 T / 58%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Serviceable with restrictions / 2.5 hrs cumulative
 - Cleared for: Limited night ops
 - Next Insp: 20 Mar 26
 - Any flaws in book log:
 - FLIR stabilization improved but not fully resolved
-

5. Weather

- Wind: E 14–17 kts
 - Swell: 1.9 m
 - Sea State: 4
 - Visibility: 4–6 km
 - Barometric Pressure: 1008 mb
-

6. Extra Info

- Civil aircraft in ASR: 21
- Merchant flow slightly higher than expected for Friday PM cycle
- Aviation noise intermittent only
- Continued flying monitored from USS Nimitz CSG
- No replenishment activity observed
- One tanker transmitted repeated AIS correction bursts
- Weak surface ducting suspected during PM watch
- Merchant VHF traffic lighter than previous week
- No UAV or missile advisories active
- Convoy structure remains intact despite lower traffic density
- Higher Speeds in View of Operational Considerations

CNS ALPHA — DAY 20 (20 Mar 26)

--- SITREP 39 | AM | 0800 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 20/AM/ALPHA/OPS
 - PCS: 194° / 138 NM from Fujairah | Course 118° | Speed 10 kts
-

2. Intelligence Report

ESM

- Emitter 229: High-power S-band radar, bearing 022°, strength 7/10 → correlates with E223
- Emitter 230: AEGIS-type emission, bearing 031°, strength fluctuating 5–7/10. → correlates with E224
- Emitter 231: Medium-power emission, bearing 346°, strength 4/10 → probable allied escort correlation → correlates with E225. Likely ITS Carlo Bergamini
- Emitter 232: Weak intermittent emission, bearing 198°, strength 2/10
- Emitter 233: Civilian radar spread south-west sector
- Emitter 234: Weak eastern long-range signal not detected this watch

Radar

- Total tracks: 13 confirmed, 3 intermittent
- Merchant vessels: 11
- One convoy track manually reclassified after duplicate correlation
- Surface picture comparatively stable

Visual

- Sparse tanker movement west horizon
 - Visibility good after sunrise
-

3. Fuel Status

- Available – 430 T / 36%

- Required to make 95% – 710 T / 59%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Partially mission capable / 0.8 hrs flown
 - Cleared for: Day surveillance only
 - Next Insp: 20 Mar 26 (ongoing)
 - Any flaws in book log:
 - EO/FLIR stabilization issue persists
 - One sortie curtailed early due image drift
-

5. Weather

- Wind: Variable E–NE 6–10 kts
 - Swell: 1.2 m
 - Sea State: 3
 - Visibility: 8–9 km
 - Barometric Pressure: 1012 mb
-

6. Extra Info

- Civil aircraft in ASR: 18
 - Friday traffic reduction still evident in northern lanes
 - Merchant spacing wider than previous weekday averages
 - Aviation noise minimal overnight
 - No replenishment activity observed
 - Ops Room note:
 - “Carrier emissions appear more dispersed than previous week”
 - Brief VHF interference observed on secondary commercial channel
 - One AIS-negative low-speed track later assessed probable dhow group
 - Merchant VHF chatter referenced possible premium increases effective next week
 - No active NAVAREA amendments received
 - Drifting to conserve fuel.
-

CNS ALPHA — DAY 20 (20 Mar 26)

--- SITREP 40 | PM | 2000 IST (EF) ---

1. Basic Details

- Name of Ship: CNS Alpha
 - Sitrep No / PCS / Eqpt No: 20/PM/ALPHA/OPS
 - PCS: 208° / 146 NM from Fujairah | Course 142° | Speed 18 kts
-

2. Intelligence Report

ESM

- Emitter 235: S-band radar emission, bearing 030°, strength 8/10. → correlates with E229
- Emitter 236: AEGIS emission, bearing 039°, strength 6/10. → correlates with E230
- Emitter 237: Brief fire-control type spike, bearing 034°, duration ~5 sec → low confidence
- Emitter 238: Medium-power emission, bearing 352°, strength 5/10 → correlates with E231
- Emitter 239: Weak intermittent emission, bearing 204°, strength 2/10
- Emitter 240: Unidentified short burst bearing 074°, not reacquired

Radar

- Total tracks fluctuating 16–20
- Merchant vessels confirmed: 14
- One fast surface track (~31 kts) intermittently reacquired north-west sector
- Heavy civilian overlap west sector after sunset

Visual

- Nil significant
 - Dense haze lower western horizon
-

3. Fuel Status

- Available – 414 T / 34%
 - Required to make 95% – 726 T / 61%
-

4. A/C State

- Frame No: ALH-01
 - State / Rate: Restricted surveillance capability / 2.4 hrs cumulative
 - Cleared for: Limited night operations
 - Next Insp: Deferred to 21 Mar 26 due operational commitments
 - Any flaws in book log:
 - EO stabilization unreliable above moderate maneuvering angles
-

5. Weather

- Wind: E 16–19 kts
 - Swell: 2.0 m
 - Sea State: 4
 - Visibility: 4–5 km
 - Barometric Pressure: 1008 mb
-

6. Extra Info

- Civil aircraft in ASR: 22
- Merchant traffic increased modestly during PM cycle
- One tanker temporarily lost AIS transmission for ~11 min before restoration
- Aviation activity resumed intermittently after sunset
- Ops Room assessment:
 - “Escort geometry presently difficult to resolve confidently”
- No replenishment activity observed
- Surface-search radar affected intermittently by atmospheric layering
- Convoy structure remains disciplined despite lower overall density
- No active distress or missile advisories
- Fast-contact classification remains unresolved after multiple reacquisitions
- **Major Machinery defect in Stbd Shaft. Drifting for Repairs and conserving fuel.**

- **CNS Alpha disengaged from mission and will transit back to Base for maintenance**
- **Final Report**